

Ben Haj Jilani, I., Ben Othman, W., Sefi, O., Ben Khalifa, S., Meddeb, S., Daoud-Bouattour, A., Ghrabi-Gammar, Z., Bottollier-Curtet, M. & Muller, S. D.: The genus *Limonium* (*Plumbaginaceae*) in Tunisia: taxonomy, biogeography and conservation. — Fl. Medit. 32: 261-277. 2022. — ISSN: 1120-4052 printed, 2240-4538 online.

Electronic Supplementary File 1. <https://doi.org/10.7320/FIMedit32.261.1>

Version of Record published online on 28 December 2022

Table S1. Accepted names, with main synonyms, of Tunisian *Limonium* and their assessment statuses.

Accepted name	Synonym(s)	Assessment status
<i>Limonium alleizettei</i> (Pau) Brullo & Erben	<i>L. pruinatum</i> (L.) Chaz. subsp. <i>alleizettei</i> (Pau) Maire	DD
<i>Limonium avei</i> (De Not.) Brullo & Erben	<i>L. echioides</i> subsp. <i>exaristatum</i> (Murb.), <i>Statice avei</i> De Not.	LC
<i>Limonium bellidifolium</i> (Gouan) Dumort.	<i>L. caspium</i> auct.	VU: D2
<i>Limonium boitardii</i> Maire		VU: B, B2ab(ii,iii,iv)
<i>Limonium bonduellei</i> (T.Lestib.) Kuntze		LC
<i>Limonium byzantium</i> Brullo & Erben		DD
<i>Limonium cercinense</i> Brullo & Erben		CR: B, B2ab(ii,iii,iv,v)
<i>Limonium clupeanum</i> Brullo & Erben		VU: D2
<i>Limonium comosum</i> Erben		VU: D2
<i>Limonium confertum</i> Brullo & Erben		DD
<i>Limonium delicatulum</i> subsp. <i>orientale</i> Pignatti		LC
<i>Limonium densiflorum</i> (Guss.) Kuntze		VU: B1,B2ab(ii,iii,iv)
<i>Limonium echioides</i> (L.) Mill.	<i>L. echioides</i> (L.) Mill. subsp. <i>echioides</i>	LC
<i>Limonium elfahsianum</i> Brullo & Giusso		VU: D2
<i>Limonium formosum</i> Bartolo, Brullo & Giusso		CR: B1,B2ab(ii,iii,iv,v), D
<i>Limonium gougetianum</i> (Girard) Kuntze	<i>L. gougetianum</i> (Girard) Kuntze subsp. <i>gougetianum</i>	NT° (D1)
<i>Limonium hipponense</i> Brullo & Erben		NT° (D1)
<i>Limonium intricatum</i> Brullo & Erben		EN: B1,B2ab(ii,iii,iv)
<i>Limonium kairouanum</i> Brullo & Erben		VU: D2
<i>Limonium korbousense</i> Brullo & Erben		VU: D2
<i>Limonium lacertosum</i> Brullo & Erben		VU: D2
<i>Limonium lobatum</i> (L. f.) Chaz	<i>L. thouinii</i> (Viv.) Kuntze	LC
<i>Limonium menigense</i> Brullo & Erben		EN: B1,B2ab(i,ii,iii,iv,v)
<i>Limonium narbonense</i> Mill.		DD
<i>Limonium neapolense</i> Brullo & Erben		VU: D2
<i>Limonium oblanceolatum</i> Brullo & Erben		VU: D2
<i>Limonium pescadense</i> Greuter & Burdet		DD

<i>Limonium pruinosum</i> (L.) Chaz.	<i>L. pruinosum</i> (L.) Chaz. subsp. <i>pruinosum</i>	LC
<i>Limonium punicum</i> Brullo & Erben		VU: D2
<i>Limonium pyramidatum</i> Brullo & Erben		EN: B1,B2ab(ii,iii,iv)
<i>Limonium rubescens</i> Brullo & Erben		LC
<i>Limonium serratum</i> Brullo & Erben		VU: D2
<i>Limonium sinuatum</i> (L.) Mill.		DD
<i>Limonium spathulatum</i> (Desf.) Kuntze	<i>Statice spathulata</i> Desf.	DD
<i>Limonium steppicum</i> Sefi, Ghrabi-Gammar & Brullo		CR: B1,B2ab(ii,iii,iv,v)
<i>Limonium tacapense</i> Brullo & Erben		VU: D2
<i>Limonium thaenicum</i> Brullo & Erben		DD
<i>Limonium tritonianum</i> Brullo & Erben		DD
<i>Limonium tunetanum</i> (Barratte) Maire	<i>Statice tunetana</i> Bonnet & Barratte	LC
<i>Limonium virgatum</i> (Willd.) Fourr.		LC
<i>Limonium xerophilum</i> Brullo & Erben		VU: D2
<i>Limonium zembrae</i> Pignatti		EN: B1,B2ab(ii,iii,iv)
<i>Limonium zeugitanum</i> Brullo & Erben		DD




Fig. S1. Richness in *Limonium* taxa of the different physiographic subdivisions of Tunisia according to Cuénod & al. (1954). C, Center; CB, Cap Bon; K, Kroumiria; Mog, Mogods; MV; Medjerda Valley; NE, Northeast; S, South; TD, Tunisian Dorsal. The circle diameter is proportional to the richness weighted by the area of the concerned territory.




Fig. S2. Distribution of *Limonium* taxa strictly endemic to Tunisia.




Fig. S3. Tunisian distribution of *Limonium* taxa not strictly endemic of Tunisia