

Mirca Zotti & Francesco Orsino

## The check-list of Ligurian macrofungi

### Abstract

Zotti, M. & Orsino, F.: The check-list of Ligurian macrofungi. — Fl. Medit. 11: 115-294. 2001.  
— ISSN 1120-4052.

This work reports an up-to-date list of all the species of macrofungi known in Liguria: they amount to 1521 (1385 *Basidiomycota* and 136 *Ascomycota*). Details about distribution and ecology are given for each species. A brief statistical discussion on the collected data is also provided.

Although, this check list has been compiled by exploiting information recorded through the last thirty years, the acquaintance with the Ligurian macrofungi flora is far from being exhaustive because a large part of the regional territory is still unexplored from a mycological point of view. Therefore, this work represents a starting point for further studies aimed at carrying out both a more complete picture of the Ligurian mycological flora and the drafting of a national check-list.

### Introduction

Liguria, owing to its geographical position and peculiar geomorphological and climatic conditions, is marked by a great wealth and diversity of environments, spreading out from the sea to the Apennine and Alpine mountains. Obviously this environmental variety gives rise to a large number of vegetation types, explaining the very rich and heterogeneous mycoflora growing in this region, as it also occurs to the phanerogamic flora.

Ligurian mycology enjoyed a thriving growth from the second half of the nineteenth century to the beginning of the twentieth century, thanks to the activity of many naturalists who carried out mycological researches in our region, such as G. De Notaris, J.B. Barla, F. Baglietto, F. Panizzi, O. Penzig, G. Pollacci, P. Voglino, A. Magnaghi, A. Razzore, L. Maffei, O. Mattirolo.

Straight after, Petri (1909) and Saccardo (1915) gathered the data provided by the above-mentioned mycologists.

Afterwards the mycological activity in Liguria cessead almost completely for over fifty years until Balletto started again these studies publishing "Flora Micologica Analitica" (1972); in this very important work for Ligurian mycology, 786 species of macrofungi occurring in this region are recorded, 410 of which were found for the first time by the author.

More recently other contributions to the Ligurian mycological flora were published by several authors (Balletto, 1977, 1981a, 1981b, 1983, 1984; Orsino, 1980, 1986, 1988;

Orsino & Traverso, 1990; Orsino & Dameri, 1991, 1994; Orsino & al., 1999; Zotti, 2001). In this period some more extensive works referring to the macrofungi of a few Ligurian areas came out as well (Monti & Andreotti, 1981; Orsino & Traverso, 1986; Monti & Bisagni, 1991-1992; Orsino & Dameri, 1989, 1991b, 1996; Monti & Maccioni, 1996; Zotti, submitted); generally it is a question of researches carried out in forest ecosystems such as holm-oak woods, chestnut woods and beech woods.

Recent years have really witnessed a considerable renewal of mycological studies, even if by means of a too small group of researchers. Certainly the acquirement of new data has remarkably increased the known of the Ligurian mycoflora, so that nowadays the number of 786 species recorded by Balletto (1972) has grown to 1521.

Nevertheless the acquaintance with the Ligurian macrofungi flora is far from being exhaustive: as a matter of fact the careful mycological exploration of any area always leads to the finding of species which had never been found before in Liguria.

Furthermore from the analysis of the map depicted in Fig.1, it is easy to verify that the areas well known from a mycological point of view represent a very small portion of the whole regional surface; the largest part of the region is still virtually unexplored by mycologists and there are almost unknown environments which are well worthy of study, such as maquis, garrigues, pine woods, grasslands, mountain grazings, swamps etc.

The main aim of this check-list is to provide a rather complete picture of the present knowledge of the Ligurian mycological flora, giving information about distribution and ecology of the listed species. Our contribution can be considered a small portion of a more complete work, regarding the mycological flora of Italy. Other analogous papers have been




Fig.1: Italy and Liguria (upper left corner) and localization of studied areas (shadowed rectangles) within Liguria. The numbers in the map refer to the “Regional Technical Cartography” of Liguria. Each rectangular area is approximately 130 Km<sup>2</sup>.

recently published, aimed at presenting the species of Sicily (Venturella, 1991) and Tuscany (Tofacchi & Mannini, 1999).

For obvious reasons each check-list has a temporary significance, but certainly it well be useful to those who are interested in mycology, representing a good starting point for further mycological studies and becoming a component necessary for the drafting of a national check-list. Moreover it may give a valuable aid in compiling a red list of endangered macrofungi or it may also help in the choice of species which are indicators of particular biotopes and which can therefore be used in nature reserve selection, as it occurs in other European countries.

## Method

A very critical issue in compiling a mycological check-list is represented by the quite not homogeneous sources of information related to macrofungal collections. As a matter of fact, some authors report in their works only the species collected without any regard for the number of times the specimens have been found and for the date. Others only roughly specify the place as well as the habitat where species were picked up. Obviously this fact is partially due to the lack of both a common collecting method among the scientists and a structured geographic information system (GIS) to manage all new incoming data.

This problem is particularly significant for the Ligurian check-list because of the large amount of data recorded in the remote and early past by a great number of macrofungi collectors. In order to face the previously mentioned problems, the check-list (subject of the next Section) consists of two tables. The former (Table 1) is devoted to the species reported by Balletto (1972). In his book, Balletto refers to both species personally observed and species documented in other past mycological issues. Unfortunately, Balletto gives too rough indications about the places and the date of the collections. The latter table (Table 2) shows more recent data referring to fungi which were identified and recorded by some mycologists. All the species included in the check-list are recorded in published works or arise from unpublished records, based either on specimens kept in the Herbarium of the Natural History Museum of Genoa (GDOR) or on inner reports and personal observations by some mycologists working in Liguria.

As concerns the published works, we refer to Balletto, 1981a, 1981b, 1983, 1984; Basso, 1999; Candusso, 1997; Monti & Andreotti, 1981; Monti & Bisagni, 1990/1991; Monti & Maccioni, 1996; Orsino, 1980, 1986, 1988; Orsino & Dameri, 1989, 1991a, 1991b, 1994, 1996; Orsino & Traverso, 1986, 1990; Orsino & al., 1999; Rebaudengo, 2000; Riva, 1999; Tulloss & Traverso, 2001; Traverso, 1999; Vizzini & al., 1999; Zotti, 1993, 2001, submitted.

Other papers, taken into account for compiling this chek-list, are: Baglietto, 1865, 1886; Balletto, 1967; 1972, 1977; Barla, 1858, 1859, 1886, 1887, 1889; Basso & al., 2001; Casabona, 1869; De Notaris, 1846, 1861a, 1861b, 1863; De Thuemen, 1876; Fayod, 1889; Garbiglietti, 1867; Maffei, 1905, 1906, 1908, 1910, 1915; Magnaghi, 1902; Magnus, 1910; Mattirolo, 1911, 1924, 1933; Panizzi, 1862, 1886; Penzig, 1884; Petri, 1909; Piccone, 1876; Pollacci, 1896, 1897; Razzore, 1903, 1911a, 1911b; Saccardo, 1915; Strani & Tosco, 1953-1954; Viviani, 1834; Voglino, 1894.

In the following catalogue, genera and species are listed alphabetically. The names of

the family, order and class which each genus belongs to are shown according to the Dictionary of the Fungi (Hawksworth & al., 1995), but also keeping in mind the 9<sup>th</sup> forthcoming edition of the Dictionary, especially as regards the *Ascomycota*. At the moment some hints about this issue are available at the following Uniform Resource Locator (URL) <http://194.131.255.3/cabipages/Names/FundicNew.asp>, a web page maintained by the CAB International (CABI).

The following data are given for each taxon: latin name, authors, locality where the species was found with indication of commune and province, habitat and references. This last item can refer whether to the author(s) of the paper/book in which the species is recorded (in this case the year following the author(s) refers to the related paper/book) or to a personal observation (in this case no year is specified), according to circumstances. Whenever multiple records occur for a given species, the position in the list (first row, second row, etc.) has to be used to cross-reference the locality with the authors who recorded the species. According to the above rule, the species *Helvella acetabulum*, which was recorded at Finalese, Finale (SV) by Orsino & Traverso, 1986, at Melogno, Calizzano (SV) by Orsino & Dameri, 1992, at Monte Ceppo, Baiardo (IM) and S.Bernardino, Finale (SV) by Orsino, is reported in Table 2 as follows:

*Helvella acetabulum* (L.: Fr.) Quél.

<b>Place/Habitat</b>	Finalese, Finale (SV)	mixed wood
	Melogno, Calizzano (SV)	beech wood
	Monte Ceppo, Baiardo (IM)	under broadleaved trees
	S.Bernardino, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986 1); Orsino Dameri, 1996 2); Orsino 3) 4);	

The cross-referencing number is omitted if the association locality/author(s) is obvious.

Moreover, localities and references have been omitted when a species has been recorded in more than nine stations. Obviously, these (very) common species are mentioned in the papers listed in the references. The employed nomenclature follows the rules of the International Code of Botanical Nomenclature (Greuter & al., 1988). Abbreviation of authors names follows Brumitt & Powell (1992).

The method chosen to draw up this check-list has the advantage that, being mostly based on recent mycological researches, should warrant both a right identification of the recorded macrofungi along with a detailed description of the related habitats and a quite up-to-date report on the Ligurian mycological flora. Unfortunately this method of data gathering provides a not uniform sampling of Ligurian territory. Fig. 1 shows the areas taken into account until now, it is easy to note that many areas are totally or almost totally unexplored: a quite significant example is represented by the Regional Aveto Park, a very interesting zone taken in to account in this work for the first time. Without any doubt, this current version of the check-list represents just a first stage of a more complete future work and we have good reasons to believe it is destined to be improved very soon by further research in one of the mycological richest regions of Italy.

Table 1 shows the list of the species whose occurrence in Liguria was documented by Balletto: obviously no locality is recorded due to the lack of such information in the book of the previously mentioned author. This Table is alphabetically arranged by genera and its structure is quite similar to that of Table 2.

**Check-list****Table 1. Species reported by Balletto (1972).*****Ascomycota***

*Choeromyces*            *Helvellaceae, Pezizales, Incertae sedis*  
*Choeromyces meandriformis* Vittad.

*Hymenoscyphus*       *Leotiaceae, Leotiales, Incertae sedis*  
*Hymenoscyphus caudatus* (P. Karst.) Dennis

*Morchella*              *Morchellaceae, Pezizales, Incertae sedis*  
*Morchella rotunda* (Pers.) Boud.

***Basidiomycota***

*Agaricus*              *Agaricaceae, Agaricales, Basidiomycetes*  
*Agaricus cupreobrunneus* (Jul. Schaeff. & Steer) F.H. Moeller

*Agrocybe*              *Bolbitiaceae, Agaricales, Basidiomycetes*

*Agrocybe dura* (Bolton: Fr.) Singer

*Agrocybe erebia* (Fr.) Kühner

*Agrocybe putaminum* (Maire) Singer

*Agrocybe semiorbicularis* (Bull.) Fayod

*Agrocybe sphaleromorpha* (Bull.: Fr.) Fayod

*Boletus*                *Boletaceae, Boletales, Basidiomycetes*

*Boletus tumidus* Fr

*Boletus torosus* Fr.

*Calocybe*              *Tricholomataceae, Agaricales, Basidiomycetes*

*Calocybe ionides* (Bull.: Fr.) Donk

*Calocybe leucocephala* (Fr.) Singer

*Calocybe onychina* (Fr.) Donk

*Clavaria*              *Clavariaceae, Cantharellales, Basidiomycetes*

*Clavaria acuta* Sowerby: Fr.

*Clavulina*              *Clavulinaceae, Cantharellales, Basidiomycetes*

*Clavulina amethystina* (Bull.: Fr.) Donk

*Clavulinopsis*          *Clavariaceae, Cantharellales, Basidiomycetes*

*Clavulinopsis corniculata* (Schaeff.: Fr.) Corner

*Clitocybe*              *Tricholomataceae, Agaricales, Basidiomycetes*

*Clitocybe angustissima* (Lasch) P. Kumm.

*Clitocybe concava* (Scop.: Fr.) Gillet

*Clitocybe inornata* (Sowerby: Fr.) Gillet

*Clitocybe sinopica* (Fr.: Fr.) P. Kumm.

*Clitocybe vermicularis* (Fr.) Quél.

*Collybia* Tricholomataceae, Agaricales, Basidiomycetes  
*Collybia nummularia* (Lam.) Fr.

*Conocybe* Bolbitiaceae, Agaricales, Basidiomycetes  
*Conocybe blattaria* (Fr.) Kühner  
*Conocybe filaris* (Fr.) Kühner  
*Conocybe leucopus* Kühner & Watling  
*Conocybe pygmaeoaffinis* (Fr.) Kühner  
*Conocybe rickenii* (Jul. Schaeff.) Kühner  
*Conocybe siliginea* (Fr.) Kühner

*Coprinus* Coprinaceae, Agaricales, Basidiomycetes  
*Coprinus stercoreus* Fr.

*Cortinarius* Cortinariaceae, Cortinariales, Basidiomycetes  
*Cortinarius acutus* (Pers.: Fr.) Fr.  
*Cortinarius bivelutus* Fr.  
*Cortinarius bulbosus* (Sowerby : Fr.) Fr.  
*Cortinarius castaneus* (Bull.: Fr.) Fr.  
*Cortinarius conicus* Velen.  
*Cortinarius decipiens* (Pers.: Fr.) Fr.  
*Cortinarius humiculus* (Quél.) Maire  
*Cortinarius limonius* (Fr.: Fr.) Fr.  
*Cortinarius mucifluus* Fr.  
*Cortinarius orichalceus* (Batsch) Fr.  
*Cortinarius parvannulatus* Kühner  
*Cortinarius pluvius* (Fr.) Fr.  
*Cortinarius tofaceus* Fr.  
*Cortinarius traganus* (Fr.: Fr.) Fr.  
*Cortinarius tricornutus* Rob. Henry  
*Cortinarius triumphans* Fr.  
*Cortinarius turbinatus* (Bull.: Fr.) Fr.  
*Cortinarius turmalis* Fr.  
*Cortinarius uliginotus* Rob. Henry  
*Cortinarius velenovskyi* Rob. Henry

*Craterellus* Craterellaceae, Cantharellales, Basidiomycetes  
*Craterellus konradii* Bourdot & Maire

*Crepidotus* Crepidotaceae, Cortinariales, Basidiomycetes  
*Crepidotus cesatii* (Rabenh.) Sacc.

*Cystolepiota* Agaricaceae, Agaricales, Basidiomycetes  
*Cystolepiota bucknallii* (Berk. & Broome) Singer & Cléménçon  
*Cystolepiota hetieri* (Boud.) Singer

*Dermoloma* Tricholomataceae, Agaricales, Basidiomycetes  
*Dermoloma cuneifolium* (Fr.: Fr.) Singer

*Entoloma* Entolomataceae, Agaricales, Basidiomycetes  
*Entoloma ambrosium* (Quél.) Noordel.  
*Entoloma asprellum* (Fr.) M. Moser  
*Entoloma cancrinum* (Fr.) Noordel.

*Entoloma cetratum* (Fr.) M. Moser

*Entoloma chalybaeum* (Pers.: Fr.) Noordel.

*Entoloma cocles* (Fr.) Noordel.

*Entoloma excentricum* Bres.

*Entoloma eximium* (Romagn.) Noordel.

*Entoloma infula* (Fr.) Noordel.

*Entoloma mammosum* (L.) Hesler

*Entoloma parkensis* (Fr.) Noordel.

*Entoloma prunuloides* (Fr.) Quél.

*Entoloma resutum* (Fr.) Quél.

*Entoloma rhodoclylix* (Lasch: Fr.) M. Moser

*Entoloma serrulatum* (Pers.: Fr.) Hesler

*Entoloma turbidum* (Fr.) Quél.

*Flammulaster* Cortinariaceae, Cortinariales, Basidiomycetes

*Flammulaster limulatus* (Weinm.: Fr.) Watling

*Fomitopsis* Coriolaceae, Porales, Basidiomycetes

*Fomitopsis officinalis* (Vill.) Bondartsev & Singer

*Galerina* Cortinariaceae, Cortinariales, Basidiomycetes

*Galerina gibbosa* J. Favre

*Gomphidius* Gomphidiaceae, Boletales, Basidiomycetes

*Gomphidius maculatus* Fr.

*Gomphus* Gomphidiaceae, Boletales, Basidiomycetes

*Gomphus clavatus* (Pers.: Fr.) Gray

*Gyrophragmium* Podaxaceae, Agaricales, Basidiomycetes

*Gyrophragmium dunalii* (Fr.) Zeller

*Hebeloma* Cortinariaceae, Cortinariales, Basidiomycetes

*Hebeloma alpinum* Bruchet

*Hebeloma sacchariolens* Quél.

*Hygrocybe* Hygrophoraceae, Agaricales, Basidiomycetes

*Hygrocybe cinerea* (Pers.: Fr.) P.D.Orton & Watling

*Hygrocybe marchii* (Bres.) Singer

*Hygrocybe quieta* (Kühner) Singer

*Hygrocybe reai* (Maire) J.E. Lange

*Hygrocybe spadicea* (Scop.: Fr.) P. Karst.

*Hygrophorus* Hygrophoraceae, Agaricales, Basidiomycetes

*Hygrophorus aureus* (Arrh.) Fr.

*Hygrophorus calophyllus* P. Karst.

*Hygrophorus capreolarius* (Kalchbr.) Sacc.

*Hygrophorus erubescens* (Fr.) Fr.

*Hygrophorus lucorum* Kalchbr.

*Hygrophorus olivaceoalbus* (Fr.: Fr.) Fr.

*Hygrotrama* Hygrophoraceae, Agaricales, Basidiomycetes

*Hygrotrama foetens* (W. Phillips) Singer

- Inocybe*                    *Cortinariaceae, Cortinariales, Basidiomycetes*  
*Inocybe eutheles* (Berk. & Broome) Quél.  
*Inocybe griseolilacina* J.E. Lange  
*Inocybe hirsuta* (Lasch) Quél.  
*Inocybe margaritispora* (Berk.) Sacc.  
*Inocybe putilla* Bres.
- Lacrymaria*                *Coprinaceae, Agaricales, Basidiomycetes*  
*Lacrymaria pyrotricha* (Holmsk.: Fr.) Konrad & Maubl.
- Lactarius*                 *Russulaceae, Russulales, Basidiomycetes*  
*Lactarius helvus* (Fr.) Fr.  
*Lactarius hepaticus* Plowr. in Boud.  
*Lactarius musteus* Fr.  
*Lactarius trivialis* (Fr.: Fr.) Fr.  
*Lactarius vietus* (Fr.) Fr.  
*Lactarius vinosus* Quél.
- Leccinum*                 *Boletaceae, Boletales, Basidiomycetes*  
*Leccinum duriusculum* (Schulzer in Fr.) Singer
- Lentinus*                 *Lentinaceae, Porales, Basidiomycetes*  
*Lentinus lepideus* (Fr.: Fr.) Fr.  
*Lentinus strigosus* (Schwein.) Fr.
- Lepiota*                 *Agaricaceae, Agaricales, Basidiomycetes*  
*Lepiota felina* (Pers.) P. Karst.  
*Lepiota forquignonii* Quél.  
*Lepiota fuscovinacea* F.H. Moeller & J.E. Lange
- Leucoagaricus*            *Agaricaceae, Agaricales, Basidiomycetes*  
*Leucoagaricus georginae* (Wm. G. Sm.) Candusso, 1997;
- Leucocoprinus*            *Agaricaceae, Agaricales, Basidiomycetes*  
*Leucocoprinus cretatus* Locq. ex Lanzoni  
*Leucocoprinus denudatus* (Rabenh.) Singer
- Limacella*                *Amanitaceae, Agaricales, Basidiomycetes*  
*Limacella illinita* (Fr.: Fr.) Maire
- Lyophyllum*                *Tricholomataceae, Agaricales, Basidiomycetes*  
*Lyophyllum capniocephalum* (Bull.) Kühner  
*Lyophyllum connatum* (Schumach.: Fr.) Singer
- Macrocystidia*            *Tricholomataceae, Agaricales, Basidiomycetes*  
*Macrocystidia cucumis* (Pers.: Fr.) Joss.
- Marasmius*                *Tricholomataceae, Agaricales, Basidiomycetes*  
*Marasmius epidryas* Kühner
- Melanoleuca*              *Tricholomataceae, Agaricales, Basidiomycetes*  
*Melanoleuca adstringens* (Pers.: Fr.) Konrad
- Mycena*                 *Tricholomataceae, Agaricales, Basidiomycetes*  
*Mycena acicula* (Schaeff.: Fr.) P. Kumm.

*Mycena filipes* (Bull.: Fr.) P. Kumm.

*Mycena rosella* (Fr.: Fr.) P. Kumm.

*Mycenastrum*      *Mycenaceae, Lycoperdaceae, Basidiomycetes*

*Mycenastrum corium* (Guers.) Desv.

*Omphalina*      *Tricholomataceae, Agaricales, Basidiomycetes*

*Omphalina epichysium* (Pers.: Fr.) Quél.

*Panaeolus*      *Strophariaceae, Agaricales, Basidiomycetes*

*Panaeolus acuminatus* (Schaeff.) Quél.

*Panaeolus antillarum* (Fr.) Dennis

*Panaeolus subbalteatus* (Berk. & Broome) Sacc.

*Phaeolus*      *Coriolaceae, Porales, Basidiomycetes*

*Phaeolus schweinitzii* (Fr.) Pat.

*Phellinus*      *Hymenochaetaceae, Hymenochaetales, Basidiomycetes*

*Phellinus igniarius* (L.) Quél.

*Phellinus robustus* (P. Karst.) Bourdot & Galzin

*Pholiota*      *Strophariaceae, Agaricales, Basidiomycetes*

*Pholiota adiposa* (Batsch: Fr.) P. Kumm.

*Pholiota apicrea* (Fr.) M. Moser

*Pleurotus*      *Lentinaceae, Porales, Basidiomycetes*

*Pleurotus lignatilis* (Pers.: Fr.) P. Kumm.

*Pluteus*      *Pluteaceae, Agaricales, Basidiomycetes*

*Pluteus atromarginatus* (Konrad) Kühner

*Pluteus cinereofuscus* J.E. Lange

*Psathyrella*      *Coprinaceae, Agaricales, Basidiomycetes*

*Psathyrella atomata* (Fr.) Quél.

*Psathyrella infida* Quél.

*Psathyrella involuta* (Romagn.) M. Moser

*Psathyrella obtusata* (Pers.: Fr.) A.H. Sm.

*Psathyrella pygmaea* (Bull.: Fr.) Singer

*Ramaria*      *Ramariaceae, Gomphiales, Basidiomycetes*

*Ramaria condensata* (Fr.) Quél.

*Rhodocybe*      *Entolomataceae, Agaricales, Basidiomycetes*

*Rhodocybe caelata* (Fr.) Maire

*Rhodocybe mundula* (Lasch) Singer

*Rhodocybe truncata* (Schaeff.) Singer

*Rhodotus*      *Tricholomataceae, Agaricales, Basidiomycetes*

*Rhodotus palmatus* (Bull.: Fr.) Maire

*Rigidoporus*      *Coriolaceae, Porales, Basidiomycetes*

*Rigidoporus ulmarius* (Sowerby) Imazeki

*Russula*      *Russulaceae, Russulales, Basidiomycetes*

*Russula adulterina* Fr.

*Russula atrorubens* Quél.

*Russula consobrina* (Fr.: Fr.) Fr.

*Russula lilacea* Quél.

*Russula luteotacta* Rea

*Russula rubra* (Lam.: Fr.) Fr.

*Russula seperina* Dupain

*Russula smaragdina* Quél.

*Russula turci* Bres.

*Russula vinosa* Lindblad

*Sarcodon*              *Thelephoraceae, Thelephorales, Basidiomycetes*

*Sarcodon fuligineoalbus* (J.C. Schmidt: Fr.) Quél.

*Sarcodon fuligineoviolaceus* (Kalchbr. in Fr.) Pat.

*Scleroderma*              *Sclerodermataceae, Sclerodermatales, Basidiomycetes*

*Scleroderma cepa* Pers.:Pers.

*Stropharia*              *Strophariaceae, Agaricales, Basidiomycetes*

*Stropharia inuncta* (Fr.) Quél.

*Tephrocybe*              *Tricholomataceae, Agaricales, Basidiomycetes*

*Tephrocybe admissa* (Britzelm.) M. Moser

*Tephrocybe atrata* (Fr.: Fr.) Donk

*Trametes*              *Coriolaceae, Poriales, Basidiomycetes*

*Trametes suaveolens* (L.) Fr.

*Tremiscus*              *Exidiaceae, Tremellales, Basidiomycetes*

*Tremiscus helvelloides* (DC.: Fr.) Donk

*Tricholoma*              *Tricholomataceae, Agaricales, Basidiomycetes*

*Tricholoma sulphurescens* Bres.

*Tricholomopsis*              *Tricholomataceae, Agaricales, Basidiomycetes*

*Tricholomopsis ornata* (Fr.) Singer

*Volvariella*              *Pluteaceae, Agaricales, Basidiomycetes*

*Volvariella bombycinia* (Schaeff.: Fr.) Singer

*Xeromphalina*              *Tricholomataceae, Agaricales, Basidiomycetes*

*Xeromphalina campanella* (Batsch: Fr.) Maire

---

**Table 2.** Check-list of Ligurian macrofungi.

Ascomycota		
<i>Aleuria</i>		<i>Otideaceae, Pezizales, Incertae sedis</i>
<i>Aleuria aurantia</i> (Pers.: Fr.) Fuckel		
<b>Place/Habitat</b>	Costa, Muralaldo (Sv) Luvio, Pontinvrea (SV) Monte Pistone, Borghetto di Vara (SP) Montenotte Molini, Cairo Montenotte (SV) Rio Rostiolo, Urbe (SV) Sant'Olcese, Genova (GE)	on bare soil in chestnut wood on bare soil in beech wood on soil among pebbles on bare soil in beech wood on bare soil in beech wood on bare soil in chestnut wood
<b>References</b>	Traverso, 1) 5); Zotti, 1993 2) 4); Monti Andreotti, 1981, 3); Balletto, 1981, 6);	
<i>Anthracobia</i>		<i>Otideaceae, Pezizales, Incertae sedis</i>
<i>Anthracobia macrocystis</i> (Cooke) Boud.		
<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE) Val Polcevera, Sant'Olcese (GE)	on burnt soil on burnt soil
<b>References</b>	Orsino, 1986; Orsino Dameri, 1989;	
<i>Anthracobia maurilabra</i> (Cooke) Boud.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on burnt soil
<b>References</b>	Traverso;	
<i>Arachnopeziza</i>		<i>Hyaloscrophaceae, Leotiales, Incertae sedis</i>
<i>Arachnopeziza aurata</i> Fuckel		
<b>Place/Habitat</b>	Portofino, Santa Margherita (GE) Finalese, Finale (SV)	on dead wood of chestnut trees on woody debris of broadleaved trees
<b>References</b>	Orsino; Orsino Traverso, 1986;	
<i>Arachnopeziza aurelia</i> (Pers.: Fr.) Fuckel		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on rotting twigs of broadleaved trees
	Monte Brina, Sarzana (SP)	on rotting twigs of <i>Erica arborea</i> L.
<b>References</b>	Orsino Traverso, 1986; Monti Bisagni, 1990/91;	
<i>Ascobolus</i>		<i>Ascobolaceae, Pezizales, Incertae sedis</i>
<i>Ascobolus furfuraceus</i> Pers.: Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on rabbit dung
<b>References</b>	Orsino Traverso, 1986;	
<i>Ascocoryne</i>		<i>Leotiaceae, Leotiales, Incertae sedis</i>
<i>Ascocoryne cylindnum</i> (Tul.) Korf		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on rotting wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Ascocoryne sarcoides</i> (Jacq.: Fr.) J.W. Groves & D.E. Wilson		
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	on rotting wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Zotti Dameri, 1999;	

<i>Ascotremella</i>	Leotiaceae, Leotiales, Incertae sedis	
<i>Ascotremella faginea</i> (Peck) Seaver		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Balsamia</i>	<i>Balsamiaceae, Pezizales, Incertae sedis</i>	
<i>Balsamia vulgaris</i> Vittad.		
<b>Place/Habitat</b>	Alta Langa, Cairo Montenotte (SV)	under lime trees
<b>References</b>	Rebaudengo, 2000;	
<i>Bertia</i>	<i>Nitschkiaceae, Sordariales, Incertae sedis</i>	
<i>Bertia moriformis</i> (Tode: Fr.) De Not.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on decorticated wood of <i>Fagus sylvatica</i> L.
	Sassello (SV)	on decorticated wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino, 1986;	
<i>Bisporella</i>	<i>Leotiaceae, Leotiales, Incertae sedis</i>	
<i>Bisporella citrina</i> (Batsch: Fr.) Korf & S.E. Carp.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
	Vara Superiore, Urbe (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino, 1986;	
<i>Bisporella sulfurina</i> (Quél.) S.E. Carp.		
<b>Place/Habitat</b>	Riva, Trigoso (GE)	on wood of broadleaved trees
<b>References</b>	Traverso;	
<i>Bulgaria</i>	<i>Leotiaceae, Leotiales, Incertae sedis</i>	
<i>Bulgaria inquinans</i> (Pers.) Fr.: Fr.		
<b>Place/Habitat</b>	Sant'Olcese, Genova (GE)	on dead wood of oak trees
	Villa Carrara, Genova (GE)	on rotting stumps of <i>Quercus ilex</i> L.
<b>References</b>	Orsino; Balletto, 1981;	
<i>Cheilymenia</i>	Otideaceae, Pezizales, Incertae sedis	
<i>Cheilymenia crucipila</i> (Cooke & W. Phillips) Le Gal		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on damp ground
<b>References</b>	Traverso;	
<i>Cheilymenia stercorea</i> (Pers.: Fr.) Boud.		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	on cow dung
<b>References</b>	Traverso;	
<i>Cheilymenia theleboloides</i> (Alb. & Schwein.: Fr.) Boud.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on rabbit dung
<b>References</b>	Orsino Traverso, 1986;	

<b><i>Chlorosplenium</i></b>	<i>Dermateaceae, Leotiales, Incertae sedis</i>
<i>Chlorosplenium aeruginosum</i> (Oeder)	De Not.
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)
<b>References</b>	Monti Bisagni, 1990/91;
<b>on rotten wood</b>	
<b><i>Ciboria</i></b>	<i>Sclerotiniaceae, Leotiales, Incertae sedis</i>
<i>Ciboria batschiana</i> (Zopf.) N.F. Buchw.	
<b>Place/Habitat</b>	Val Fontanabuona, Lavagna (GE)
<b>References</b>	Orsino, 1986;
<b>on acorns of <i>Quercus pubescens</i> Willd.</b>	
<b><i>Cordyceps</i></b>	<i>Clavicipitaceae, Hypocreales, Incertae sedis</i>
<i>Cordyceps capitata</i> (Holmsk.: Fr.) Link	
<b>Place/Habitat</b>	Trappena, Val Bisagno (GE)
<b>References</b>	Traverso;
<b>parasitic on <i>Elaphomyces</i></b>	
<b><i>Cordyceps militaris</i> (L.) Link</b>	
<b>Place/Habitat</b>	Monte San Giorgio, Savona (SV)
<b>References</b>	Orsino Dameri, 1994; Zotti, 1993;
<b>on buried pupae of <i>Lepidoptera</i></b>	
	Bosco della Chiesa, Montenotte (SV)
<b>References</b>	Orsino Traverso, 1990;
<b>on buried pupae of <i>Lepidoptera</i></b>	
<b><i>Cucurbitaria</i></b>	<i>Cucurbitariaceae, Dothideales, Incertae sedis</i>
<i>Cucurbitaria laburni</i> (Pers.: Fr.) Ces. & De Not.	
<b>Place/Habitat</b>	Valbrevenna (GE)
<b>References</b>	Orsino Traverso, 1990;
<b>on dead branches of <i>Laburnum alpinum</i> (Mill.) Bercht. &amp; J. Presl</b>	
<b><i>Cudoniella</i></b>	<i>Leotiaceae, Leotiales, Incertae sedis</i>
<i>Cudoniella clavus</i> (Alb. & Schwein.: Fr.) Dennis	
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)
<b>References</b>	Traverso
<b>on rotting wood of broadleaved trees</b>	
<b><i>Cyathicula</i></b>	<i>Leotiaceae, Leotiales, Incertae sedis</i>
<i>Cyathicula cyathoidea</i> (Bull.: Fr.) Thüm.	
<b>Place/Habitat</b>	Monte Caucaso, Favale di Malvaro (GE)
<b>References</b>	Orsino, 1986;
<b>on dead stems of <i>Pteridium aquilinum</i> (L.) Kuhn</b>	
<b><i>Daldinia</i></b>	<i>Xylariaceae, Xylariales, Incertae sedis</i>
<i>Daldinia concentrica</i> (Bolton: Fr.) Ces. & De Not.	
<b>Place/Habitat</b>	Villa Carrara, Genova (GE)
<b>References</b>	Balletto, 1981;
<b>on fallen branches of <i>Ailanthus altissima</i> (Mill.) Swingle</b>	
<b><i>Dasyscyphus</i></b>	<i>Hyaloscrophaceae, Leotiales, Incertae sedis</i>
<i>Dasyscyphus fuscescens</i> (Pers.: Fr.) Gray	

<b>Place/Habitat</b>	Finalese, Finale (SV)	on dead leaves of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Traverso, 1986;	
<i>Dasyscyphus niveus</i> (Hedw.) Sacc.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Casella (GE)	on fallen branches of <i>Quercus pubescens</i> Willd. and <i>Q. cerris</i> L.
	Punta Manara, Sestri Levante (GE)	on fallen twigs of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1989; 1991;	
<i>Dasyscyphus patulus</i> (Pers.: Fr.) Sacc.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on dead leaves of <i>Quercus pubescens</i> Willd.
<b>References</b>	Orsino Traverso, 1986;	
<i>Dasyscyphus virgineus</i> (Batsch: Fr.) Gray		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on dead twigs of broadleaved trees
	Val Polcevera, Sant'Olcese (GE)	on fallen twigs of <i>Ostrya carpinifolia</i> Scop.
	Melogno, Calizzano (SV)	on fallen cupules of <i>Fagus sylvatica</i> L.
	Monte Caucaso, Favale di Malvaro (GE)	on dead twigs of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; 1996; Orsino;	
<b>Diatrype</b>	<i>Diatrypaceae</i> , <i>Diatrypales</i> , <i>Incatae sedis</i>	
<i>Diatrype disciformis</i> (Hoffm.: Fr.) Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on dead twigs of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Diatrype stigma</i> (Hoffm.: Fr.) Fr.		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	on dead wood of broadleaved trees
<b>References</b>	Traverso;	
<b>Discina</b>	<i>Helvellaceae</i> , <i>Pezizales</i> , <i>Incatae sedis</i>	
<i>Discina melaleuca</i> Bres.		
<b>Place/Habitat</b>	Portofino, Santa Margherita (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1994;	
<b>Elaphomycetes</b>	<i>Elaphomycetaceae</i> , <i>Elaphomycetales</i> , <i>Incatae sedis</i>	
<i>Elaphomycetes granulatus</i> Fr.		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	conifer and broadleaved woods

<b>References</b>	Monti Bisagni, 1990/91;
<b><i>Encoelia</i></b>	<i>Leotiaceae, Leotiales, Incertae sedis</i>
<b><i>Encoelia furfuracea</i> (Roth: Fr.) P. Karst.</b>	
<b>Place/Habitat</b>	Monte Alpesisa, Montoggio (GE) Nenno, Valbrevenna (GE) Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)
	on dead branches of <i>Corylus avellana</i> L. on dead branches of <i>Corylus avellana</i> L. on dead branches of deciduous broadleaved trees
<b>References</b>	Orsino 1) 2); Orsino Dameri, 1989 3);
<b><i>Flavoscypha</i></b>	<i>Pezizaceae, Pezizales, Incertae sedis</i>
<b><i>Flavoscypha phlebophora</i> (Berk.&amp; Broome) Harmaja</b>	
<b>Place/Habitat</b>	Valle di Upega, Pigna (IM)
	conifer and broadleaved woods
<b>References</b>	Orsino Zotti Dameri, 1999;
<b><i>Genea</i></b>	<i>Otideaceae, Pezizales, Incertae sedis</i>
<b><i>Genea hispidula</i> Berk.</b>	
<b>Place/Habitat</b>	Colle dei Giovetti, Sasselio (SV)
<b>References</b>	Rebaudengo, 2000;
<b><i>Genea klotzschii</i> Berk. &amp; Broome</b>	
<b>Place/Habitat</b>	Pian Soave, Dego (SV)
	under <i>Quercus pubescens</i> Willd.
<b>References</b>	Rebaudengo, 2000;
<b><i>Genea verrucosa</i> Vittad.</b>	
<b>Place/Habitat</b>	Alta Langa, Cairo Montenotte (SV)
<b>References</b>	Rebaudengo, 2000;
<b><i>Gyromitra</i></b>	<i>Helvellaceae, Pezizales, Incertae sedis</i>
<b><i>Gyromitra esculenta</i> (Pers.: Fr.) Fr.</b>	
<b>Place/Habitat</b>	Valle di Upega, Pigna (IM)
<b>References</b>	Traverso
<b><i>Helvella</i></b>	<i>Helvellaceae, Pezizales, Incertae sedis</i>
<b><i>Helvella acetabulum</i> (L.: Fr.) Quéil.</b>	
<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Monte Ceppo, Baiardo (IM) S.Bernardino, Finale (SV)
	mixed wood beech wood under broadleaved trees holm-oak wood
<b>References</b>	Orsino Traverso, 1986 1); Orsino Dameri, 1996 2); Orsino 3) 4);
<b><i>Helvella atra</i> J. König: Fr.</b>	
<b>Place/Habitat</b>	Punta Baffe, Moneglia (GE) Val Polcevera, Sant'Olcese (GE) Punta Manara, Sestri Levante (GE)
	on burnt soil in pine wood chestnut wood holm-oak wood

<b>References</b>	Orsino; Orsino Dameri, 1989, 1991b;	
<i>Helvella costifera</i> Nannf.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Helvella crispa</i> (Scop.) Fr.: Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Val Polcevera, Sant'Olcese (GE) Orto Botanico, Genova (GE)	holm-oak and chestnut wood chestnut wood under <i>Pinus halepensis</i> Miller and <i>Morus rubra</i> L.
<b>References</b>	Bardineto (SV) Orsino Traverso, 1986; Orsino Dameri, 1989; Orsino, 1980; Zotti;	under broadleaved trees
<i>Helvella elastica</i> Bull.: Fr.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE) Passo del Giovo, Pontinvrea (SV)	chestnut wood under broadleaved trees
<b>References</b>	Orsino Dameri, 1989; Zotti;	
<i>Helvella lacunosa</i> Afzel.: Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Val Polcevera, Sant'Olcese (GE) Punta Manara, Sestri Levante (GE) Punta Baffe, Moneglia (GE) Molinetti, Casella (GE) Montenotte Molini, Cairo Montenotte (SV)	beech wood chestnut wood holm-oak wood on burnt soil in pine wood on burnt soil beech wood
<b>References</b>	Orsino Dameri, 1996; 1989; 1991b; Orsino, Balletto, 1981; Zotti, submitted;	
<i>Helvella leucomelaena</i> (Pers.) Nannf.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1991b;	
<i>Helvella macropus</i> (Pers.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Vobbietta, Isola del Cantone (GE) Molinetti, Sant'Olcese (GE) Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Casella (GE)	deciduous woods deciduous woods deciduous woods
<b>References</b>	Orsino; Balletto, 1981, 1981a; Orsino Dameri, 1989;	
<i>Helvella queletii</i> Bres.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	chestnut wood
<b>References</b>	Orsino Traverso, 1986;	
<i>Helvella spadicea</i> Schaeff.		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on dead trunk of <i>Fagus sylvatica</i> L.

<b>References</b>	Traverso	
<b>Humaria</b>	<i>Otideaceae, Pezizales, Incertae sedis</i>	
<i>Humaria hemisphaerica</i> (F.H. Wigg.: Fr.) Fuckel		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on bare, moist soil and among mosses
	Val Polcevera, Serra Riccò (GE)	on bare soil in chestnut wood
	Punta Manara, Sestri Levante (GE)	on moist soil in <i>Quercus ilex</i> L. wood
<b>References</b>	Orsino Dameri, 1996; 1989; 1991b;	
<b>Hyaloscypha</b>	<i>Hyaloscyphaceae, Leotiales, Incertae sedis</i>	
<i>Hyaloscypha hyalina</i> (Pers.: Fr.) Boud.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on dead branches of <i>Quercus pubescens</i> Willd.
<b>References</b>	Orsino, 1988;	
<b>Hymenoscyphus</b>	<i>Leotiaceae, Leotiales, Incertae sedis</i>	
<i>Hymenoscyphus calyculus</i> (Sowerby: Fr.) W. Phillips	common species in Liguria	
<b>Typical habitat</b>	on dead leaves and fallen twigs of <i>Fagus sylvatica</i> L.	
<i>Hymenoscyphus fructigenus</i> (Bull.: Fr.) Gray		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on rotting cupules of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<b>Hypomyces</b>	<i>Hypocreaceae, Hypocreales, Incertae sedis</i>	
<i>Hypomyces lateritius</i> (Fr.: Fr.) Tul.		
<b>Place/Habitat</b>	Bric Rolando, Piana Crixia (SV)	conifer and broadleaved woods
<b>References</b>	Zotti, 2001;	
<b>Hypoxyton</b>	<i>Xylariaceae, Xylariales, Incertae sedis</i>	
<i>Hypoxyton coccineum</i> Bull.	common species in Liguria	
<b>Typical habitat</b>	on dead wood of broadleaved trees	
<i>Hypoxyton fuscum</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Finalse, Finale (SV)	on dead wood of <i>Alnus glutinosa</i> (L.) Gaertn.
	Valle Scrivia, Casella (GE)	on dead branches of <i>Corylus avellana</i> L.
	Melogno, Calizzano (SV)	on decorticated wood of <i>Fagus sylvatica</i> L.
	Cianazzi, Savona (SV)	on decorticated wood of <i>Fagus sylvatica</i> L.

<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; 1996; Zotti, 1993;	
<i>Hypoxyton multifforme</i> (Fr.: Fr.) Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on dead trunk of birch
<b>References</b>	Orsino Dameri, 1996;	
<i>Hypoxyton serpens</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)	on fallen branches of <i>Fraxinus ornus</i> L.
<b>References</b>	Orsino Dameri, 1989;	
<i>Lachnellula</i>	<i>Hyaloscyphaceae, Leotiales, Incertae sedis</i>	
<i>Lachnellula subtilissima</i> (Cooke) Dennis		
<b>Place/Habitat</b>	Portofino, Santa Margherita (GE)	on dead branches of <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino	
<i>Leotia</i>	<i>Leotiaceae, Leotiales, Incertae sedis</i>	
<i>Leotia lubrica</i> (Scop.) Pers.: Fr.	very common species in Liguria	
<b>Typical habitat</b>	chestnut and beech wood	
<i>Melastiza</i>	<i>Otideaceae, Pezizales, Incertae sedis</i>	
<i>Melastiza chateri</i> (W.G. Sm.) Boud.		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on damp sandy soil
<b>References</b>	Traverso	
<i>Microglossum</i>	<i>Geoglossaceae, Leotiales, Incertae sedis</i>	
<i>Microglossum viride</i> (Pers.: Fr.) Gillet		
<b>Place/Habitat</b>	Cianazzi, Savona (SV)	among moss in beech wood
	Colla San Giacomo, Quiliano (SV)	among moss in beech wood
	Melogno, Calizzano (SV)	among moss in beech wood
<b>References</b>	Zotti, submitted 1) 2); Orsino Dameri, 1996 3);	
<i>Mitrophora</i>	<i>Morchellaceae, Pezizales, Incertae sedis</i>	
<i>Mitrophora semilibera</i> (DC.: Fr.) Lév.		
<b>Place/Habitat</b>	Molassana, Genova (GE)	grassy place
<b>References</b>	Balletto, 1981;	
<i>Mollisia</i>	<i>Dermateaceae, Leotiales, Incertae sedis</i>	
<i>Mollisia cinerea</i> (Batsch: Fr.) P. Karst.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen twigs and cupules of <i>Fagus sylvatica</i> L.
	Punta Manara, Sestri Levante (GE)	on rotting wood of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1996; 1991b;	

*Mollisia ligni* (Desm.) P. Karst.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on decorticated branches of chestnut trees
	S.Alberto, Bargagli (GE)	on decorticated branches of chestnut trees
	Monte Caucaso, Favale di Malvaro (GE)	on decorticated wood of

*Fagus sylvatica* L.

<b>References</b>	Orsino Dameri, 1989; Orsino, 1986; Orsino;
-------------------	---

*Mollisia melaleuca* (Fr.) Sacc.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on decorticated wood of <i>Fagus sylvatica</i> L.
----------------------	-------------------------	---

<b>References</b>	Orsino Dameri, 1994;
-------------------	----------------------

*Morchella* *Morchellaceae, Pezizales, Incertae sedis**Morchella conica* Pers.

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	under broadleaved trees
<b>References</b>	Traverso;	

*Morchella elata* Fr.

<b>Place/Habitat</b>	Monte Toraggio, Pigna (IM)	under <i>Pinus sylvestris</i> L.
<b>References</b>	Orsino Dameri, 1991;	

*Morchella esculenta* (L.) Pers.: Fr.

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	deciduous woods
	Bargone, Casarza Ligure (GE)	deciduous woods
<b>References</b>	Monti Andreotti, 1981; Traverso;	

*Morchella hortensis* Boud.

<b>Place/Habitat</b>	Stella San Giovanni, Stella (SV)	grassy place
<b>References</b>	Traverso;	

*Nectria* *Hypocreaceae, Hypocreales, Incertae sedis**Nectria cinnabarinna* (Tode: Fr.) Fr.

<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)	on dead wood of chestnut trees
	Portofino, Santa Margherita (GE)	on dead branches of chestnut
<b>References</b>	Orsino Dameri, 1989; Orsino, 1986;	

*Nectria coccinea* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Riva Trigoso (GE)	on dead wood of broadleaved trees
<b>References</b>	Traverso;	

*Nectria coryli* Fuckel

<b>Place/Habitat</b>	Riva Trigoso (GE)	on dead wood of broadleaved trees
<b>References</b>	Traverso;	

*Nectria galligena* Bres.

**Place/Habitat** Riva Trigoso (GE)

on dead wood of broadleaved trees

**References** Traverso;

*Nectria peziza* (Tode: Fr.) Fr.

**Place/Habitat** Orto Botanico, Genova (GE)

on dead wood of Brachychiton populneus (Schott & Endl.) R. Br.

**References** Orsino, 1986;

*Nectria purtonii* (Grev.) Berk.

**Place/Habitat** Orto Botanico, Genova (GE)

on dead wood of broadleaved trees

**References** Orsino;

*eobulgaria* Leotiaceae, Leotiales, Incertae sedis*Neobulgaria pura* (Pers.) Petr.

**Place/Habitat** Melogno, Calizzano (SV)

on fallen trunk of *Fagus sylvatica* L.

**References** Orsino Dameri, 1996;

*Orbilia* Orbiliaceae, Leotiales, Incertae sedis*Orbilia curvatispora* Boud.

**Place/Habitat** Monte Penna, Rezzoaglio (GE)

on rotten wood

**References** Traverso Zotti;

*Orbilia xanthostigma* (Fr.: Fr.) Fr.

**Place/Habitat** Portofino, Santa Margherita (GE)  
Melogno, Calizzano (SV)

on dead wood of chestnut trees  
on decorticated wood of *Fagus sylvatica* L.

**References** Orsino, 1986; Orsino Dameri, 1996;

*Otidea* Otideaceae, Pezizales, Incertae sedis*Otidea alutacea* (Pers.) Massee

**Place/Habitat** Melogno, Calizzano (SV)  
Punta Manara, Sestri Levante (GE)

among moss in beech wood  
on bare soil in holm-oak wood

**References** Orsino Dameri, 1996; 1991b;

*Otidea bufonia* (Pers.: Fr.) Boud.

**Place/Habitat** Punta Manara, Sestri Levante (GE)

on soil among fallen leaves in  
holm-oak wood

**References** Orsino Dameri, 1991b;

*Otidea leporina* (Batsch: Fr.) Fuckel

**Place/Habitat** Riva Trigoso (GE)

under broadleaved trees

**References** Traverso;

*Otidea onotica* (Pers.: Fr.) Fuckel

**Place/Habitat** Melogno, Calizzano (SV)  
Val Polcevera, Sant'Olcese (GE), Val

on bare soil in beech wood

<b>References</b>	Polcevera, Serra Riccò (GE) and Valle Scrivia, Casella (GE) Monte San Giorgio, Savona (SV) Colla San Giacomo, Quiliano (SV) Passo San Giorgio, Savona (SV)	on bare soil in beech wood on bare soil in beech wood on bare soil in chestnut wood on bare soil in beech wood
<b>Otidea umbrina</b> (Pers.: Fr.) Bres.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Montoggio (GE) Punta Manara, Sestri Levante (GE) Melogno, Calizzano (SV) Val Polcevera, Sant'Olcese (GE) and Val Polcevera, Serra Riccò (GE) Genova (GE)	on bare soil in holm-oak wood chestnut wood holm-oak wood on bare soil in beech wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; 1991b; 1996; Balletto, 1981;	on bare soil under broadleaved trees
<b>Peziza</b>	<i>Pezizaceae, Pezizales, Incertae sedis</i>	
<i>Peziza applanata</i> (Hedw.) Alb. & Schwein.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on the ground in holm-oak wood
<b>References</b>	Traverso;	
<i>Peziza arvernensis</i> Boud.		
<b>Place/Habitat</b>	Finalese, Finale (SV)  Melogno, Calizzano (SV)	grassy glade in holm-oak wood on the ground among leaves in beech wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996;	
<i>Peziza badia</i> Pers.: Fr.		
<b>Place/Habitat</b>	Righi, Genova (GE)	on the ground under <i>Quercus ilex</i> L.
<b>References</b>	Traverso;	
<i>Peziza badioconfusa</i> Korf		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Finalese, Finale (SV)  Monte San Giorgio, Savona (SV) S.Bernardino, Finale (SV)	on the ground in beech wood on the ground in beech wood on the ground in chestnut wood  on the ground in beech wood on the ground in holm-oak wood
<b>References</b>	Zotti, 1993 1) 4), submitted 2); Orsino Traverso, 1986 3); Orsino 5);	

*Peziza domiciliana* Cooke

**Place/Habitat** Righi, Genova (GE)

on moist soil in *Quercus ilex* L.  
wood

**References** Traverso ;

*Peziza micropus* Pers.: Fr.

**Place/Habitat** Melogno, Calizzano (SV)

on rotting wood of *Fagus sylvatica* L.

**References** Orsino Dameri, 1996;

*Peziza praetervisa* Bres.

**Place/Habitat** Punta Manara, Sestri Levante (GE)

on burnt ground in holm-oak  
wood

**References** Orsino Dameri, 1991b;

*Peziza repanda* Pers.

**Place/Habitat** Nenno, Valbrevenna (GE)

on the ground in oak wood

**References** Orsino;

*Peziza saniosa* Schrad.: Fr.

**Place/Habitat** Monte Maggio, Casella (GE)

on the ground in chestnut  
wood

**References** Orsino Dameri, 1991;

*Peziza varia* (Hedw.: Fr.) Fr.

**Place/Habitat** Busalla (GE)

on rotting wood of chestnut  
tree

S.Bernardino, Finale (SV)

on the ground in holm-oak  
wood

Monte Brina, Sarzana (SP)

on bare soil along a path

**References** Orsino; Orsino Traverso, 1986;  
Monti Bisagni, 1990/91;

*Peziza vesiculososa* Bull.: Fr.

**Place/Habitat** Valbrevenna (GE)

on horse dung

Monte Antola, Genova (GE)

on horse dung

**References** Orsino Traverso, 1990;

*Peziza violacea* Pers.: Fr.

**Place/Habitat** Riva Trigoso (GE)

on burnt ground

**References** Traverso;

*Plectania* *Sarcosomataceae, Pezizales, Incertae sedis**Plectania melastoma* (Sowerby: Fr.) Fuckel

**Place/Habitat** Riva Trigoso (GE)

on wood of conifer trees

**References** Traverso;

*Plectania rhytidia* (Berk.) Nannf. & Korf

**Place/Habitat** Monte Brina, Sarzana (SP)

under *Erica arborea* L.

**References** Monti Bisagni, 1990/91;

**Plicaria** *Pezizaceae, Pezizales, Incertae sedis*

*Plicaria anthracina* (Cooke) Boud.

<b>Place/Habitat</b>	Riva Trigoso (GE)	on burnt soil in pine wood
<b>References</b>	Orsino Traverso, 1990;	

*Plicaria endocarpoides* (Berk.) Rifai

<b>Place/Habitat</b>	Riva Trigoso (GE)	on burnt soil in pine wood
<b>References</b>	Orsino Traverso, 1990;	

**Rhizina** *Rhizinaceae, Pezizales, Incertae sedis*

*Rhizina undulata* Fr.: Fr.

<b>Place/Habitat</b>	Valleggia, Quiliano (SV)	on burnt soil in pine wood
<b>References</b>	Zotti, 2001;	

**Rutstroemia** *Sclerotiniaceae, Leotiales, Incertae sedis*

*Rutstroemia echinophila* (Bull.: Fr.) Höhn.

very common species in Liguria

<b>Typical habitat</b>	on fallen empty cupules of <i>Castanea sativa</i> Mill.
------------------------	---

**Sarcoscypha** *Sarcoscyphaceae, Pezizales, Incertae sedis*

*Sarcoscypha coccinea* (Scop.: Fr.) Lambotte

<b>Place/Habitat</b>	Val d'Aveto, S. Stefano d' Aveto (GE)	on fallen branches of <i>Fagus sylvatica</i> L.
<b>References</b>	Balletto, 1981;	

**Sarcosphaera** *Pezizaceae, Pezizales, Incertae sedis*

*Sarcosphaera coronaria* (Jacq.) Schroet.

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	S.Bernardino, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino;	

**Sclerotinia** *Sclerotiniaceae, Leotiales, Incertae sedis*

*Sclerotinia trifoliorum* Erikss.

<b>Place/Habitat</b>	Sant'Olcese, Genova (GE)	parasitic on <i>Onobrychis viciifolia</i> Scop.
<b>References</b>	Orsino, 1986;	

*Sclerotinia tuberosa* (Hedw.) Fuckel

<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)	chestnut wood amongst <i>Anemone nemorosa</i> L.
	Casella (GE)	chestnut wood amongst <i>Anemone nemorosa</i> L.
<b>References</b>	Orsino Dameri, 1989; Balletto, 1981;	

**Scutellinia** *Otideaceae, Pezizales, Incertae sedis*

<i>Scutellinia armatospora</i> Denison		
<b>Place/Habitat</b>	Riva Trigoso (GE) Genova (GE)	on bare soil on bare soil
<b>References</b>	Traverso;	
<i>Scutellinia scutellata</i> (L.: Fr.) Lambotte		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on bare wet ground in chestnut wood
	Crocetta d'Orero, Serra Riccò (GE)	on bare wet ground in chestnut wood
	Molinetti, Sant'Olcese (GE)	on bare wet ground in chestnut wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Scutellinia trechispora</i> (Berk. & Broome) Lambotte		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on damp soil
<b>References</b>	Orsino Traverso, 1986;	
<i>Scutellinia umbrarum</i> (Fr.) Lambotte		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on bare wet ground in chestnut wood
	Molinetti, Sant'Olcese (GE)	on bare wet ground in chestnut wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Sepultaria</i>	<i>Otideaceae, Pezizales, Incertae sedis</i>	
<i>Sepultaria arenicola</i> (Lév.) Massee		
<b>Place/Habitat</b>	S.Bernardino, Finale (SV)	on sandy soil near <i>Pinus halepensis</i> Mill.
	Portofino, Santa Margherita (GE)	on sandy soil
<b>References</b>	Orsino Traverso, 1990; Orsino	
<i>Sepultaria sumneriana</i> (Cooke) Massee		
<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE) Genova (GE)	under cypresses under cypresses
<b>References</b>	Traverso, Balletto, 1981;	
<i>Spathularia</i>	<i>Geoglossaceae, Leotiales, Incertae sedis</i>	
<i>Spathularia flavidula</i> Pers.: Fr.		
<b>Place/Habitat</b>	Calizzano (SV)	pine wood
<b>References</b>	Traverso;	
<i>Sphaerospora</i>	<i>Otideaceae, Pezizales, Incertae sedis</i>	
<i>Sphaerospora brunnea</i> (Alb. & Schwein.: Fr.) Svr?ek & Kubi?ka		
<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)	on burnt soil
<b>References</b>	Orsino Dameri, 1989;	
<i>Stephensia</i>	<i>Otideaceae, Pezizales, Incertae sedis</i>	
<i>Stephensia bombycinia</i> (Vittad.) Tul.		
<b>Place/Habitat</b>	Colle dei Giovetti, Sassello (SV)	under <i>Douglasia</i>
<b>References</b>	Rebaudengo, 2000;	

<b>Tapesia</b>	<i>Dermateaceae, Leotiales, Incertae sedis</i>	
<i>Tapesia fusca</i> (Pers.: Fr.) Fuckel		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on rotting wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1989;	
<b>Tarzetta</b>	<i>Otideaceae, Pezizales, Incertae sedis</i>	
<i>Tarzetta catinus</i> (Holmsk.: Fr.) Korf & J.K. Rogers		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Rio Cornei, Finale Ligure (SV) Portofino, Santa Margherita (GE)	on bare soil in beech wood on the ground in mixed wood on the ground in chestnut wood
<b>References</b>	Orsino Dameri, 1996; Orsino, 1988; Orsino;	
<i>Tarzetta cupularis</i> (L.: Fr.) Lambotte		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Punta Manara, Sestri Levante (GE)	on bare soil in beech wood on moist soil in <i>Quercus ilex</i> L. wood
	Portofino, Santa Margherita (GE)	on bare soil in chestnut wood
<b>References</b>	Orsino Dameri, 1996; 1991b; Orsino;	
<b>Tricharina</b>	<i>Otideaceae, Pezizales, Incertae sedis</i>	
<i>Tricharina praecox</i> (P. Karst.) Dennis		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on burnt soil
<b>References</b>	Orsino Dameri, 1991b;	
<i>Tuber</i>	<i>Tuberaceae, Pezizales, Incertae sedis</i>	
<i>Tuber aestivum</i> Vittad.		
<b>Place/Habitat</b>	Pontinvrea (SV)	chestnut wood
<b>References</b>	Zotti;	
<i>Tuber brumale</i> Vittad.		
<b>Place/Habitat</b>	Passo San Giorgio, Savona (SV) Cairo Montenotte (SV)	under broadleaved trees under lime trees
<b>References</b>	Traverso; Rebaudengo, 2000;	
<i>Tuber excavatum</i> Vittad.		
<b>Place/Habitat</b>	Portofino, Santa Margherita (GE) Alta Langa, Cairo Montenotte (SV)	chestnut wood under broadleaved trees
<b>References</b>	Orsino Dameri, 1994; Rebaudengo, 2000;	
<i>Tuber gibbosum</i> Harkn.		
<b>Place/Habitat</b>	Colle dei Giovetti, Sasselio (SV)	under <i>Douglasia</i>
<b>References</b>	Rebaudengo, 2000;	
<i>Tuber mesentericum</i> Vittad.		
<b>Place/Habitat</b>	Santa Giulia, Cairo Montenotte (SV)	under <i>Ostrya carpinifolia</i> Scop.
<b>References</b>	Rebaudengo, 2000;	

<i>Tuber rufum</i> Picco		
<b>Place/Habitat</b>	Cosseria (SV) Pian Soave, Dego (SV)	under poplar trees under <i>Quercus pubescens</i> Willd.
<b>References</b>	Rebaudengo, 2000;	
<i>Tuber rufum</i> Picco forma <i>ferrugineum</i> (Vittad.) Montecchi & Lazzari		
<b>Place/Habitat</b>	Colle dei Giovetti, Sasselio (SV)	under <i>Douglasia</i>
<b>References</b>	Rebaudengo, 2000;	
<i>Ustulina</i>	<i>Sphaeriaceae, Sphaerales, Incertae sedis</i>	
<i>Ustulina deusta</i> (Fr.) Petr.		
<b>Place/Habitat</b>	Monte Antola, Genova (GE)	on dead trunk of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Zotti Dameri, 1999;	
<i>Verpa</i>	<i>Morchellaceae, Pezizales, Incertae sedis</i>	
<i>Verpa conica</i> (O.F. Müll.) Sw.: Fr.		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Valle Argentina, Triora (IM)	under broadleaved trees under broadleaved trees
<b>References</b>	Zotti, 1993; Traverso;	
<i>Verpa digitaliformis</i> Pers.: Fr.		
<b>Place/Habitat</b>	Serra Riccò (GE)	grassy place
<b>References</b>	Balletto, 1981;	
<i>Xylaria</i>	<i>Xylariaceae, Xylariales, Incertae sedis</i>	
<i>Xylaria carpophila</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen cupules of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Xylaria hypoxylon</i> (L.) Grev.	very common species in Liguria	
<b>Typical habitat</b>	on stumps of <i>Fagus sylvatica</i> L., <i>Castanea sativa</i> Mill., <i>Quercus ilex</i> L.	
<i>Xylaria longipes</i> Nitschke		
<b>Place/Habitat</b>	Faiallo, Urbe (SV)	on woody debris in beech wood
<b>References</b>	Balletto, 1984;	
<i>Xylaria polymorpha</i> (Pers.: Fr.) Grev.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on stumps of <i>Fagus sylvatica</i> L.
	Lago delle Lame, Rezzoaglio (GE)	on dead wood of broadleaved trees
	Bosco della Chiesa, Montenotte (SV)	on stumps of <i>Fagus sylvatica</i> L.

**References** Orsino Dameri, 1996; Orsino Zotti;  
Zotti submitted;

### Basidiomycota

*Abortiporus* Coriolaceae, Porales, Basidiomycetes

*Abortiporus biennis* (Bull.) Singer

**Place/Habitat** Bosco della Chiesa, Montenotte (SV)  
Bric Rolando, Piana Crixia (SV)  
  
Finalese, Finale (SV)  
Molassana, Genova (GE)  
Strada Ferrieto, Piana Crixia (SV), Val  
Polcevera, Sant'Olcese (GE), Val  
Polcevera, Serra Riccò (GE) and Valle  
Scrivia, Savignone (GE)

**References** Zotti, 1993 1); Zotti Olivieri 2);  
Orsino Traverso, 1986 3); Orsino 4);  
Traverso Zotti 5); Orsino Dameri,  
1989 6);

*Agaricus* Agaricaceae, Agaricales, Basidiomycetes

*Agaricus abruptibulbus* Peck

**Place/Habitat** Melogno, Calizzano (SV)  
**References** Orsino Dameri, 1996;

*Agaricus arvensis* Schaeff.

**Typical habitat** common species in Liguria  
grassy places

*Agaricus augustus* Fr.

**Place/Habitat** Passo del Giovo, Pontinvrea (SV)  
**References** Orsino Traverso, 1990;

*Agaricus bisporus* (J.E. Lange) Imbach

**Place/Habitat** Riva Trigoso (GE)  
**References** Traverso ;

*Agaricus bitorquis* (Quél.) Sacc.

**Place/Habitat** Chiavari (GE)  
**References** Orsino Zotti Dameri, 1999;

*Agaricus bohusii* Bon

**Place/Habitat** Montoggio (GE)  
**References** Traverso;

*Agaricus campester* L.

**Place/Habitat** Finalese, Finale (SV)

beech wood  
conifer and broadleaved  
woods  
in damp woods  
under broadleaved trees

conifer and broadleaved  
woods

beech wood

on the ground in mixed wood

manured soil

at the edge of a road

deciduous woods

grassy place

<b>References</b>	Orsino Traverso, 1986;	
<i>Agaricus comtulus</i> Fr.		
<b>Place/Habitat</b>	Costa, Murialdo (Sv) Lago delle Lame, Rezzoaglio (GE)	chestnut wood under broadleaved trees
<b>References</b>	Traverso, Orsino Zotti;	
<i>Agaricus excellens</i> (Moell.) Moell.		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
<b>References</b>	Zotti, 1993;	
<i>Agaricus haemorrhoidarius</i> Schulzer		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) Punta Manara, Sestri Levante (GE)	chestnut wood holm-oak wood
<b>References</b>	Orsino Dameri, 1989; Orsino Dameri 1991b;	
<i>Agaricus impudicus</i> (Rea) Pilát		
<b>Place/Habitat</b>	Finalese, Finale (SV) Punta Manara, Sestri Levante (GE) Portofino, Santa Margherita (GE)	holm-oak wood holm-oak wood holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1991b; Orsino;	
<i>Agaricus langei</i> (F.H. Moeller) F.H. Moeller		
<b>Place/Habitat</b>	Monte Scarpino, Borzoli (GE)	under broadleaved trees
<b>References</b>	Traverso;	
<i>Agaricus lanipes</i> (Moeller & Schaeff.) Singer		
<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	
<i>Agaricus macrosporus</i> (F.H. Moeller & Jul. Schaeff.) Pilát		
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	grassy place
<b>References</b>	Orsino;	
<i>Agaricus menieri</i> Bon		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on sandy soil
<b>References</b>	Orsino Traverso, 1990;	
<i>Agaricus niveolutescens</i> Huijsman		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1991a;	
<i>Agaricus porphyrizon</i> P.D. Orton		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Molinetti di Sant'Olcese, Sant'Olcese (GE) Punta Manara, Sestri Levante (GE) Strada Ferrieto, Piana Crixia (SV)	beech wood deciduous woods holm-oak wood conifer and broadleaved woods

<b>References</b>	Orsino Dameri, 1996; Orsino, 1988; Orsino Dameri, 1991b; Zotti ;	
<i>Agaricus praeclaresquamosus</i> Freeman		
<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE) Punta Manara, Sestri Levante (GE)	chestnut wood holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Agaricus pseudopratensis</i> (Bohus) Wasser		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	grassy place
<b>References</b>	Monti Bisagni, 1990/91;	
<i>Agaricus purpurellus</i> (F.H. Moeller) F.H. Moeller		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	grassy place
<b>References</b>	Monti Bisagni, 1990/91;	
<i>Agaricus semotus</i> Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Agaricus subfloccosus</i> (J.E. Lange) Pilát		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	under conifer trees
<b>References</b>	Monti Bisagni, 1990/91;	
<i>Agaricus subperonatus</i> (J.E. Lange) Singer		
<b>Place/Habitat</b>	Busalletta, Sant'Olcese (GE)	grasslands
<b>References</b>	Orsino;	
<i>Agaricus sylvaticus</i> Schaeff.		
<b>Place/Habitat</b>	Colla di Gritta, Monterosso (SP) Costa, Murialdo (Sv)	under <i>Pinus pinaster</i> Aiton chestnut wood
<b>References</b>	Orsino; Traverso;	
<i>Agaricus sylvicolus</i> (Vittad.) Sacc.		
	common species in Liguria	
<b>Typical habitat</b>	beech wood and chestnut wood	
<i>Agaricus xanthodermus</i> Genev.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Val Polcevera, Serra Riccò (GE)	grassland and wood sides chestnut wood edge
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	
<i>Agaricus xanthodermus</i> Genev. var. <i>griseus</i> (A. Pearson) Bon & Cappelli		
<b>Place/Habitat</b>	Portofino, Santa Margherita (GE)	grassy place
<b>References</b>	Orsino;	
<i>Agrocybe</i>	<i>Bolbitiaceae, Agaricales, Basidiomycetes</i>	

*Agrocybe cylindracea* (DC.: Fr.) Maire**Place/Habitat** Campiglia (SP)on stump of *Populus tremula*  
L.**References** Orsino;*Agrocybe praecox* (Pers.: Fr.) Fayod**Place/Habitat** Melogno, Calizzano (SV)  
Creto (GE)  
Cianazzi, Savona (SV)beech wood  
grassy place  
beech wood**References** Orsino Dameri, 1996; Orsino 1988;  
Zotti, 1993;*Agrocybe veracti* (Fr.) Singer**Place/Habitat** Riva Trigoso (GE)  
Monte Brina, Sarzana (SP)grassy place  
at the edge of a path**References** Orsino Traverso, 1990; Monti  
Bisagni, 1990/91;*Albatrellus* Scutigeraceae, Cantharellales, Basidiomycetes*Albatrellus cristatus* (Schaeff.: Fr.) Kotl. & Pouzar

common species in Liguria

**Typical habitat** beech wood*Albatrellus ovinus* (Schaeff.: Fr.) Kotl. & Pouzar**Place/Habitat** Colle dei Giovetti, Sassello (SV)under *Pinus pinaster* Aiton**References** Orsino Zotti;*Albatrellus pes-caprae* (Pers.: Fr.) Pouzar

common species in Liguria

**Typical habitat** beech wood*Albatrellus subrubescens* (Murrill) Pouzar**Place/Habitat** Punta Manara, Sestri Levante (GE)  
Punta Baffe, Moneglia (GE)*Pinus pinaster* Aiton wood**References** Orsino, 1988; Orsino Dameri ;*Pinus pinaster* Aiton wood*Alnicola* Cortinariaceae, Cortinariales, Basidiomycetes*Alnicola melinoides* (Bull.: Fr.) Kühner**Place/Habitat** Melogno, Calizzano (SV)under *Alnus glutinosa* (L.)  
Gaertn.

Bric Burain, Altare (SV)

under *Alnus glutinosa* (L.)  
Gaertn.**References** Orsino Dameri, 1996; Zotti, submitted;*Alnicola submelinoides* Kühner**Place/Habitat** Melogno, Calizzano (SV)under *Alnus glutinosa* (L.)  
Gaertn.**References** Orsino Dameri, 1996;

*Amanita* Amanitaceae, Agaricales, Basidiomycetes*Amanita argentea* Huijsman**Place/Habitat** Monte Brina, Sarzana (SP)under *Castanea sativa* Mill.  
and *Erica arborea* L.**References** Monti Bisagni, 1990/91;*Amanita aspera* (Vittad.) Quél.**Place/Habitat** Bric Roncaste, Piana Crixia (SV)conifer and broadleaved  
woods

Finalese, Finale (SV)

mixed wood

Monte Zatta, Borzonasca (GE)

beech wood

Punta Manara, Sestri Levante (GE)

holm-oak wood

Val Polcevera, Sant'Olcese (GE),

Val Polcevera, Serra Riccò (GE), Valle

Scrivia, Casella (GE) and Valle Scrivia,

Savignone (GE)

chestnut wood

Vobbietta, Isola del Cantone (GE)

mixed wood

**References** Orsino Traverso, 1986 2); Orsino  
Dameri, 1989 5), 1991b 4); Orsino 3)  
6); Traverso Zotti 1);*Amanita basiana* Tulloss & M. Traverso**Place/Habitat** Piani di Prà, Genova (GE)*Pinus pinaster* Aiton wood**References** Tulloss Traverso, 2001;*Amanita beckeri* Huijsman**Place/Habitat** Bargone, Casarza Ligure (GE)

chestnut wood

**References** Traverso, 1999;*Amanita boudieri* Barla ss. Bres.**Place/Habitat** Finalese, Finale (SV)

holm-oak wood

**References** Orsino Traverso 1986;*Amanita caesarea* (Scop.: Fr.) Pers.

common species in Liguria

**Typical habitat** chestnut wood*Amanita citrina* (Schaeff.) Pers.

very common species in Liguria

**Typical habitat** beech wood, holm-oak wood, chestnut wood*Amanita citrina* (Schaeff.) Pers. forma *alba* (S. Price) Quél.**Place/Habitat** Valle Scrivia, Casella (GE)

chestnut wood

Punta Manara, Sestri Levante (GE)

holm-oak wood

Monterosso (SP)

under broadleaved trees

**References** Orsino Dameri, 1989; 1991b; Orsino;

*Amanita crocea* (Quél.) Singer

<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Punta Manara, Sestri Levante (GE)	glade of mixed wood beech wood holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989;	

*Amanita echinocephala* (Vittad.) Quél.

<b>Place/Habitat</b>	Portofino, Santa Margherita (GE)	holm-oak wood
<b>References</b>	Traverso, 1999;	

*Amanita echinocephala* (Vittad.) Quél. var. *bicolorata* Boud.

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986;	

*Amanita eliae* Quél.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	

*Amanita excelsa* (Fr.: Fr.) Bertillon

<b>Typical habitat</b>	common species in Liguria beech wood and chestnut wood
------------------------	---

*Amanita fulva* (Schaeff.) Fr.

<b>Typical habitat</b>	common species in Liguria beech wood and chestnut wood
------------------------	---

*Amanita fulva* (Schaeff.) Fr. forma *xylophila* M.Traverso

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	on rotting stump of <i>Castanea sativa</i> Mill.
<b>References</b>	Traverso, 1999;	

*Amanita gracilior* Bas & Honrubia

<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved woods
	Località Ferrieto, Piana Crixia (SV)	under broadleaved trees
<b>References</b>	Orsino Zotti Dameri, 1999;	

*Amanita junquillea* Quél.

<b>Typical habitat</b>	very common species in Liguria beech wood
------------------------	--

*Amanita junquillea* Quél. forma *amici* (Gillet) Vesely

<b>Place/Habitat</b>	Val Fontanabuona, Lavagna (GE)	oak wood
<b>References</b>	Traverso, 1999;	

*Amanita junquillea* Quél. forma *vernalis* (Gillet) J.E. Gilbert

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
----------------------	-------------------------	------------

<b>References</b>	Orsino Dameri, 1996;	
<i>Amanita lactea</i> Malençon, Romagn. & D.A. Reid		
<b>Place/Habitat</b>	Camaldoli, Genova (GE)	mixed wood
<b>References</b>	Traverso, 1999;	
<i>Amanita lividopallescens</i> (Gillet) Seyot		
<b>Place/Habitat</b>	Finalese, Finale (SV) Val Polcevera, Serra Riccò (GE) Punta Manara, Sestri Levante (GE) Nenno, Valbrevenna (GE)	holm-oak wood chestnut wood holm-oak wood chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989, 1991b; Orsino;	
<i>Amanita mairei</i> Foley		
<b>Place/Habitat</b>	Riva Trigoso (GE) Bargone, Casarza Ligure (GE)	chestnut wood chestnut wood
<b>References</b>	Traverso, 1999;	
<i>Amanita mairei</i> Foley var. <i>granodissimilis</i> M.Traverso		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	chestnut wood
<b>References</b>	Traverso, 1999;	
<i>Amanita muscaria</i> (L.) Lam.	very common species in Liguria	
<b>Typical habitat</b>	beech wood	
<i>Amanita muscaria</i> (L.) Lam. forma <i>aureola</i> (Kalchbr.) Vesely		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) Melogno, Calizzano (SV) Monte Zatta, Borzonasca (GE)	chestnut wood beech wood beech wood
<b>References</b>	Orsino Dameri, 1989, 1996; Orsino;	
<i>Amanita muscaria</i> (L.) Lam.var. <i>emiliae</i> (Riel) J.E. Gilbert		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Amanita muscaria</i> (L.) Lam. var. <i>formosa</i> Pers.: Fr.) Gonn. & Rabenh.		
<b>Place/Habitat</b>	Punta del Mesco, Levanto (SP) Cianazza, Savona (SV)	maquis beech wood
<b>References</b>	Orsino Zotti Dameri, 1999; Zott, 1993i;	
<i>Amanita ovoidea</i> (Bull.: Fr.) Link		
<b>Place/Habitat</b>	Finalese, Finale (SV)	maquis
<b>References</b>	Orsino Traverso, 1986;	
<i>Amanita proxima</i> Dumée		
<b>Place/Habitat</b>	Finalese, Finale (SV)	maquis
<b>References</b>	Traverso, 1999;	

*Amanita pantherina* (DC.: Fr.) Krombh.

	very common species in Liguria
<b>Typical habitat</b>	beech wood, chestnut wood, holm-oak wood

*Amanita phalloides* (Fr.) Link

	very common species in Liguria
<b>Typical habitat</b>	beech wood, chestnut wood, holm-oak wood

*Amanita phalloides* (Fr.) Link var. *alba* (Gillet) Bourdot

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Passo dei Giovi, (GE)	
<b>References</b>	Orsino Dameri, 1996; Traverso. 1999;	

*Amanita porphyria* Alb. & Schwein.: Fr.

<b>Place/Habitat</b>	Monte San Giorgio, Savona (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Bosco della Chiesa, Montenotte (SV)	beech wood
<b>References</b>	Zotti, 1993;	

*Amanita rubescens* Pers.

	very common species in Liguria
<b>Typical habitat</b>	beech wood, chestnut wood, holm-oak wood

*Amanita rubescens* Pers. var. *annulosulphurea* (Gillet) J.E. Lange

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	chestnut wood
<b>References</b>	Traverso, 1999;	

*Amanita spissa* (Fr.) P. Kumm.

	very common species in Liguria
<b>Typical habitat</b>	beech wood, chestnut wood

*Amanita strobiliformis* (Paulet ex Vittad.) Bertillon

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986;	

*Amanita submembranacea* (Bon) Gröger

<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	conifer and broadleaved woods
<b>References</b>	Zotti , 2001;	

*Amanita umbrinolutea* (Gillet) Bataille

<b>Place/Habitat</b>	Cascinassa, Cairo Montenotte (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Monte Pistone, Borghetto di Vara (SP)	conifer and broadleaved woods
	Monte San Giorgio, Savona (SV)	beech wood

<b>References</b>	Montenotte Molini, Cairo Montenotte (SV) beech wood Zotti, 1993 2) 4) 5), submitted 1); Monti Andreotti, 1981 3);	
<i>Amanita vaginata</i> (Bull.) Lam.	very common species in Liguria <b>Typical habitat</b> beech wood, chestnut wood	
<i>Amanita vaginata</i> (Bull.) Lam forma <i>avellanea</i> M.Traverso		
<b>Place/Habitat</b>	Loc. Bracco, Sestri Levante (GE)	chestnut wood
<b>References</b>	Traverso, 1999;	
<i>Amanita verna</i> Lam.		
<b>Place/Habitat</b>	Castellazzo, Cairo Montenotte (SV) Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Monte San Giorgio, Savona (SV) Punta Manara, Sestri Levante (GE)	beech wood beech wood beech wood beech wood holm-oak wood
<b>References</b>	Zotti, submitted 1) 3), 1993 2) 4); Orsino Dameri, 1989 5);	
<i>Amanita vittadinii</i> (Moretti) Vittad.		
<b>Place/Habitat</b>	Villa Rossi, Sestri Levante (GE)	grassy place
	Cianazzi, Savona (SV)	beech wood
<b>References</b>	Traverso; Zotti, 1993;	
<i>Antrodia</i>	<i>Coriolaceae, Poriales, Basidiomycetes</i>	
<i>Antrodia serialis</i> (Fr.) Donk		
<b>Place/Habitat</b>	Località Ferrieto, Piana Crixia (SV)	on wood of cherry trees
<b>References</b>	Zotti, 2001;	
<i>Antrodia xantha</i> (Fr.: Fr.) Ryvarden		
<b>Place/Habitat</b>	Fodo M. Rocchetta, Lerici (SP)	on wood of conifer trees
<b>References</b>	Monti Maccioni, 1996;	
<i>Armillaria</i>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Armillaria gallica</i> (Barla) Velen.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Monte San Giorgio, Savona (SV)	under broadleaved trees under broadleaved trees
<b>References</b>	Zotti submitted , 1993;	
<i>Armillaria mellea</i> (Vahl: Fr.) P. Kumm.	very common species in Liguria <b>Typical habitat</b> on stumps and buried fragments of wood	
<i>Armillaria tabescens</i> (Scop.) Emel		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	on stumps of <i>Fagus sylvatica</i> L.
	Colla San Giacomo, Quiliano (SV)	on stump of broadleaved trees

	Costa, Murialdo (Sv)	on stumps of <i>Castanea sativa</i> Mill.
	Monte San Giorgio, Savona (SV)	on stump of broadleaved trees
	Montenotte Molini, Cairo Montenotte (SV)	on stumps of <i>Fagus sylvatica</i> L.
	Portofino, Santa Margherita (GE)	on stump of broadleaved trees
	Punta Manara, Sestri Levante (GE)	on stumps of <i>Quercus ilex</i> L.
	Val Polcevera, Sant'Olcese (GE)	on stumps of <i>Castanea sativa</i> Mill.
<b>References</b>	Zotti, 1993 1) 4) 5), submitted 2); Traverso 3); Orsino 6); Orsino Dameri, 1991b 7), 1989 8);	
<b>Astraeus</b>	<i>Astraeaceae, Sclerodermatales, Basidiomycetes</i>	
<i>Astraeus hygrometricus</i> (Pers.) Morgan	very common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood, holm-oak wood	
<b>Aureoboletus</b>	<i>Boletaceae, Boletales, Basidiomycetes</i>	
<i>Aureoboletus gentilis</i> (Quél.) Pouzar	common species in Liguria	
<b>Typical habitat</b>	holm-oak wood, chestnut wood	
<b>Auricularia</b>	<i>Auriculariaceae, Auriculariales, Basidiomycetes</i>	
<i>Auricularia auricula-judae</i> (Bull.: Fr.) Wettst.		
<b>Place/Habitat</b>	Bric del tesoro, Cairo Montenotte (SV) Casarza, Casarza Ligure (GE) Colla San Giacomo, Quiliano (SV) Fornelli di Pallare, Pallare (SV) Luvio, Pontinvrea (SV) Monte San Giorgio, Savona (SV) Portofino, Santa Margherita (GE) Val Polcevera, Sant'Olcese (GE) and Val Polcevera, Serra Riccò (GE)	beech wood on wood of broadleaved trees under broadleaved trees chestnut wood beech wood beech wood on wood of chestnut trees
<b>References</b>	Zotti, submitted 3) 3), 1993 1) 5) 6); Orsino 2) 7); Zotti Olivier 4); Orsino Dameri, 1989 8);	on wood of broadleaved trees
<i>Auricularia mesenterica</i> (Dicks.: Fr.) Pers.		
<b>Place/Habitat</b>	Crocetta, Serra Riccò (GE)	on wood of <i>Aesculus hippocastanum</i> L.
	Monte Zatta, Borzonasca (GE)	on beech wood
<b>References</b>	Orsino;	
<b>Auriculariopsis</b>	<i>Meruliaceae, Stereales, Basidiomycetes</i>	
<i>Auriculariopsis ampla</i> (Lév.) Maire		
<b>Place/Habitat</b>	Molassana, Genova (GE)	on fallen twigs of <i>Populus nigra</i> L.

	Monte Zatta, Borzonasca (GE)	on fallen branches of <i>Populus tremula</i> L.
<b>References</b>	Orsino Traverso, 1990; Orsino	
<b>Auriscalpium</b>	<i>Auriscalpiaceae, Hericiales, Basidiomycetes</i>	
<i>Auriscalpium vulgare</i> Gray		
<b>Place/Habitat</b>	Val Tanarella, Triora (IM)	on fallen cones of <i>Pinus sylvestris</i> L.
	Strada Ferrieto, Piana Crixia (SV)	on fallen cones of <i>Pinus sylvestris</i> L.
<b>References</b>	Orsino; Zotti;	
<b>Baeospora</b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Baeospora myosura</i> (Fr.: Fr.) Singer		
<b>Place/Habitat</b>	Righi, Genova (GE)	on fallen cones of <i>Pinus nigra</i> J. F. Arnold
<b>References</b>	Traverso;	
<b>Bjerkandera</b>	<i>Coriolaceae, Porales, Basidiomycetes</i>	
<i>Bjerkandera adusta</i> (Willd.) P. Karst.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on stumps of <i>Fagus sylvatica</i> L.
	Monte Zatta, Borzonasca (GE)	on stumps of <i>Fagus sylvatica</i> L.
	Riofreddo, Murielmo (SV)	on stumps of <i>Castanea sativa</i> Mill.
	Costa, Murielmo (SV)	on stumps of <i>Castanea sativa</i> Mill.
<b>References</b>	Orsino Dameri, 1991a; Orsino; Traverso; Zotti;	
<b>Bolbitius</b>	<i>Bolbitiaceae, Agaricales, Basidiomycetes</i>	
<i>Bolbitius titubans</i> (Bull.: Fr.) Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy place
<b>References</b>	Orsino Traverso, 1986;	
<i>Bolbitius vitellinus</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on woody debris
	Valle Scrivia, Savignone (GE)	on woody debris
	Monte Antola, Genova (GE)	on woody debris
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; Orsino;	
<b>Boletinus</b>	<i>Gyrodontaceae, Boletales, Basidiomycetes</i>	
<i>Boletinus cavipes</i> (Klotzsch in: Fr.) Kalchbr.		
<b>Place/Habitat</b>	Valle di Upega, Pigna (IM)	under conifer trees
<b>References</b>	Traverso Zotti;	
<i>Boletinus cavipes</i> (Klotzsch in: Fr.) Kalchbr. var. <i>aureus</i> Rolland		
<b>Place/Habitat</b>	Valle di Upega, Pigna (IM)	under conifer trees

<b>References</b>	Traverso Zotti;	
<i>Boletopsis</i>	<i>Thelephoraceae, Thelephorales, Basidiomycetes</i>	
<i>Boletopsis leucomelaena</i> (Pers.) Fayod		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Boletus</i>	<i>Boletaceae, Boletales, Basidiomycetes</i>	
<i>Boletus aemilii</i> Barbier		
<b>Place/Habitat</b>	Val Polcevera, Serra Riccò (GE)	chestnut wood
<b>References</b>	Orsino, 1988;	
<i>Boletus aereus</i> Bull.: Fr.	common species in Liguria	
<b>Typical habitat</b>	chestnut wood, oak wood	
<i>Boletus appendiculatus</i> Schaeff.		
<b>Place/Habitat</b>	Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
	Nenno, Valbrevenna (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989; Orsino;	
<i>Boletus calopus</i> Pers.: Fr.	common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood	
<i>Boletus caucasicus</i> Singer		
<b>Place/Habitat</b>	Nenno, Valbrevenna (GE)	oak wood
<b>References</b>	Orsino;	
<i>Boletus depilatus</i> Redeuilh		
<b>Place/Habitat</b>	Olmi, Savignone, (GE)	under <i>Ostrya carpinifolia</i> Scop.
<b>References</b>	Orsino, 1988;	
<i>Boletus dupainii</i> Boud.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	chestnut wood
	Nenno, Valbrevenna (GE)	oak wood
	Casarza, Casarza Ligure (GE)	chestnut wood
	Monte Penna , Rezzoaglio (GE)	under broadleaved trees
<b>References</b>	Orsino Dameri, 1989; Orsino; Orsino Dameri; Orsino Zotti;	
<i>Boletus edulis</i> Bull.: Fr.	very common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood	
<i>Boletus erythropus</i> Pers.	very common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood	

*Boletus fechtneri* Velen.

<b>Place/Habitat</b>	Nenno, Valbrevenna (GE)	oak wood
<b>References</b>	Orsino;	

*Boletus ferrugineus* Schaeff

<b>Typical habitat</b>	common species in Liguria beech woods, chestnut woods
------------------------	--

*Boletus fragrans* Vittad.

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP) Passo San Giorgio, Savona (SV) Luvio, Pontinvrea (SV) Righi, Genova (GE)	chestnut wood beech wood beech wood under broadleaved trees
<b>References</b>	Monti Andreotti, 1981; Zotti, 1993, submitted; Balletto, 1977;	

*Boletus impolitus* Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Val Polcevera, Sant'Olcese (GE)	beech wood chestnut wood
<b>References</b>	Orsino Dameri, 1996, 1989;	

*Boletus lupinus* Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV) Nenno, Valbrevenna (GE)	holm-oak wood holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino;	

*Boletus luridus* Schaeff.: Fr.

<b>Typical habitat</b>	common species in Liguria beech wood, chestnut wood
------------------------	--

*Boletus pinophilus* Pilát & Dermek

<b>Typical habitat</b>	common species in Liguria beech wood, chestnut wood
------------------------	--

*Boletus pulchrotinctus* Alessio

<b>Place/Habitat</b>	Finalese, Finale (SV)	conifer and broadleaved
	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved
	Bric Roncaste, Piana Crixia (SV)	conifer and broadleaved
<b>References</b>	Orsino Traverso, 1986; Zotti; Traverso Zotti;	

*Boletus pulverulentus* Opat.

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE) Cascinassa, Cairo Montenotte (SV) Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Finalese, Finale (SV) Monte San Giorgio, Savona (SV)	glades of chestnut groves beech wood beech wood beech wood holm-oak wood beech wood
----------------------	---	--

<b>References</b>	Montenotte Molini, Cairo Montenotte (SV) beech wood Balletto, 1981 1); Zotti, 1993 2) 3) 6) 7) submitted 4); Orsino Traverso, 1986 5);
-------------------	---

*Boletus purpureus* Pers.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	

*Boletus queletii* Schulzer

<b>Typical habitat</b>	very common species in Liguria beech wood, oak wood, chestnut wood
------------------------	--

*Boletus radicans* Pers.: Fr.

<b>Place/Habitat</b>	Cascinassa, Cairo Montenotte (SV) Cianazzi, Savona (SV) Monte San Giorgio, Savona (SV) Nenno, Valbrembenna (GE) Val Polcevera, Sant'Olcese (GE)	beech wood beech wood beech wood oak wood under <i>Quercus pubescens</i> Willd.
<b>References</b>	Zotti, 1993 1) 2), submitted 3); Orsino 4); Orsino Dameri, 1989 5);	

*Boletus regius* Krombh.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Faiallo, Urbe (SV) Finalese, Finale (SV) Melogno, Calizzano (SV) Montenotte Molini, Cairo Montenotte (SV) Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	beech wood beech wood holm-oak wood beech wood beech wood chestnut wood
<b>References</b>	Orsino Traverso, 1986 3); Orsino, 2); Zotti, 1993 5), submitted 1); Orsino Dameri, 1996 4); Orsino Dameri, 1989 6);	

*Boletus reticulatus* Schaeff.

<b>Typical habitat</b>	very common species in Liguria beech wood, chestnut wood
------------------------	---

*Boletus rhodopurpureus* Smotl.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Monte Beigua, Urbe (SV) Valle Scrivia, Casella (GE) Punta Manara, Sestri Levante (GE)	beech wood beech wood chestnut wood holm-oak wood
----------------------	--	--

<b>References</b>	Orsino Dameri, 1996; Orsino; Orsino Dameri, 1989, 1991b;	
<i>Boletus rhodoxanthus</i> (Krombh.) Kallenb.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Nenno, Valbrevenna (GE)	beech wood oak wood
<b>References</b>	Orsino Dameri, 1996; Orsino;	
<i>Boletus satanas</i> Lenz		
<b>Place/Habitat</b>	Nenno, Valbrevenna (GE) Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE) Cianazzi, Savona (SV)	oak wood chestnut wood edge beech wood
<b>References</b>	Orsino; Orsino Dameri, 1989; Zotti, 1993;	
<i>Boletus splendidus</i> C. Martin		
<b>Place/Habitat</b>	Calizzano (SV) Rossiglione (GE) Valle Argentina, Triora (IM)	beech wood chestnut wood chestnut wood
<b>References</b>	Traverso, 1); Balletto, 1983, 2) 3);	
<i>Bovista</i>	<i>Lycoperdaceae, Lycoperdales, Basidiomycetes</i>	
<i>Bovista aestivalis</i> (Bonord.) Demoulin		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Luvio, Pontinvrea (SV) Monte San Giorgio, Savona (SV) Punta Manara, Sestri Levante (GE)	beech wood beech wood beech wood holm-oak wood
<b>References</b>	Zotti, 1993 1) 2) 3); Orsino Dameri, 1989 4);	
<i>Bovista nigrescens</i> Pers.:Pers.		
<b>Place/Habitat</b>	Righi, Genova (GE) Castellazzo, Cairo Montenotte (SV)	grassy place beech wood
<b>References</b>	Traverso, Zotti;	
<i>Bovista plumbea</i> Pers.		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Finalese, Finale (SV) Luvio, Pontinvrea (SV) Monte Brina, Sarzana (SP) Nenno, Valbrevenna (GE) Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	beech wood grassy place beech wood chestnut wood oak wood chestnut wood
<b>References</b>	Zotti 1993 1) 3); Orsino Traverso,	

1986 2); Monti Bisagni, 1990/91 4);  
Orsino 5); Orsino Dameri, 1989 6);

*Bovista pusilla* (Batsch) Pers.:Pers.

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	chestnut wood
<b>References</b>	Monti Bisagni, 1990/91;	

*Byssomerulius* *Meruliaceae, Stereales, Basidiomycetes*

*Byssomerulius corium* (Fr.) Parmastro

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on fallen branches of <i>Quercus ilex</i> L.
<b>References</b>	Orsino, 1988;	

*Callistosporium* *Tricholomataceae, Agaricales, Basidiomycetes*

*Callistosporium xanthophyllum* (Malençon & Bertault) Bon

<b>Place/Habitat</b>	Monte San Giorgio, Savona (SV)	under broadleaved trees
<b>References</b>	Zotti, 1993;	

*Calocera* *Dacrymycetaceae, Dacrymycetales, Basidiomycetes*

*Calocera cornea* (Batsch: Fr.) Fr.

<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE)	on dead trunks of <i>Populus tremula</i> L.
	Melogno, Calizzano (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Monte Zatta, Borzonasca (GE)	on dead wood of <i>Fagus sylvatica</i> L.
	Montenotte Molini, Cairo Montenotte (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Cianazzi, Savona (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Bric Burain, Altare (SV)	on dead wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino, 1988 1); Orsino Dameri, 1996 2); Orsino Zotti 3); Zotti, 4) 5) submitted 6);	

*Calocera viscosa* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Ponte sul Bormida, Bardinetto (SV)	on stumps of conifer trees
<b>References</b>	Traverso;	

*Calocybe* *Tricholomataceae, Agaricales, Basidiomycetes*

*Calocybe carnea* (Bull.: Fr.) Donk

<b>Place/Habitat</b>	Pontedecimo, Genova (GE)	under conifer trees
<b>References</b>	Traverso;	

*Calocybe chrysenteron* (Bull.: Fr.) Singer

<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE)	pine wood
<b>References</b>	Traverso;	

*Calocybe constricta* (Fr.) Kühner

<b>Place/Habitat</b>	Valle Argentina, Triora (IM)	manured soil
----------------------	------------------------------	--------------

<b>References</b>	Savignone (GE) Traverso;	on fowl-manure
<i>Calocybe gambosa</i> (Fr.) Singer	common species in Liguria	
<b>Typical habitat</b>	grassy places	
<i>Calvatia</i>	<i>Lycoperdaceae, Lycoperdales, Basidiomycetes</i>	
<i>Calvatia cyathiformis</i> (Bosc) Morgan		
<b>Place/Habitat</b>	Altare (SV)	grassy place
<b>References</b>	Balletto, 1981a;	
<i>Calvatia excipuliformis</i> (Scop.:Pers.) Perdeck	common species in Liguria	
<b>Typical habitat</b>	conifer and deciduous woods	
<i>Calvatia utriformis</i> (Bull.) Jaap	common species in Liguria	
<b>Typical habitat</b>	mountain grasslands	
<i>Cantharellus</i>	<i>Cantharellaceae, Cantharellales, Basidiomycetes</i>	
<i>Cantharellus cibarius</i> Fr.	very common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood	
<i>Cantharellus cibarius</i> Fr. var. <i>amethysteus</i> Quél.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Rio Rostilo, Urbe (SV)	under broadleaved trees
<b>References</b>	Orsino Dameri, 1996; Balletto, 1981;	
<i>Cantharellus friesii</i> Quél.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Cianazzi, Savona (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996; Zotti, submitted; Orsino Dameri, 1991b; Zotti, 1993;	
<i>Cantharellus ianthinoxanthus</i> (Maire) Kühner		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Molinetti di Sant'Olcese, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1996; Orsino, 1988;	
<i>Cantharellus lutescens</i> (Pers.) Fr.: Fr.	very common species in Liguria	
<b>Typical habitat</b>	<i>Pinus pinaster</i> wood, chestnut wood, mixed wood	

*Cantharellus melanoxeros* Desm.

<b>Place/Habitat</b>	Monte San Giorgio, Savona (SV) Riofreddo, Muraldo (SV)	beech wood conifer and broadleaved woods
<b>References</b>	Bosco della Chiesa, Montenotte (SV) Zotti, 1993; Traverso; Zotti, submitted;	beech wood

*Cantharellus tubaeformis* (Bull.) Fr.: Fr.

<b>Typical habitat</b>	very common species in Liguria beech wood, chestnut wood
------------------------	---

*Cerrena* *Coriolaceae, Poriales, Basidiomycetes**Cerrena unicolor* (Bull.) Murrill

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Monte Zatta, Borzonasca (GE)	on dead wood of <i>Fagus sylvatica</i> L.

<b>References</b>	Orsino Dameri, 1994; Orsino;
-------------------	------------------------------

*Chalciporus* *Strobilomycetaceae, Boletales, Basidiomycetes**Chalciporus piperatus* (Bull.: Fr.) Bataille

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Cascinassa, Cairo Montenotte (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	beech wood
	Valle Scrivia, Casella (GE)	conifer and broadleaved woods

<b>References</b>	Zotti, 1993 1) 3) 6); submitted 2) 4); Orsino Dameri, 1996 5), 1989 8); Orsino 7);	chestnut wood
-------------------	--	---------------

*Chamaemyces* *Agaricaceae, Agaricales, Basidiomycetes**Chamaemyces fracidus* (Fr.) Donk

<b>Place/Habitat</b>	Bric Roncaste, Piana Crixia (SV)	grassy place
<b>References</b>	Orsino Zotti Dameri, 1999;	

*Chondrostereum* *Meruliaceae, Stereales, Basidiomycetes**Chondrostereum purpureum* (Pers.) Pouzar

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen trunk of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	

*Chroogomphus* *Gomphidiaceae, Boletales, Basidiomycetes**Chroogomphus helveticus* (Singer) M. Moser

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	pine wood
----------------------	---------------------------------------	-----------

<b>References</b>	Monte Brina, Sarzana (SP) Monte Penna, Rezzoaglio (GE) Monti Andreotti, 1981; Monti Bisagni, 1990/91; Orsino Zotti;	under <i>Pinus pinaster</i> Aiton under conifer trees
<b>Typical habitat</b>	very common species in Liguria pine wood	
<b>Clathrus</b>	<i>Clathraceae, Phallales, Basidiomycetes</i>	
<b>Clathrus ruber</b> Pers.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Monterosso (SP) Molino di Piano, Piana Crixia (SV)	at the edge of a path under broadleaved trees conifer and broadleaved woods
<b>References</b>	Portofino, Santa Margherita (GE) Orsino Traverso, 1986; Orsino Dameri; Zotti; Orsino, 1980;	glade of mixed wood
<b>Clavaria</b>	<i>Clavariaceae, Cantharellales, Basidiomycetes</i>	
<b>Clavaria argillacea</b> Pers.: Fr.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Monti Andreotti, 1981;	
<b>Clavaria vermicularis</b> Sw.: Fr.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) Miniere di Grafite, Muraldo (SV)	chestnut wood edge under broadleaved trees
<b>References</b>	Orsino Dameri, 1989; Zotti;	
<b>Clavariadelphus</b>	<i>Clavariadelphaceae, Cantharellales, Basidiomycetes</i>	
<b>Clavariadelphus flavoimmaturus</b> R.H. Petersen		
<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	pine wood
<b>References</b>	Monti Maccioni, 1996;	
<b>Clavariadelphus ligula</b> (Schaeff.: Fr.) Donk		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	chestnut wood conifer and broadleaved woods
<b>References</b>	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
<b>Clavariadelphus pistillaris</b> (L.: Fr.) Donk		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte Antola, Genova (GE) Monte Beigua, Urbe (SV)	beech wood beech wood beech wood beech wood

	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
	Bosco della Chiesa, Montenotte (SV)	beech wood
<b>References</b>	Zotti, submitted 1); Orsino Dameri, 1996 2); Orsino 3) 4); Traverso 5); Orsino Dameri, 1989 6);	
<b><i>Clavulina</i></b>	<i>Clavulinaceae, Cantharellales, Basidiomycetes</i>	
<i>Clavulina cinerea</i> (Bull.: Fr.) J. Schroet.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	mixed wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Melogno, Calizzano (SV)	beech wood
	Portofino, Santa Margherita (GE)	chestnut wood
	Monte Beigua, Urbe (SV)	beech wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; 1991b; 1996; Traverso; Orsino; Monti Andreotti, 1981;	
<i>Clavulina cristata</i> (Holmsk.: Fr.) J. Schroet.	very common species in Liguria	
<b>Typical habitat</b>	beech wood and chestnut wood	
<i>Clavulina rugosa</i> (Bull.: Fr.) J. Schroet.		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Zotti, 1993 5) 2), submitted 1); Orsino Dameri, 1996 3), 1989 7), 1991b 6); Orsino 4);	
<b><i>Clavulinopsis</i></b>	<i>Clavariaceae, Cantharellales, Basidiomycetes</i>	
<i>Clavulinopsis fusiformis</i> (Sowerby: Fr.) Corner		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	<i>Quercus ilex</i> L. and <i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Clavulinopsis laeticolor</i> (Berk. & M.A. Curtis) R.H. Petersen		
<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino, 1988;	

<i>Clitocybe</i>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Clitocybe alexandri</i> (Gillet) Konrad		
<b>Place/Habitat</b>	Righi, Genova (GE)	under conifer trees
<b>References</b>	Traverso;	
<i>Clitocybe anisata</i> Velen.		
<b>Place/Habitat</b>	Monte Caucaso, Favale di Malvaro (GE)	under <i>Betula pendula</i> Roth in beech wood
<b>References</b>	Orsino Zotti Dameri, 1999 ;	
<i>Clitocybe brumalis</i> (Fr.: Fr.) Quél.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
	Colla San Giacomo, Quiliano (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Zotti, submitted;	
<i>Clitocybe candicans</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Cianazzi, Savona (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
	Melogno, Calizzano (SV)	on dead leaves and fallen twigs of <i>Fagus sylvatica</i> L.
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Zotti, submitted; Orsino Dameri, 1996, 1989;	
<i>Clitocybe clavipes</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Zotti, 1993 1) 3); Orsino Dameri, 1996 2), 1989 4);	
<i>Clitocybe costata</i> Kühner & Romagn.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	chestnut wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1996, 1989;	
<i>Clitocybe dealbata</i> (Sowerby: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy place
<b>References</b>	Orsino Traverso; 1986;	
<i>Clitocybe diatreta</i> (Fr.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Alta Val Nervia, Pigna (IM)	conifer and broadleaved woods
<b>References</b>	Balletto, 1977 ;	
<i>Clitocybe ditopus</i> (Fr.: Fr.) Gillet		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on litter in beech wood

<b>References</b>	Orsino Dameri, 1996;	
<i>Clitocybe ericetorum</i> (Bull.) Quél.		
<b>Place/Habitat</b>	Passo San Giorgio, Savona (SV)	beech wood
<b>References</b>	Zotti, submitted;	
<i>Clitocybe flaccida</i> (Sowerby: Fr.) P. Kumm.		
	very common species in Liguria	
<b>Typical habitat</b>	beech wood, holm-oak wood, chestnut wood	
<i>Clitocybe font-queri</i> R. Heim		
<b>Place/Habitat</b>	Punta del Mesco, Levanto (SP)	maquis
<b>References</b>	Orsino Zotti Dameri, 1999;	
<i>Clitocybe fragrans</i> (Sowerby: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Diga Brugneto, Torriglia (GE)	under broadleaved trees
	Melogno, Calizzano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino; Orsino Dameri, 1996; 1989;	
<i>Clitocybe geotropa</i> (Bull.) Quél.		
	common species in Liguria	
<b>Typical habitat</b>	meadows	
<i>Clitocybe gibba</i> (Pers.: Fr.) P. Kumm.		
	common species in Liguria	
<b>Typical habitat</b>	beech wood	
<i>Clitocybe gilva</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	conifer and broadleaved woods
<b>References</b>	Traverso;	
<i>Clitocybe houghtonii</i> (Berk. & Broome) Dennis		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Clitocybe hydrogramma</i> (Bull.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Bric Burain, Altare (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte Brina, Sarzana (SP)	under broadleaved trees
	Portofino, Santa Margherita (GE)	chestnut wood
	Riofreddo, Murialdo (SV)	conifer and broadleaved woods
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Casella (GE)	chestnut wood
	Villetta di Negro, Genova (GE)	holm-oak wood

<b>References</b>	Zotti, submitted 1) 2); Orsino Dameri, 1989 7), 1996 3); Monti Bisagni, 1990/91 4); Balletto, 1981 5) 8); Traverso 6);
<i>Clitocybe incilis</i> (Fr.) Quél.	
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)
<b>References</b>	Orsino Dameri, 1989;
<i>Clitocybe maxima</i> (Alb. & Schwein.) P. Kumm.	
<b>Place/Habitat</b>	Val Fontanabuona, Lavagna (GE)
<b>References</b>	Traverso;
<i>Clitocybe metachroa</i> (Fr.) P. Kumm.	
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Monte Beigua, Urbe (SV) Monte Pistone, Borghetto di Vara (SP)
<b>References</b>	Orsino Dameri, 1996; Orsino; Monti Andreotti, 1981;
<i>Clitocybe nebularis</i> (Batsch: Fr.) P. Kumm.	very common species in Liguria
<b>Typical habitat</b>	beech wood, chestnut wood, holm-oak wood
<i>Clitocybe obsoleta</i> (Batsch) Quél.	
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)
<b>References</b>	Orsino Zotti;
<i>Clitocybe odora</i> (Bull.: Fr.) P. Kumm.	very common species in Liguria
<b>Typical habitat</b>	beech wood, chestnut wood
<i>Clitocybe phyllophila</i> (Pers.: Fr.) P. Kumm.	
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)  Dan, Urbe (SV)  Melogno, Calizzano (SV)  Monte Beigua, Urbe (SV) Monte S. Giorgio, Savona (SV)  Riofreddo, Murialdo (SV)
<b>References</b>	Zotti, submitted 1), 1993 5); Orsino Dameri, 1996 3); Orsino 2) 4); Traverso 6);
<i>Clitocybe rivulosa</i> (Pers.: Fr.) P. Kumm.	
<b>Place/Habitat</b>	Costa, Murialdo (Sv)
	chestnut wood

<b>References</b>	Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE) Traverso; Orsino Dameri, 1989;	chestnut wood
<i>Clitocybe squamulosa</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Val Polcevera, Serra Riccò (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1996, 1989;	
<i>Clitocybe tenuissima</i> Romagn.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy place
<b>References</b>	Orsino Traverso;	
<i>Clitocybe trullaeformis</i> (Fr.) P. Karst.		
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	under broadleaved trees
	Val Polcevera, Serra Riccò (GE)	chestnut wood
<b>References</b>	Orsino Zotti; Orsino Dameri, 1989;	
<i>Clitocybe umbilicata</i> (Schaeff.) P. Kumm.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	chestnut wood
	Monte Roccabruna, Rapallo (GE)	beech wood
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Zotti, submitted 1); Orsino Dameri, 1996 2), 1989 5); Orsino 3) 4);	
<i>Clitocybe vibecina</i> (Fr.) Quél.		
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	beech wood
<b>References</b>	Orsino;	
<i>Clitocybula</i>	Tricholomataceae, Agaricales, Basidiomycetes	
<i>Clitocybula lenta</i> (Maire)	Malençon & Bertault	
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Zotti ;	
<i>Clitopilus</i>	Entolomataceae, Agaricales, Basidiomycetes	
<i>Clitopilus prunulus</i> (Scop.: Fr.) P. Kumm.	very common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood, mixed woods	
<i>Collybia</i>	Tricholomataceae, Agaricales, Basidiomycetes	
<i>Collybia acervata</i> (Fr.) P. Kumm.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood

Riofreddo, Murialdo (SV) conifer and broadleaved woods

**References** Zotti, submitted, 1993; Traverso;

*Collybia alkavirens* Singer

**Place/Habitat** Colle dei Giovetti, Sassello (SV) under broadleaved trees  
Melogno, Calizzano (SV) on decaying leaves of *Fagus sylvatica* L.  
Monte San Giorgio, Savona (SV) on decaying leaves of *Fagus sylvatica* L.  
Montenotte Molini, Cairo Montenotte (SV) on decaying leaves of *Fagus sylvatica* L.

**References** Zotti Olivieri; Orsino Dameri, 1994;  
Zotti, 1993, submitted;

*Collybia butyracea* (Bull.: Fr.) P. Kumm.

**Typical habitat** very common species in Liguria  
deciduous, mixed and coniferous woods

*Collybia butyracea* (Bull.: Fr.) P. Kumm. forma *asema* (Fr.) Singer

**Place/Habitat** Bardinetto (SV) under conifer trees  
Melogno, Calizzano (SV) beech wood  
Monte Penna, Rezzoaglio (GE) fir-wood  
Ponte sul Bormida, Bardinetto (SV) conifer and broadleaved woods  
Riofreddo, Murialdo (SV) conifer and broadleaved woods

**References** Traverso; Orsino Dameri, 1996; Zotti  
Traverso; Traverso; Zotti, submitted;

*Collybia cirrhata* (Pers.) Quél.

**Place/Habitat** Cianazzi, Savona (SV) on decaying basidiocarps of *Hypholoma fasciculare* in beech wood  
Colla San Giacomo, Quiliano (SV) on decaying basidiocarps of *Hypholoma fasciculare* in beech wood  
Melogno, Calizzano (SV) on decaying basidiocarps of *Hypholoma fasciculare* in beech wood

**References** Zotti , 1993, submitted;Orsino Dameri, 1996;

*Collybia confluens* (Pers.: Fr.) P. Kumm.

**Place/Habitat** Cianazzi, Savona (SV) on fallen leaves of *Fagus sylvatica* L.  
Dan, Urbe (SV) on fallen leaves of *Fagus sylvatica* L.

	Melogno, Calizzano (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
	Monte Beigua, Urbe (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
	Montenotte Molini, Cairo Montenotte (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
	Valle Scrivia, Casella (GE)	on dead leaves of chestnut
<b>References</b>	Zotti, 1993 1) 5); Orsino Dameri, 1989 6), 1996 3); Orsino, 2) 4);	
<i>Collybia cookei</i> (Bres.) J.D. Arnold		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on decaying basidiocarps of <i>Russula nigricans</i> in beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Riofreddo, Muralaldo (SV)	on decaying basidiocarps
<b>References</b>	Orsino Dameri, 1996; Zotti, 1993; Traverso;	
<i>Collybia dryophila</i> (Bull.: Fr.) P. Kumm.		
<b>Typical habitat</b>	very common species in Liguria conifer woods	
<i>Collybia erythropus</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Bric Roncaste, Piana Crixia (SV)	conifer and broadleaved woods
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	chestnut wood
	Monte San Giorgio, Savona (SV)	beech wood
	Passo San Giorgio, Savona (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	beech wood
<b>References</b>	Zotti, submitted 2), 1993 5) 6); Orsino Dameri, 1996 3), 1989 7); Orsino 4); Traverso Zotti 1);	chestnut wood
<i>Collybia fuscopurpurea</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Bric del tesoro, Cairo Montenotte (SV)	on decaying leaves of <i>Fagus sylvatica</i> L.
	Colla San Giacomo, Quiliano (SV)	on decaying leaves of <i>Fagus sylvatica</i> L.
	Melogno, Calizzano (SV)	on decaying leaves of <i>Fagus sylvatica</i> L.
	Miniere di Grafite, Muralaldo (SV)	on dead leaves of chestnut
	Monte Beigua, Urbe (SV)	on dead leaves of chestnut
	Monte S. Giorgio, Savona (SV)	on decaying leaves of <i>Fagus sylvatica</i> L.

<b>References</b>	Zotti, 1993 1) 6), submitted 2); Orsino Dameri, 1994 3); Orsino 5); Zotti Traverso 4);
<i>Collybia fusipes</i> (Bull.: Fr.) Quél.	common species in Liguria at the base of old trunks of broadleaved trees
<i>Collybia hariolorum</i> (Bull.: Fr.) Quél.	
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Nenno, Valbrevenna (GE)
<b>References</b>	Orsino Dameri, 1996; Orsino, 1988;
<i>Collybia ingrata</i> (Schumach.: Fr.) Quél.	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)
<b>References</b>	Orsino Dameri, 1989;
<i>Collybia maculata</i> (Alb. & Schwein.: Fr.) P. Kumm.	
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte Beigua, Urbe (SV) Monte Penna, Rezzoaglio (GE) Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)
<b>References</b>	Zotti, 1993 1), submitted 2); Orsino Dameri, 1996 3), 1989 6); Orsino 4); Orsino Zotti 5);
<i>Collybia oedipus</i> Quél.	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)
<b>References</b>	Orsino Dameri, 1996;
<i>Collybia peronata</i> (Bolton: Fr.) P. Kumm.	very common species in Liguria on dead leaves and needles in deciduous and conifer woods
<i>Collybia tuberosa</i> (Bull.: Fr.) P. Kumm	
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV) Monte Penna, Rezzoaglio (GE)
<b>References</b>	Orsino Zotti Dameri, 1999; Orsino;
<i>Coltricia</i>	<i>Hymenochaetaceae, Hymenochaetales, Basidiomycetes</i>
<i>Coltricia perennis</i> (L.) Murrill	very common species in Liguria on woody debris or burnt ground

<i>Conocybe</i>	<i>Bolbitiaceae, Agaricales, Basidiomycetes</i>	
<i>Conocybe antipus</i> (Lasch: Fr.) Fayod		
<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	manured soil
<b>References</b>	Orsino, 1980;	
<i>Conocybe aporos</i> Kits van Wav.		
<b>Place/Habitat</b>	Monte Scarpino, Borzoli (GE)	grassy place
<b>References</b>	Traverso;	
<i>Conocybe arrhenii</i> (Fr.) Kits van Wav.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Conocybe lactea</i> (J.E. Lange) Métrod		
<b>Place/Habitat</b>	Villa Rosassa, Genova (GE)	grassy place
<b>References</b>	Traverso;	
<i>Conocybe pseudopilosella</i> (Kühner) Kühner & Watling		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Zotti submitted; Orsino Dameri 1996;	
<i>Conocybe semiglobata</i> (Kühner) Kühner & Watling		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on bare soil in beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Conocybe tenera</i> (Schaeff.: Fr.) Fayod		
<b>Place/Habitat</b>	Bric Burain, Altare (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Finalese, Finale (SV)	grassy place
<b>References</b>	Zotti 1993, submitted; Orsino Traverso 1986;	
<i>Coprinus</i>	<i>Coprinaceae, Agaricales, Basidiomycetes</i>	
<i>Coprinus alopecia</i> Lasch		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on stumps of <i>Castanea sativa</i> Mill.
<b>References</b>	Orsino, 1988;	
<i>Coprinus angulatus</i> Peck		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on burnt ground
<b>References</b>	Orsino Traverso, 1990;	
<i>Coprinus atramentarius</i> (Bull.: Fr.) Fr.		
<b>Place/Habitat</b>	Bric Buin A.V., Pontinvrea (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	under broadleaved trees
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	under broadleaved trees
	Portofino, Santa Margherita (GE)	chestnut wood
	Val Polcevera, Sant'Olcese (GE) and Valle	

<b>References</b>	Scrivia, Savignone (GE) Zotti, 1993 1) 2) 5), submitted 3); Orsino Dameri 1996 4); Orsino, 6);	chestnut wood
<b>Place/Habitat</b>	Santuorio, Savona (SV)	glades and wood sides
<b>References</b>	Zotti;	
<i>Coprinus cinereus</i> (Schaeff.: Fr.) Gray		
<b>Place/Habitat</b>	common species in Liguria	
<b>Typical habitat</b>	path and roadsides	
<i>Coprinus comatus</i> (O.F. Müll.: Fr.) Gray		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on rotten straw
<b>References</b>	Orsino Traverso, 1986;	
<i>Coprinus congregatus</i> (Bull.) Fr.		
<b>Place/Habitat</b>	common species in Liguria	
<b>Typical habitat</b>	on old stump or dead wood	
<i>Coprinus disseminatus</i> (Pers.: Fr.) Gray		
<b>Place/Habitat</b>	Costa, Muraldo (SV)	on stumps of <i>Castanea sativa</i> Mill.
	Melogno, Calizzano (SV)	on woody debris in beech wood
<b>References</b>	Traverso; Orsino Dameri 1996;	
<i>Coprinus domesticus</i> (Bolton: Fr.) Gray		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	at the base of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Coprinus echinosporus</i> Buller		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	
<b>References</b>	Orsino Dameri, 1996;	
<i>Coprinus episcopalensis</i> P.D. Orton		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on litter in beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Coprinus hemerobius</i> Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on the ground in beech wood
<b>References</b>	Orsino Dameri, 1991a;	
<i>Coprinus heptemerus</i> M. Lange & A.H. Sm.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on rabbit dung
<b>References</b>	Orsino Traverso, 1986;	
<i>Coprinus lagopides</i> P. Karst.		
<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese, (GE)	on burnt ground
<b>References</b>	Orsino, 1986;	

*Coprinus lagopus* (Fr.) Fr.

<b>Place/Habitat</b>	Strada del Bracco, Sestri Levante (GE)	chestnut wood
<b>References</b>	Balletto, 1981;	

*Coprinus leiocephalus* P.D. Orton

<b>Place/Habitat</b>	Cianazzi, Savona (SV)	on damp soil in beech wood
	Colla San Giacomo, Quiliano (SV)	on damp soil in beech wood
	Melogno, Calizzano (SV)	on damp soil in beech wood
	Monte San Giorgio, Savona (SV)	on damp soil in beech wood
<b>References</b>	Zotti 1993 1) 3), submitted 2); Orsino Dameri, 1991a 4);	

*Coprinus macrocephalus* (Berk.) Berk.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on plant debris
<b>References</b>	Orsino Dameri, 1996;	

*Coprinus megaspermus* P.D. Orton

<b>Place/Habitat</b>	Portofino, Santa Margherita (GE)	on the ground in mixed wood
<b>References</b>	Orsino Dameri, 1994;	

*Coprinus micaceus* (Bull.: Fr.) Fr.

<b>Typical habitat</b>	very common species in Liguria	
	on stumps of broadleaved trees	

*Coprinus miser* P. Karst.

<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	manured soil
<b>References</b>	Orsino, 1980 ;	

*Coprinus niveus* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Fontanigorda (GE)	on cow dung
	Monte Ceppo, Baiardo (IM)	on cow dung
<b>References</b>	Orsino Dameri; Orsino;	

*Coprinus ovatus* (Schaeff.) Fr.

<b>Place/Habitat</b>	Genova (GE)	holm-oak wood
<b>References</b>	Balletto, 1981;	

*Coprinus picaceus* (Bull.: Fr.) Gray

<b>Place/Habitat</b>	Finales, Finale (SV)	mixed wood
<b>References</b>	Orsino Traverso, 1986;	

*Coprinus plicatilis* (Curtis: Fr.) Fr.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Finales, Finale (SV)	grassy place
	Melogno, Calizzano (SV)	on the ground in beech wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	
<b>References</b>	Zotti, 1993; Orsino Traverso, 1986; Orsino Dameri, 1996, 1989;	chestnut wood

*Coprinus radians* (Desm.) Fr.

**Place/Habitat** Vivai C.so Dogali, Genova (GE) on rotten wood  
**References** Orsino ;

*Coprinus saccharinus* Romagn.

**Place/Habitat** Ospedale Sampierdarena, Genova (GE) on rotten wood of broadleaved trees  
**References** Traverso;

*Coprinus truncorum* (Scop.) Fr.

**Place/Habitat** Bargone, Casarza Ligure (GE) on dead wood of broadleaved trees  
**References** Traverso;

*Coprinus vasoustii* Pilát

**Place/Habitat** Campo di Gia' M. Rocchetta, Lerici (SP) holm-oak wood  
**References** Monti Maccioni, 1996;

*Coprinus xanthothrix* Romagn.

**Place/Habitat** Melogno, Calizzano (SV) on stumps of *Fagus sylvatica* L.  
**References** Orsino Dameri, 1994;

*Coriolopsis* *Coriolaceae, Poriales, Basidiomycetes*

*Coriolopsis gallica* (Fr.) Ryvarden  
**Place/Habitat** Leca d'Albenga, Albenga (SV) on dead trunk of broadleaved trees  
**References** Orsino, 1986;

*Coriolopsis trogii* (Berk.) Domanski

**Place/Habitat** Forte Diamante, Genova (GE) on dead wood of *Fraxinus ornus* L.  
**References** Orsino Traverso, 1990;

*Cortinarius* *Cortinariaceae, Cortinariales, Basidiomycetes*

*Cortinarius albidus* Peck subsp. *europaeus* M. Moser  
**Place/Habitat** Finalese, Finale (SV) mixed wood  
Val Polcevera, Sant'Olcese (GE) chestnut wood  
**References** Orsino Traverso, 1986; Orsino Dameri, 1989;

*Cortinarius alboviolaceus* (Pers.: Fr.) Fr.

**Place/Habitat** Melogno, Calizzano (SV) beech wood  
Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE) chestnut wood  
**References** Orsino Dameri, 1996, 1989;

*Cortinarius aleuriosmus* M. Moser

**Place/Habitat** Val Polcevera, Sant'Olcese (GE) chestnut wood  
Monte Brina, Sarzana (SP) under broadleaved trees

<b>References</b>	Orsino Dameri, 1989; Monti Bisagni, 1990/91;	
<i>Cortinarius amarescens</i> M. Moser		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso; 1986;	
<i>Cortinarius amoenolens</i> Rob. Henry		
<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV)	mixed wood beech wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996;	
<i>Cortinarius anomalus</i> (Fr.: Fr.) Fr.	very common species in Liguria	
<b>Typical habitat</b>	deciduous and coniferous woods	
<i>Cortinarius anthracinus</i> (Fr.) Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Cortinarius arcuatum</i> Rob. Henry		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Cortinarius armeniacus</i> (Schaeff.: Fr.) Fr.		
<b>Place/Habitat</b>	Valle Argentina, Triora (IM)	conifer and broadleaved woods
<b>References</b>	Balletto, 1981;	
<i>Cortinarius armillatus</i> (Fr.: Fr.) Fr.		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Monte Brina, Sarzana (SP)	beech wood beech wood under broadleaved trees
<b>References</b>	Zotti, 1993, submitted; Monti Bisagni, 1990/91;	
<i>Cortinarius atrovirens</i> Kalchbr.		
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	conifer and broadleaved woods
	Riofreddo, Muraldo (SV)	conifer and broadleaved woods
<b>References</b>	Orsino Zotti; Traverso;	
<i>Cortinarius aurilicis</i> Chevassut & Trescol		
<b>Place/Habitat</b>	Bosco dei Frati, Genova (GE)	holm-oak wood
<b>References</b>	Traverso;	
<i>Cortinarius auroturbanatus</i> J.E. Lange		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Melogno, Calizzano (SV)	beech wood beech wood

<b>References</b>	Zotti, submitted; Orsino Dameri, 1994;	
<b>Cortinarius azureus</b> Fr.		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	conifer and broadleaved woods
<b>References</b>	Traverso;	
<b>Cortinarius balteatus</b> Fr.		
<b>Place/Habitat</b>	Valle Argentina, Triora (IM)	conifer and broadleaved woods
<b>References</b>	Balletto, 1977;	
<b>Cortinarius bicolor</b> Cooke		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino, 1986;	
<b>Cortinarius bolaris</b> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Bardineto (SV)	under broadleaved trees
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Ponte sul Bormida, Bardineto (SV)	conifer and broadleaved woods
	Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>		
	Traverso; Zotti, submitted; Orsino Dameri, 1996; Balletto, 1981, 1977;	
<b>Cortinarius brunneus</b> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Monte Penna , Rezzoaglio (GE)	conifer and broadleaved woods
<b>References</b>	Zotti, 2001;	
<b>Cortinarius bulliardii</b> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	mixed wood
	Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	
<b>Cortinarius caligatus</b> Malençon		
<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	
<b>Cortinarius calochrous</b> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Cascinassa, Cairo Montenotte (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Finalese, Finale (SV)	holm-oak wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood

	Riofreddo, Muraldo (SV)	conifer and broadleaved woods
<b>References</b>	Zotti, 1993 1) 2), submitted 3) 6); Orsino Traverso, 1986 4); Orsino Dameri, 1996 5), 1991b 7); Zotti 8);	
<i>Cortinarius calochrous</i> (Pers.: Fr.) Fr. var. <i>caroli</i> (Velen.) Quadr.		
<b>Place/Habitat</b>	Bosco dei Frati, Genova (GE)	holm-oak wood
<b>References</b>	Zotti, 2001;	
<i>Cortinarius camphoratus</i> (Fr.) Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Monte Penna, Rezzoaglio (GE)	beech wood conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1996; Zotti Traverso;	
<i>Cortinarius candelaris</i> Fr.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Punta Manara, Sestri Levante (GE)	beech wood holm-oak wood
<b>References</b>	Zotti, submitted; Orsino Dameri, 1991b;	
<i>Cortinarius caninus</i> Fr.		
<b>Place/Habitat</b>	Maissana, Casarza Ligure (GE)	conifer and broadleaved woods
<b>References</b>	Zotti, 2001;	
<i>Cortinarius causticus</i> Fr.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1991b;	
<i>Cortinarius cedreorum</i> Maire		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino, 1988;	
<i>Cortinarius cephalixus</i> Fr.		
<b>Place/Habitat</b>	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
<b>References</b>	Zotti, 2001;	
<i>Cortinarius cinnabarinus</i> Fr.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Colle dei Giovetti, Sassello (SV) Melogno, Calizzano (SV) Monte Penna, Rezzoaglio (GE)	beech wood under broadleaved trees beech wood beech wood
<b>References</b>	Zotti, submitted; Zotti Olivier; Orsino Dameri, 1996; Orsino Zotti;	
<i>Cortinarius cinnamomeobadius</i> Rob. Henry		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Cortinarius cinnamomeoluteus* (P.D. Orton) M. Moser

<b>Place/Habitat</b>	Bric Rolando, Piana Crixia (SV)
	Colla di Gritta, Monterosso (SP)
	Melogno, Calizzano (SV)
<b>References</b>	Punta Manara, Sestri Levante (GE) Traverso Zotti; Orsino; Orsino Dameri, 1996; Orsino Traverso, 1990;

conifer and broadleaved woods  
under *Pinus pinaster* Aiton  
beech wood  
under *Pinus pinaster* Aiton

*Cortinarius cinnamomeus* (L.: Fr.) Fr.

<b>Typical habitat</b>	common species in Liguria deciduous and conifer woods
------------------------	--

*Cortinarius citrinus* (J.E. Lange) P.D. Orton

<b>Place/Habitat</b>	Melogno, Calizzano (SV)
<b>References</b>	Orsino Dameri, 1989;

beech wood

*Cortinarius claroflavus* Rob. Henry

<b>Place/Habitat</b>	Monte San Giorgio, Savona (SV)
	Colla San Giacomo, Quiliano (SV)
	Cianazzi, Savona (SV)
	Riofreddo, Murialdo (SV)
<b>References</b>	Orsino Dameri, 1994; Zotti, submitted; Traverso

beech wood  
beech wood  
beech wood  
beech wood  
conifer and broadleaved woods

*Cortinarius cliduchus* Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)
<b>References</b>	Orsino Dameri, 1996;

beech wood

*Cortinarius coerulescens* (Schaeff.) Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV)
	Melogno, Calizzano (SV)
	Molassana, Genova (GE)
	Nenno, Valbrevenna (GE)
	Punta Manara, Sestri Levante (GE)
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE)
<b>References</b>	Orsino Traverso, 1986 1); Orsino Dameri, 1996 2), 1989 5); Orsino, 3) 4);

holm-oak wood  
beech wood  
mixed wood  
chestnut wood  
holm-oak wood

chestnut wood

*Cortinarius collinitus* (Sowerby: Fr.) Fr.

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)
<b>References</b>	Traverso;

under conifer trees

*Cortinarius coloneus* Fr.

<b>Place/Habitat</b>	Bric Roncaste, Piana Crixia (SV)	conifer and broadleaved woods
	Cascinassa, Cairo Montenotte (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Finalese, Finale (SV)	holm-oak wood
	Melogno, Calizzano (SV)	beech wood
	Nenno, Valbrevenna (GE)	oak wood
	Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Traverso Zotti 1); Zotti, 1993 2), submitted 3); Orsino Traverso, 1986 4); Orsino Dameri, 1996 5), 1989 7); Orsino 6);	

*Cortinarius crystallinus* Fr.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Finalese, Finale (SV)	mixed wood
	Melogno, Calizzano (SV)	beech wood
	Monte S. Giorgio, Savona (SV)	beech wood
	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Nenno, Valbrevenna (GE)	chestnut wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Zotti, 1993 4), submitted 1); Orsino Traverso, 1986 2); Orsino Dameri, 1996 3) 1991b 7) 1989 8); Orsino 5 6);	

*Cortinarius croceocoeruleus* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	

*Cortinarius croceus* (Schaeff.) Gray

<b>Place/Habitat</b>	Punta Baffe, Moneglia (GE)	under <i>Pinus pinaster</i> Aiton
	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Colla di Gritta, Monterosso (SP)	under <i>Pinus pinaster</i> Aiton

**References** Orsino ;

*Cortinarius crustulinus* Malençon

<b>Place/Habitat</b>	Passo Bracco, Sestri Levante (GE)	maquis
<b>References</b>	Traverso ;	

*Cortinarius cumatilis* Fr.

<b>Place/Habitat</b>	Fornelli di Pallare, Pallare (SV)	chestnut wood
	Monte Penna, Rezzoaglio (GE)	under broadleaved trees
	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	under <i>Abies alba</i> Mill.

**References** Zotti Olivieri; Orsino Zotti; Balletto 1981a;

*Cortinarius cyanites* Fr.

<b>Place/Habitat</b>	Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Casella (GE)	Valle
	Monte Penna, Rezzoaglio (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989; Orsino Zotti ;	under broadleaved trees

*Cortinarius damascenus* Fr.

<b>Place/Habitat</b>	Portofino, Santa Margherita (GE)	holm-oak wood
<b>References</b>	Orsino Traverso, 1990;	

*Cortinarius delibutus* Fr.

<b>Typical habitat</b>	common species in Liguria
	deciduous and conifer woods

*Cortinarius diabolicus* Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1996; Orsino Dameri, 1989;	

*Cortinarius dionysae* Rob. Henry

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Valle Scrivia, Casella (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	

*Cortinarius duracinus* Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Melogno, Calizzano (SV)	beech wood
	Monte Brina, Sarzana (SP)	under broadleaved trees
	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986 1); Orsino Dameri, 1996 2), 1991b 4); Monti Bisagni, 1990/91 3);	

*Cortinarius duracinus* Fr. var. *raphanicus* M.Moser

<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	conifer and broadleaved woods
<b>References</b>	Zotti, 2001;	

*Cortinarius elatior* Fr.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte S. Giorgio, Savona (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood

<b>References</b>	Orsino Dameri, 1989 4), 1996 2); Zotti, 1993 3), submitted 1);	
<i>Cortinarius elegantior</i> Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Colla San Giacomo, Quiliano (SV)	beech wood beech wood
<b>References</b>	Orsino Dameri, 1996; Zotti, submitted;	
<i>Cortinarius elegantissimus</i> Rob. Henry		
<b>Place/Habitat</b>	Costa, Murielmo (Sv) Fornelli di Pallare, Pallare (SV) Ponte sul Bormida, Bardinetto (SV)	chestnut wood chestnut wood conifer and broadleaved woods
	Riofreddo, Murielmo (SV)	conifer and broadleaved woods
<b>References</b>	Traverso 1) 3); Zotti Olivieri 2) 4);	
<i>Cortinarius emollitus</i> Fr.		
<b>Place/Habitat</b>	Monte Maggio, Casella (GE)	chestnut wood
<b>References</b>	Orsino, 1988;	
<i>Cortinarius epipoleus</i> Fr.		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	conifer and broadleaved woods
<b>References</b>	Monti Bisagni, 1990/91;	
<i>Cortinarius evernius</i> (Fr.: Fr.) Fr.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP) Monte Brina, Sarzana (SP) Bosco dei Frati, Genova (GE)	chestnut wood under broadleaved trees conifer and broadleaved woods
<b>References</b>	Monti Andreotti, 1981; Monti Bisagni, 1990/91; Balletto, 1977;	
<i>Cortinarius fagerorum</i> (M. Moser) M. Moser		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Cortinarius fasciatus</i> (Scop.) Fr.		
<b>Place/Habitat</b>	Passo Bracco, Sestri Levante (GE)	pine wood
<b>References</b>	Zotti, 2001;	
<i>Cortinarius favrei</i> M. Moser ex D.M. Hend.		
<b>Place/Habitat</b>	Valle di Upega, Pigna (IM)	fir-wood
<b>References</b>	Traverso ;	
<i>Cortinarius flexipes</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Passo del Faiallo, Urbe (SV)	beech wood
<b>References</b>	Orsino;	

*Cortinarius fluryi* (M. Moser) M. Moser

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Cortinarius fulgens* (Alb. & Schwein.) Fr.

<b>Place/Habitat</b>	Nenno, Valbrevenna (GE)	chestnut wood
<b>References</b>	Orsino	

*Cortinarius fulmineus* (Fr.) Fr.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1991b;	

*Cortinarius glandicolor* Fr.

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	conifer and broadleaved woods
	Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton
	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Val Polcevera, Serra Riccò (GE) Monti Bisagni, 1990/91; Monti Andreotti, 1981; Orsino; Orsino Dameri, 1989;	chestnut wood

*Cortinarius glaucopus* (Schaeff.: Fr.) Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV)	chestnut wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	

*Cortinarius hemitrichus* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Costa, Muralaldo (Sv)	chestnut wood
<b>References</b>	Traverso;	

*Cortinarius herbarum* Rob.Henry

<b>Place/Habitat</b>	Monte Battolina, Ceranesi (GE)	under <i>Picea abies</i> (L.) H. Karst.
<b>References</b>	Zotti, 2001 ;	

*Cortinarius herculeus* Malençon

<b>Place/Habitat</b>	Bosco dei Frati, Genova (GE)	conifer and broadleaved woods
<b>References</b>	Balletto, 1977;	

*Cortinarius hinnuleus* (Sowerby) Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Molassana, Genova (GE)	mixed wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
	Monterosso (SP)	pine wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1996 1), 1989 5);	

Orsino 2) 4); Monti Andreotti, 1981  
3);

*Cortinarius hinnuloides* Rob. Henry

<b>Place/Habitat</b>	Montoggio (GE)	under broadleaved trees
<b>References</b>	Traverso ;	

*Cortinarius infractus* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Melogno, Calizzano (SV) Monte Beigua, Urbe (SV) Nenno, Valbrevenna (GE) Strada Ferrieto, Piana Crixia (SV)	beech wood beech wood beech wood oak wood conifer and broadleaved woods
<b>References</b>	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE) Orsino Dameri, 1989 6), 1996 2); Orsino 3) 4); Traverso Zotti 5); Zotti, 1993 1);	chestnut wood

*Cortinarius infractus* (Pers.: Fr.) Fr. var. *olivellus* M. Moser

<b>Place/Habitat</b>	Nenno, Valbrevenna (GE) Finalese, Finale (SV)	oak wood holm-oak wood
<b>References</b>	Orsino; Orsino Traverso, 1986;	

*Cortinarius integrerrimus* Kühner

<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	

*Cortinarius ionochlorus* Maire

<b>Place/Habitat</b>	Finalese, Finale (SV) Bosco dei Frati, Genova (GE)	holm-oak wood holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Balletto, 1977;	

*Cortinarius junguhni* Fr.

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	under broadleaved trees
<b>References</b>	Monti Bisagni, 1990/91;	

*Cortinarius largus* Fr.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte San Giorgio, Savona (SV) Torre di Quezzi, Genova (GE) Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	beech wood beech wood beech wood beech wood beech wood chestnut wood
<b>References</b>	Orsino Dameri, 1996 3) 1989 6);	chestnut wood

Zotti, 1993 1) 2), submitted 4); Orsino  
Dameri, Orsino 5);

*Cortinarius leochrous* Jul. Schaeff.

**Place/Habitat** Riserva Agorai, Rezzoaglio (GE),  
S.Stefano d'Aveto (GE)

conifer and broadleaved  
woods

**References** Balletto, 1981a;

*Cortinarius leucopus* (Bull.: Fr.) Fr.

**Place/Habitat** Punta Manara, Sestri Levante (GE)  
**References** Orsino Dameri, 1989;

holm-oak wood

*Cortinarius lividoviolaceus* Rob. Henry

**Place/Habitat** Melogno, Calizzano (SV)  
Val Polcevera, Sant'Olcese (GE) and  
Valle Scrivia, Casella (GE)  
**References** Orsino Dameri, 1996; Orsino Dameri,  
1989;

beech wood

chestnut wood

*Cortinarius lucorum* (Fr.) J.E. Lange

**Place/Habitat** Monte Brina, Sarzana (SP)  
**References** Monti Bisagni, 1990/91;

under broadleaved trees

*Cortinarius mairei* (M. Moser) M. Moser

**Place/Habitat** Punta Manara, Sestri Levante (GE)  
**References** Orsino Dameri, 1989;

holm-oak wood

*Cortinarius melanotus* Kalchbr.

**Place/Habitat** Monte Brina, Sarzana (SP)  
**References** Monti Bisagni, 1990/91;

under broadleaved trees

*Cortinarius mucosus* (Bull.) J.J. Kichx

**Place/Habitat** Colla di Grittà, Monterosso (SP)  
Monterosso (SP)  
Punta Manara, Sestri Levante (GE)  
**References** Orsino 1) 2); Orsino Dameri, 1991b  
3);

under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton

*Cortinarius multiformis* Fr.

**Place/Habitat** Val Polcevera, Serra Riccò (GE)  
Punta Manara, Sestri Levante (GE)  
Monte Pistone, Borghetto di Vara (SP)  
**References** Orsino Dameri, 1989, 1991b; Monti  
Andreotti, 1981;

chestnut wood  
holm-oak wood  
chestnut wood

*Cortinarius nemorensis* Fr.

**Place/Habitat** Melogno, Calizzano (SV)  
**References** Orsino Dameri, 1996;

beech wood

*Cortinarius obtusus* (Fr.) Fr.

<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE)	chestnut wood
	Punta Baffe, Moneglia (GE)	under <i>Pinus pinaster</i> Aiton
	Monte S. Giorgio, Savona (SV)	beech wood
	Luvio, Pontinvrea (SV)	beech wood
<b>References</b>	Orsino, 1988; Orsino; 1988; Zotti 1993, submitted;	

*Cortinarius olivaceofuscus* Kühner

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Cortinarius olivascentium* Rob. Henry

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	

*Cortinarius orellanoides* Rob. Henry

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Cortinarius orellanus* Fr.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	chestnut wood
	Punta Manara; Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989, 1991b;	

*Cortinarius paleaceus* (Weinm.) Fr.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Zotti, submitted; Orsino Dameri, 1989; 1989; Monti Andreotti, 1981;	

*Cortinarius pangloioi* M. Moser

<b>Place/Habitat</b>	Serino, Genova (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1990;	

*Cortinarius papulosus* Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV)	mixed wood
<b>References</b>	Orsino Traverso, 1996;	

*Cortinarius percomis* Fr.

<b>Place/Habitat</b>	Monte Penna , Rezzoaglio (GE)	conifer and broadleaved woods
<b>References</b>	Zotti, 2001;	

*Cortinarius phoeniceus* (Bull.) Maire

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Miniere di Grafite, Murialdo (SV)	under broadleaved trees
	Monte Beigua, Urbe (SV)	beech wood
	Monte Pistone, Borghetto di Vara (SP)	pine wood

	Punta Manara, Sestri Levante (GE) Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	holm-oak wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Casella (GE)	conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1989 8), 1991b 6), 1996 2); Monti Andreotti, 1981 5); Zotti, 1993 1); Orsino 4) 7); Zotti Olivieri 3);	chestnut wood
	<i>Cortinarius pholideus</i> (Fr.: Fr.) Fr.	
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	pine wood
<b>References</b>	Monti Andreotti, 1981;	
	<i>Cortinarius praestans</i> (Cordier) Gillet	
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Cianazzi, Savona (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	beech wood
<b>References</b>	Orsino Dameri, 1989 5); 1996 3); Zotti, 1993 1) 2) 4);	chestnut wood
	<i>Cortinarius prasinus</i> (Schaeff.) Fr.	
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Colla San Giacomo, Quiliano (SV)	beech wood
<b>References</b>	Orsino Traverso, 1986; 1990; Zotti, 1993;	
	<i>Cortinarius privignoides</i> Rob. Henry	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989;	
	<i>Cortinarius privignus</i> Fr.	
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986;	
	<i>Cortinarius pseudosalor</i> J.E. Lange	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	beech wood
	Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1996 1), 1989 3); Orsino 2);	
	<i>Cortinarius pumilus</i> (Fr.) J.E. Lange	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989;	

*Cortinarius puniceus* (P.D. Orton) M. Moser

**Place/Habitat** Val Polcevera, Serra Riccò (GE)      chestnut wood  
**References** Orsino, 1986;

*Cortinarius purpurascens* (Fr.) Fr.

**Place/Habitat** Riofreddo, Muraldo (SV)      conifer and broadleaved woods  
**References** Valle Scrivia, Savignone (GE)  
Traverso; Orsino Dameri, 1989;

*Cortinarius rapaceus* Fr.

**Place/Habitat** Melogno, Calizzano (SV)      beech wood  
**References** Orsino Dameri, 1996;

*Cortinarius raphanoides* (Pers.: Fr.) Fr.

**Place/Habitat** Villa Doria, Pegli (GE)      conifer and broadleaved woods  
**References** Traverso ;

*Cortinarius rigens* (Pers.: Fr.) Fr.

**Place/Habitat** Punta Manara, Sestri Levante (GE)  
Punta Baffe, Moneglia (GE)      holm-oak wood  
**References** Orsino Traverso, 1990; Orsino;

under *Pinus pinaster* Aiton

*Cortinarius rigidus* (Scop.) Fr.

**Place/Habitat** Melogno, Calizzano (SV)      beech wood  
**References** Orsino Dameri, 1989;

*Cortinarius romagnesii* Rob.Henry

**Place/Habitat** Genova (GE)      on burnt soil  
**References** Zotti, 2001;

*Cortinarius rubicundulus* (Rea) A. Pearson

**Place/Habitat** Cianazzi, Savona (SV)  
Colla San Giacomo, Quiliano (SV)  
Val Polcevera, Sant'Olcese (GE),  
Valle Scrivia, Casella (GE) and  
Valle Scrivia, Savignone (GE)      beech wood  
**References** Zotti, submitted 2), 1993 1); Orsino  
Dameri, 1989 3);

beech wood

beech wood

chestnut wood

*Cortinarius rufoalbus* Kühner

**Place/Habitat** Melogno, Calizzano (SV)      beech wood  
**References** Orsino Dameri, 1994;

*Cortinarius rufoolivaceus* (Pers.: Fr.) Fr.

**Place/Habitat** Finalese, Finale (SV)  
Melogno, Calizzano (SV)  
Valle Scrivia, Savignone (GE)  
Punta Manara, Sestri Levante (GE)      mixed wood  
 beech wood  
 chestnut wood  
 holm-oak wood

	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989, 1991b; Traverso;	
<i>Cortinarius russeoides</i> M. Moser		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Cortinarius salor</i> Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
<b>References</b>	Orsino Traverso, 1986; Traverso;	
<i>Cortinarius sanguineus</i> (Wulfen: Fr.) Fr.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	under <i>Pinus pinaster</i> Aiton
	Fornelli di Pallare, Pallare (SV)	chestnut wood
	Portofino, Santa Margherita (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1994; Zotti Olivieri; Orsino;	
<i>Cortinarius saturatus</i> J.E. Lange		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Cortinarius sebaceus</i> Fr.		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Luvio, Pontinvrea (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
<b>References</b>	Zotti, 1993 1) 2) 4) 6), submitted 3); Orsino Dameri, 1996 5);	
<i>Cortinarius semisanguineus</i> (Fr.) Gillet		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Casella (GE)	chestnut wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
	Monte Brina, Sarzana (SP)	under broadleaved trees
<b>References</b>	Orsino Dameri, 1996, 1989, 1991b; Monti Andreotti, 1981; Monti Bisagni, 1990/91;	
<i>Cortinarius sertipes</i> Kühner		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood

<b>References</b>	Orsino Dameri, 1996;	
<i>Cortinarius sodagnitus</i> Rob. Henry		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Colle dei Giovetti, Sasselio (SV) Melogno, Calizzano (SV) Val Polcevera, Sant'Olcese (GE)	beech wood beech wood beech wood under broadleaved trees beech wood chestnut wood
<b>References</b>	Orsino Dameri, 1989 6) 1996 5); Zotti, 1993 1) 2), submitted 3); Zotti Olivieri 4);	
<i>Cortinarius spilomeus</i> (Fr.: Fr.) Fr.		
<b>Place/Habitat</b>	Bargagli (GE)	chestnut wood edge
<b>References</b>	Balletto, 1981;	
<i>Cortinarius splendens</i> Rob. Henry		
<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Valle Scrivia, Casella (GE) Punta Manara, Sestri Levante (GE)	holm-oak wood beech wood chestnut wood holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989, 1991b;	
<i>Cortinarius splendidicus</i> Chevassut & Rob. Henry		
<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE)	holm-oak wood
<b>References</b>	Orsino Traverso, 1990;	
<i>Cortinarius suaveolens</i> Bataille & Joachim		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986;	
<i>Cortinarius subannulatus</i> Jul. Schaeff. & M. Moser		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986;	
<i>Cortinarius subfulgens</i> P.D. Orton		
<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Casella (GE)	holm-oak wood beech wood chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989;	
<i>Cortinarius subsertipes</i> Romagn.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Passo San Giorgio, Savona (SV)	beech wood beech wood
<b>References</b>	Orsino Dameri, 1996; Zotti, 1993;	

*Cortinarius suillus* Fr.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Punta Manara, Sestri Levante (GE)	beech wood holm-oak wood
<b>References</b>	Zotti, submitted; Orsino Dameri, 1991b;	

*Cortinarius sulfurinus* Quél.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Cortinarius talus* Fr.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Colla San Giacomo, Quiliano (SV) Costa, Muraldo (Sv) Luvio, Pontinvrea (SV)	beech wood beech wood chestnut wood beech wood
<b>References</b>	Melogno, Calizzano (SV) Orsino Dameri, 1994 5); Zotti, 1993 1) 4), submitted 2); Traverso Zotti 3);	beech wood

*Cortinarius torvus* (Fr.: Fr.) Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Val Polcevera, Sant'Olcese (GE) Monte Pistone, Borghetto di Vara (SP) Riofreddo, Muraldo (SV)	beech wood chestnut wood chestnut wood conifer and broadleaved
<b>References</b>	Costa, Muraldo (Sv) Orsino Dameri, 1996, 1989; Monti Andreotti, 1981; Traverso Zotti;	chestnut wood

*Cortinarius trivialis* J.E. Lange

<b>Typical habitat</b>	common species in Liguria chestnut wood, holm-oak wood, mixed wood
------------------------	--

*Cortinarius turgidus* Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Cortinarius uraceus* Fr.

<b>Place/Habitat</b>	S. Giovanni dei prati, Castel Vittorio (IM)	under Abies alba Mill.
<b>References</b>	Orsino;	

*Cortinarius varius* (Schaeff.: Fr.) Fr.

<b>Place/Habitat</b>	Val Polcevera, Serra Riccò (GE) Monte Pistone, Borghetto di Vara (SP) Monte Penna, Rezzoaglio (GE)	chestnut wood pine wood beech wood
<b>References</b>	Orsino Dameri, 1989; Monti Andreotti, 1981; Orsino Zotti;	

*Cortinarius venetus* (Fr.) Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
----------------------	-------------------------	------------

<b>References</b>	Val Polcevera, Sant'Olcese (GE) Punta Manara, Sestri Levante (GE) Monte Pistone, Borghetto di Vara (SP) Ponte sul Bormida, Bardinetto (SV) Orsino Dameri, 1996, 1989, 1991b; Monti Andreotti, 1981; Traverso;	chestnut wood holm-oak wood under conifer trees under broadleaved trees
-------------------	--	--

*Cortinarius vibratilis* (Fr.) Fr.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	

*Cortinarius violaceus* (L.: Fr.) Gray

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Val Polcevera, Serra Riccò (GE) Riserva Agorae, Rezzoaglio (GE), S.Stefano d'Aveto (GE) Monte Beigua, Urbe (SV)	beech wood chestnut wood under broadleaved trees
<b>References</b>	Orsino Dameri, 1996, 1989; Orsino Traverso; Orsino;	chestnut wood

*Cortinarius xanthophyllus* (Cooke) Rob. Henry

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Recco (GE) Riofreddo, Murielado (SV)	beech wood under broadleaved trees conifer and broadleaved woods
<b>References</b>	Costa, Murielado (Sv) Orsino Dameri, 1996; Orsino Traverso, 1990; Traverso Zotti;	chestnut wood

*Cortinarius zinziberatus* (Scop.: Fr.) Fr.

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Monti Andreotti, 1981;	

*Cotylidia* Podoscyphaceae, Stereales, Basidiomycetes*Cotylidia pannosa* (Sowerby) D.A. Reid

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Monte Pistone, Borghetto di Vara (SP)	among moss in beech wood chestnut wood
<b>References</b>	Orsino Dameri, 1996; Monti Andreotti, 1981;	

*Craterellus* Craterellaceae, Cantharellales, Basidiomycetes*Craterellus cornucopioides* (L.) Pers.

<b>Typical habitat</b>	very common species in Liguria beech wood, chestnut wood
------------------------	---

<b>Crepidotus</b>	<i>Crepidotaceae, Cortinariales, Basidiomycetes</i>	
<i>Crepidotus appланatus</i> (Pers.) P. Kumm.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on fallen branches of <i>Castanea sativa</i> Mill.
	Punta Manara, Sestri Levante (GE)	on fallen twigs of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1989, 1991b;	
<i>Crepidotus luteolus</i> (Lambotte) Sacc.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	on fallen branches of <i>Castanea sativa</i> Mill.
<b>References</b>	Monti Andreotti, 1981;	
<i>Crepidotus mollis</i> (Schaeff.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on dead wood of chestnut trees
<b>References</b>	Orsino Dameri, 1989;	
<i>Crepidotus pubescens</i> Bres.		on bare soil in holm-oak wood
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	
<b>References</b>	Orsino Dameri, 1989;	
<i>Crepidotus subsphaerosporus</i> (J.E. Lange) Kühner & Romagn.		on dead twigs of <i>Fagus sylvatica</i> L.
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	
<b>References</b>	Orsino Dameri, 1996;	
<i>Crepidotus variabilis</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on dead leaves and fallen twigs of <i>Fagus sylvatica</i> L.
	Monte Beigua, Urbe (SV)	on dead twigs of <i>Fagus sylvatica</i> L.
	Monte Brina, Sarzana (SP)	on dead wood of broadleaved trees
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	on dead wood of chestnut trees
	Vobbietta, Isola del Cantone (GE)	on dead wood of chestnut trees
<b>References</b>	Orsino Dameri, 1996 1), 1989 4); Orsino 2) 5); Monti Bisagni, 1990/91 3);	
<b>Crinipellis</b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Crinipellis stipitaria</i> (Fr.) Pat.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on dead twigs of <i>Quercus ilex</i> L.
	Monterosso (SP)	on dead grass stems
<b>References</b>	Orsino Dameri, 1991b; Orsino;	

***Crucibulum*** *Nidulariaceae, Nidulariales, Basidiomycetes****Crucibulum laeve* (Huds.) Kambly**

common species in Liguria

**Typical habitat** on woody debris***Cyathus*** *Nidulariaceae, Nidulariales, Basidiomycetes****Cyathus olla* Batsch:Pers.**

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP) Bric Rolando, Piana Crixia (SV)	on woody debris on woody debris
<b>References</b>	Monti Bisagni, 1990/91; Traverso Zotti	

***Cyathus stercoreus* (Schwein.) De Toni**

<b>Place/Habitat</b>	Genova (GE)	manured soil
<b>References</b>	Orsino Dameri, 1994;	

***Cyathus striatus* (Huds.) Willd.:Pers.**

<b>Place/Habitat</b>	common species in Liguria
<b>Typical habitat</b>	on fallen branches, twigs and other plant debris

***Cystoderma*** *Agaricaceae, Agaricales, Basidiomycetes****Cystoderma amianthinum* (Scop.) Fayod**

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Costa, Murialdo (Sv) Fornelli di Pallare, Pallare (SV) Monte Penna , Rezzoaglio (GE)	beech wood chestnut wood chestnut wood beech wood
<b>References</b>	Orsino Dameri, 1996; Traverso Zotti; Zotti; Orsino Zotti;	

***Cystoderma carcharias* (Pers.) Fayod**

<b>Place/Habitat</b>	Finalese, Finale (SV) Monte Beigua, Urbe (SV) Monte Penna, Rezzoaglio (GE) Portofino, Santa Margherita (GE) Val Polcevera, Sant'Olcese (GE)	under <i>Pinus halepensis</i> Mill. beech wood beech wood beech wood chestnut wood chestnut wood
<b>References</b>	Orsino Traverso, 1986 1); Orsino Dameri, 1989 5); Orsino 2) 4); Orsino Zotti 3);	

***Cystoderma cinnabarinum* (Alb. & Schwein.) Fayod**

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Ponte sul Bormida, Bardinetto (SV)	beech wood conifer and broadleaved woods
	Riofreddo, Murialdo (SV)	conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1996; Traverso; Traverso Zotti;	

*Cystoderma fallax* A.H.Sm. & Singer

**Place/Habitat** Monte Penna, Rezzoaglio (GE) conifer and broadleaved woods

**References** Zotti, 2001;

*Cystoderma granulosum* (Batsch: Fr.) Fayod

**Place/Habitat** Melogno, Calizzano (SV) beech wood

Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Casella (GE)

chestnut wood

Monte Brina, Sarzana (SP)

under broadleaved trees

**References** Orsino Dameri, 1996, 1989; Monti Bisagni, 1990/91;

*Cystolepiota* *Agaricaceae, Agaricales, Basidiomycetes**Cystolepiota sistrata* (Fr.) Singer

**Place/Habitat** Monte Brina, Sarzana (SP) under broadleaved trees

**References** Monti Bisagni, 1990/91;

*Dacrymyces* *Dacrymycetaceae, Dacrymycetales, Basidiomycetes**Dacrymyces stillatus* Nees: Fr.

**Place/Habitat** Melogno, Calizzano (SV) on decorticated wood of *Fagus sylvatica* L.

Punta Manara, Sestri Levante (GE)

on fallen branches of *Quercus ilex* L.

**References** Orsino Dameri, 1996, 1991b;;

*Daedalea* *Coriolaceae, Porales, Basidiomycetes**Daedalea quercina* (L.) Pers.

**Place/Habitat** Val Polcevera, Sant'Olcese (GE) on wood of *Quercus cerris* L.

Dan, Urbe (SV)

on wood of oak trees

Riofreddo, Murielmo (SV)

on wood of oak trees

**References** Orsino Dameri, 1989; Orsino; Traverso Zotti;

*Daedaleopsis* *Coriolaceae, Porales, Basidiomycetes**Daedaleopsis confragosa* (Bolton) J. Schroet.

**Place/Habitat** Melogno, Calizzano (SV) on beech wood

Monte Beigua, Urbe (SV)

on fallen branches of *Fagus sylvatica* L.

Costa, Murielmo (SV)

on wood of chestnut trees

Monte Penna, Rezzoaglio (GE)

on beech wood

**References** Orsino Dameri, 1996; Orsino; Traverso Zotti; Orsino Zotti;

*Delicatula* *Tricholomataceae, Agaricales, Basidiomycetes**Delicatula integrella* (Pers.: Fr.) Fayod

**Place/Habitat** Melogno, Calizzano (SV) on plant debris

Val Polcevera, Sant'Olcese (GE), Val

Polcevera, Serra Riccò (GE), Valle Scrivia,

Casella (GE) and Valle Scrivia,

<b>References</b>	Savignone (GE) Orsino Dameri, 1996, 1989;	on plant debris
<b>Dermoloma</b> <i>Tricholomataceae, Agaricales, Basidiomycetes</i>		
<i>Dermoloma atrocinereum</i> (Pers.: Fr.) P.D. Orton		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Dermoloma pseudocuneifolium</i> Herink		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	<i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Dameri, 1991b;	
<b>Echinoderma</b> <i>Agaricaceae, Agaricales, Basidiomycetes</i>		
<i>Echinoderma ephibius</i> (Knudsen) Bon		
<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	in greenhouse
<b>References</b>	Orsino Zotti Dameri, 1999;	
<b>Entoloma</b> <i>Entolomataceae, Agaricales, Basidiomycetes</i>		
<i>Entoloma ameides</i> (Berk. & Broome) Sacc.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	grassy clearing in chestnut wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Entoloma aprile</i> (Britzelm.) Sacc.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Entoloma clypeatum</i> (L.) P. Kumm.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
<b>References</b>	Zotti , submitted;	
<i>Entoloma conferendum</i> (Britzelm.) Noordel.		
<b>Place/Habitat</b>	Trappena, Val Bisagno (GE)	glades of chestnut groves
<b>References</b>	Balletto, 1983;	
<i>Entoloma corvinum</i> (Kühner) Noordel.		
<b>Place/Habitat</b>	Monterosso (SP) Monte Brina, Sarzana (SP) Bric Roncaste, Piana Crixia (SV)	<i>Pinus pinaster</i> Aiton wood garrigues conifer and broadleaved woods
<b>References</b>	Orsino; Monti Bisagni, 1990/91; Traverso Zotti;	
<i>Entoloma euchroum</i> (Pers.: Fr.) Donk		
<b>Place/Habitat</b>	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
<b>References</b>	Traverso;	
<i>Entoloma incanum</i> (Fr.) Hesler		
<b>Place/Habitat</b>	Finalese, Finale (SV) Val Polcevera, Serra Riccò (GE), Valle	garrigues and grasslands

Savignone (GE)	Scrivia, Casella (GE) and Valle Scrivia, grassy clearing in chestnut wood Monte Pistone, Borghetto di Vara (SP) Molino di Piano, Piana Crixia (SV)	chestnut wood conifer and broadleaved woods
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; Monti Andreotti, 1981; Zotti;	
<i>Entoloma lampropus</i> (Fr.: Fr.) Hesler		
<b>Place/Habitat</b>	Savignone (GE)	margin of deciduous wood
<b>References</b>	Balletto, 1981;	
<i>Entoloma lazulinum</i> (Fr.) Noordel.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassgy glade in holm-oak wood
	Val Polcevera, Sant'Olcese (GE)	grassgy clearing in chestnut wood
	Dan, Urbe (SV)	grassgy place
	Monte Brina, Sarzana (SP)	garrigues and grasslands
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; Orsino; Monti Bisagni, 1990/91;	
<i>Entoloma lividoalbum</i> (Kühner & Romagn.) Kubi?ka		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassgy glade in holm-oak wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	
<i>Entoloma lividum</i> (Bull.) Quél.		
	common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood	
<i>Entoloma madidum</i> (Fr.) Gillet		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	chestnut wood edge
	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989, 1991b;	
<i>Entoloma mougeotii</i> (Fr.) Hesler		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Bric Roncaste, Piana Crixia (SV)	conifer and broadleaved woods
	Colla San Giacomo, Quiliano (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	margin of holm-oak wood
	Valle Scrivia, Casella (GE)	chestnut wood edge
<b>References</b>	Zotti, 1993 1), submitted 3); Orsino Dameri, 1991b 4), 1989 5); Zotti 2);	

*Entoloma nidorosum* (Fr.) Quél.

**Typical habitat** common species in Liguria  
beech wood, chestnut wood

*Entoloma nitens* (Velen.) Noordel.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Monte Beigua, Urbe (SV)	beech wood

**References** Orsino Dameri, 1996, 1989; Orsino;

*Entoloma papillatum* (Bres.) Dennis

<b>Place/Habitat</b>	Monterosso (SP)	<i>Pinus pinaster</i> Aiton wood
----------------------	-----------------	----------------------------------

**References** Orsino;

*Entoloma pleopodium* (Bull. ex DC.: Fr.) Noordel.

<b>Place/Habitat</b>	Bric Roncaste, Piana Crixia (SV)	paths and roadsides
----------------------	----------------------------------	---------------------

**References** Orsino Zotti Dameri, 1999;

*Entoloma politum* (Pers.: Fr.) Donk

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
----------------------	-------------------------	------------

**References** Orsino Dameri, 1996;

*Entoloma porphyrophaeum* (Fr.) P. Karst.

<b>Place/Habitat</b>	Bric del tesoro, Cairo Montenotte (SV)	under broadleaved trees
----------------------	--	-------------------------

**References** Zotti, submitted;

*Entoloma pseudoturbidum* (Romagn.) M. Moser

<b>Place/Habitat</b>	Calizzano (SV)	under broadleaved trees
----------------------	----------------	-------------------------

**References** Traverso;

*Entoloma rhodopolium* (Fr.: Fr.) P. Kumm.

<b>Typical habitat</b>	very common species in Liguria
------------------------	--------------------------------

beech wood, chestnut wood

*Entoloma saundersii* (Fr.) Sacc.

<b>Place/Habitat</b>	Prato, Genova (GE)	grassy place
----------------------	--------------------	--------------

**References** Traverso ;

*Entoloma sepium* (Noulet & Dassin) Richon & Roze

<b>Place/Habitat</b>	Cascinassa, Cairo Montenotte (SV)	grassy place
----------------------	-----------------------------------	--------------

**References** Traverso

*Entoloma sericellum* (Fr.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	chestnut wood edge
----------------------	---------------------------------	--------------------

Punta Manara, Sestri Levante (GE)

**References** Orsino Dameri, 1989, 1991b;;

*Entoloma sericeum* (Bull.) Quél.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	margin of holm-oak wood
----------------------	-----------------------------------	-------------------------

Portofino, Santa Margherita (GE)

Monte Brina, Sarzana (SP)

paths and roadsides

at the edge of a path

<b>References</b>	Costa, Murialdo (Sv) Orsino Dameri, 1991b; Orsino; Monti Bisagni, 1990/91; Traverso;	chestnut wood
<i>Entoloma speculum</i> (Fr.) Quél.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Entoloma turci</i> (Bres.) M. Moser		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy glade in holm-oak wood
<b>References</b>	Orsino Traverso	
<i>Entoloma undatum</i> (Gillet) M. Moser		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy place
<b>References</b>	Orsino Traverso, 1986;	
<i>Entoloma vernum</i> Lundell		
<b>Place/Habitat</b>	Riva Trigoso (GE)	maquis
<b>References</b>	Traverso;	
<i>Exidia</i>	<i>Exidiaceae, Tremellales, Basidiomycetes</i>	
<i>Exidia glandulosa</i> (Bull.) Fr.: Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
	Monte Proventino, Valbrevenna (GE)	on dead wood of <i>Corylus avellana</i> L.
	Monte Antola, Genova (GE)	on dead wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino Dameri, 1991; Orsino Dameri, 1991;	
<i>Exidia saccharina</i> (Alb. & Schwein.) Fr.: Fr.		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on dead wood of <i>Pinus pinaster</i> Aiton
<b>References</b>	Traverso;	
<i>Exidia thuretiana</i> (Lév.) Fr.		
<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE)	on dead wood of broadleaved trees
<b>References</b>	Traverso;	
<i>Exidia umbrinella</i> Bres.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on dead branches of <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino Dameri, 1991;	
<i>Favolaschia</i>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Favolaschia calocera</i> R. Heim ex R. Heim		
<b>Place/Habitat</b>	Sestri Ponente, Genova (GE)	on fallen twigs of <i>Sanbucus</i>

		<i>nigra</i> L. and <i>Robina pseudoacacia</i> L.
	Murta, Genova (GE)	on fallen twigs of <i>Sanbucus nigra</i> L.
<b>References</b>	Vizzini Zotti Traverso, 1999;	
<i>Faerberia carbonaria</i> (Alb. & Schwein.) Pouzar		
<b>Place/Habitat</b>	Punta Baffe, Moneglia (GE)	on burnt ground
<b>References</b>	Orsino;	
<i>Fistulina</i>	<i>Fistulinaceae, Fistulinales, Basidiomycetes</i>	
<i>Fistulina hepatica</i> (Schaeff.) Fr.: Fr.	common species in Liguria	
<b>Typical habitat</b>	on trunks of <i>Castanea sativa</i> Mill., <i>Fagus sylvatica</i> L., <i>Quercus</i> sp.	
<i>Flammulaster</i>	<i>Cortinariaceae, Cortinariales, Basidiomycetes</i>	
<i>Flammulaster carpophilus</i> (Fr.) Earle		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen twigs and cupules of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Flammulaster ferrugineus</i> (Maire) Watling		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on soil in beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Flammulaster subincarnatus</i> (Joss. & Kühner) Watling		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on buried woody debris of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Flammulina</i>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Flammulina velutipes</i> (Curtis: Fr.) P. Karst.		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	on trunk of broadleaved trees
<b>References</b>	Orsino Dameri, 1996;	
<i>Fomes</i>	<i>Coriolaceae, Poriales, Basidiomycetes</i>	
<i>Fomes fomentarius</i> (L.) Fr.		
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	on beech wood
<b>References</b>	Orsino Zotti;	
<i>Fomitopsis</i>	<i>Coriolaceae, Poriales, Basidiomycetes</i>	
<i>Fomitopsis pinicola</i> (Sw.) P. Karst.		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on wood of <i>Pinus pinaster</i> Aiton
<b>References</b>	Traverso;	
<i>Galerina</i>	<i>Cortinariaceae, Cortinariales, Basidiomycetes</i>	
<i>Galerina autumnalis</i> (Peck) A.H.Sm.& Singer		
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	on dead wood of <i>Fagus sylvatica</i> L.

<b>References</b>	Orsino;	
<i>Galerina hypnorum</i> (Schrank: Fr.) Kühner		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	among moss in beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Galerina jaapii</i> A.H.Sm. and Singer		
<b>Place/Habitat</b>	Righi, Genova (GE)	on moss
<b>References</b>	Traverso;	
<i>Galerina laevis</i> (Pers.) Singer		
<b>Place/Habitat</b>	Trappena, Val Bisagno (GE)	glades and wood sides
<b>References</b>	Traverso;	
<i>Galerina marginata</i> (Batsch) Kühner		
<b>Place/Habitat</b>	Colla di Gritta, Monterosso (SP)	on stump of Pinus pinaster
	Monte Penna, Rezzoaglio (GE)	fir-wood
<b>References</b>	Orsino; Orsino Zotti ;	
<i>Galerina paludosa</i> (Fr.) Kühner		
<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	in bogs with Sphagnum
<b>References</b>	Traverso;	
<i>Galerina pumila</i> (Pers.: Fr.) M. Lange ex Singer		
<b>Place/Habitat</b>	Monte S. Giorgio, Savona (SV)	among moss
<b>References</b>	Traverso Zotti;	
<i>Galerina vittaeformis</i> (Fr.) Singer		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	among mosses
	Melogno, Calizzano (SV)	among mosses
<b>References</b>	Orsino Traverso, 1990; Orsino Dameri, 1996;	
<i>Ganoderma</i>	<i>Ganodermataceae, Ganodermatales, Basidiomycetes</i>	
<i>Ganoderma applanatum</i> (Batsch) G.F. Atk.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	on wood of chestnut trees
<b>References</b>	Monti Andreotti, 1981;	
<i>Ganoderma australe</i> (Fr.) Pat.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on stumps of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1991b;	
<i>Ganoderma lucidum</i> (Leyss.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	at the base of <i>Quercus ilex</i> L.
	Val Polcevera, Sant'Olcese (GE)	at the base of <i>Castanea sativa</i> Mill.
	Punta Manara, Sestri Levante (GE)	at the base of <i>Quercus ilex</i> L.
	Monte Pistone, Borghetto di Vara (SP)	on wood of chestnut trees
	Strada Ferrieto, Piana Crixia (SV)	at the base of <i>Castanea sativa</i> Mill.

<b>References</b>	Portofino, Santa Margherita (GE)	on trunk of <i>Castanea sativa</i> Mill.
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; 1991b; Monti Andreotti, 1981; Zotti; Orsino;	
<b>Gastrum</b>	<i>Gastraceae, Lycoperdales, Basidiomycetes</i>	
<b>Gastrum fimbriatum</b> Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Casella (GE)	holm-oak wood chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	
<b>Gastrum quadrifidum</b> Pers.:Pers.		
<b>Place/Habitat</b>	Monte Reopasso, Crocefieschi (GE)	under <i>Ostrya carpinifolia</i> Scop. and <i>Corylus avellana</i> L.
<b>References</b>	Orsino Dameri, 1994;	
<b>Gastrum rufescens</b> Pers.:Pers.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	pine wood
<b>References</b>	Monti Andreotti, 1981;	
<b>Gastrum triplex</b> Jungh.		
<b>Place/Habitat</b>	Portofino, Santa Margherita (GE) Varigotti (SV)	deciduous woods under <i>Pinus halepensis</i> Mill.
<b>References</b>	Orsino; Balletto, 1981;	
<b>Gloeophyllum</b>	<i>Coriolaceae, Porales, Basidiomycetes</i>	
<b>Gloeophyllum abietinum</b> (Bull.: Fr.) P. Karst.		on dead wood of conifer trees
<b>Place/Habitat</b>	Prato, Genova (GE)	
<b>References</b>	Orsino Dameri, 1991a;	
<b>Gloeophyllum sepiarium</b> (Wulfen) P. Karst.		on dead wood of conifer trees
<b>Place/Habitat</b>	Genova (GE)	
<b>References</b>	Traverso;	
<b>Gomphidius</b>	<i>Gomphidiaceae, Boletales, Basidiomycetes</i>	
<b>Gomphidius glutinosus</b> (Schaeff.: Fr.) Fr.		
<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE) Monte Penna, Rezzoaglio (GE)	conifer wood conifer wood
<b>References</b>	Orsino; Orsino Zotti	
<b>Gomphidius roseus</b> (Fr.) Fr.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE) Monte Pistone, Borghetto di Vara (SP) Strada Ferrieto, Piana Crixia (SV)	<i>Pinus pinaster</i> Aiton wood pine wood conifer and broadleaved woods
	Bric Rolando, Piana Crixia (SV)	conifer wood

<b>References</b>	Orsino Dameri, 1989; Monti Andreotti, 1981; Traverso Zotti; Zotti;
<b>Grifola</b>	<i>Coriolaceae, Poriales, Basidiomycetes</i>
<i>Grifola frondosa</i> (Dicks.) Gray	
<b>Place/Habitat</b>	Calizzano (SV)
<b>References</b>	Zotti;
	on wood of chestnut trees
<b>Guepiniopsis</b>	<i>Dacrymycetales, Dacrymycetaceae, Basidiomycetes</i>
<i>Guepiniopsis buccina</i> (Pers.: Fr.) Kennedy	
<b>Place/Habitat</b>	Monte Caucaso, Favale di Malvaro (GE)
	on fallen branches of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Zotti Dameri, 1999;
<b>Gymnopilus</b>	<i>Cortinariaceae, Cortinariales, Basidiomycetes</i>
<i>Gymnopilus bellulus</i> (Peck) Murrill	
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)
<b>References</b>	Monti Bisagni, 1990/91;
	on wood of conifer trees
<i>Gymnopilus hybridus</i> (Fr.: Fr.) Singer	
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)
	on dead wood of <i>Pinus pinaster</i> Aiton
	Monterosso (SP)
	on rotten wood of <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino Traverso, 1990; Orsino;
<i>Gymnopilus penetrans</i> (Fr.) Murrill	
<b>Place/Habitat</b>	Finalese, Finale (SV)
	on wood of <i>Pinus halepensis</i> Mill.
	Punta Manara, Sestri Levante (GE)
	on wood of <i>Pinus halepensis</i> Mill.
	Punta Baffe, Moneglia (GE)
	on wood of <i>Pinus pinaster</i> Aiton
	Monte Penna , Rezzoaglio (GE)
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1991b; Orsino; Orsino Zotti;
	on wood of conifer trees
<i>Gymnopilus picreus</i> (Pers.: Fr.) P. Karst.	
<b>Place/Habitat</b>	Righi, Genova (GE)
<b>References</b>	Traverso ;
	on wood of conifer trees
<i>Gymnopilus spectabilis</i> (Fr.) Singer	
<b>Place/Habitat</b>	Monte Moro, Genova (GE)
	on wood of <i>Pinus pinaster</i> Aiton
	Punta Manara, Sestri Levante (GE)
	on wood of <i>Pinus pinaster</i> Aiton
	Rossiglione (GE)
	on stumps of <i>Castanea sativa</i> Mill.
<b>References</b>	Balletto, 1981 1); 1981a 2) 3);

*Gymnopilus spectabilis* (Fr.) Singer var. *junonius* (Fr.) J.E. Lange

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on stumps of <i>Fagus sylvatica</i> L.
	Loc.Ciatti, Savona (SV)	on wood of conifer trees
<b>References</b>	Cianazzi, Savona (SV) Orsino Dameri, 1996; Orsino Zotti; Zotti, 1993;	on wood of <i>Fagus sylvatica</i> L.

*Gymnopilus stabilis* (Weinm.) Kühner & Romagn.

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	on wood of broadleaved trees
<b>References</b>	Traverso;	

*Gyrodon* *Gyrodontaceae, Boletales, Basidiomycetes*

*Gyrodon lividus* (Bull.: Fr.) Sacc.

<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE)	under <i>Alnus glutinosa</i> (L.) Gaertn.
	Val Noci, Montoggio (GE)	under <i>Alnus glutinosa</i> (L.) Gaertn.
	Monte Pistone, Borghetto di Vara (SP)	conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1989; Orsino; Monti Andreotti, 1981;	

*Gyroporus* *Gyrodontaceae, Boletales, Basidiomycetes*

*Gyroporus castaneus* (Bull.: Fr.) Quél.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Montebruno (GE)	beech wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Orsino Dameri, 1989; 1991b; Orsino; Monti Andreotti, 1981;	

*Gyroporus cyanescens* (Bull.: Fr.) Quél.

<b>Place/Habitat</b>	Cascinassa, Cairo Montenotte (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Finalese, Finale (SV)	garrigues and holm-oak wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Passo San Giorgio, Savona (SV)	beech wood
<b>References</b>	Zotti, 1993 2) 5) 6), submitted 1); Orsino Traverso, 1986 3); Orsino Dameri, 1996 4);	

*Hapalopilus* *Hapalopilaceae, Polyporales, Basidiomycetes*

*Hapalopilus croceus* (Pers.) Donk

<b>Place/Habitat</b>	Rovengo (GE)	on trunk of very old <i>Castanea sativa</i> Mill.
<b>References</b>	Bernicchia;	

*Hapalopilus nidulans* (Pers.: Fr.) P. Karst.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
	Nenno, Valbrevenna (GE)	on dead wood of <i>Quercus cerris</i> L.
	Monte S. Giorgio, Savona (SV)	on dead wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino, 1988; Zotti, submitted;	

*Hebeloma* *Cortinariaceae, Cortinariales, Basidiomycetes**Hebeloma anthracophilum* Maire

<b>Place/Habitat</b>	Punta Baffe, Moneglia (GE)	on burnt soil
<b>References</b>	Orsino;	

*Hebeloma cistophilum* Maire

<b>Place/Habitat</b>	Punta del Mesco, Levanto (SP)	maquis
<b>References</b>	Orsino Zotti Dameri, 1999;	

*Hebeloma crustuliniforme* (Bull.) Quél.

<b>Typical habitat</b>	common species in Liguria holm-oak wood, deciduous woods
------------------------	---

*Hebeloma edurum* Métrod

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Melogno, Calizzano (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1991b;	

*Hebeloma fastibile* (Pers.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	conifer wood
<b>References</b>	Traverso ;	

*Hebeloma hiemale* Bres.

<b>Place/Habitat</b>	Finalese, Finale (SV)	clearing of deciduous wood
	Melogno, Calizzano (SV)	beech wood
	Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989;	

*Hebeloma longicaudum* (Pers.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Costa, Muraldo (Sv)	chestnut wood
<b>References</b>	Traverso ;	

*Hebeloma mesophaeum* (Pers.) Quél.

<b>Place/Habitat</b>	Punta Baffe, Moneglia (GE)	<i>Pinus pinaster</i> Aiton wood
	Costa, Muraldo (Sv)	chestnut wood
	Monte Penna, Rezzoaglio (GE)	beech wood

<b>References</b>	Orsino; Traverso; Orsino Zotti;	
<i>Hebeloma pumilum</i> J.E. Lange		
<b>Place/Habitat</b>	Serino, Genova (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1990;	
<i>Hebeloma radicosum</i> (Bull.: Fr.) Ricken	very common species in Liguria on rotting roots of <i>Castanea sativa</i> Mill. and <i>Fagus sylvatica</i> L.	
<b>Typical habitat</b>		
<i>Hebeloma sarcophyllum</i> (Peck) Sacc.		
<b>Place/Habitat</b>	Molassana, Genova (GE)	chestnut wood
<b>References</b>	Orsino;	
<i>Hebeloma sinapizans</i> (Paulet) Gillet	common species in Liguria	
<b>Typical habitat</b>	deciduous woods and mixed woods	
<i>Hebeloma strophosum</i> (Fr.) Sacc.		
<b>Place/Habitat</b>	S. Giovanni dei Prati, Castel Vittorio (IM) Busalla (GE)	under <i>Pinus sylvestris</i> L. conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1991a; Orsino;	
<i>Hebeloma testaceum</i> (Batsch) Quél.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Portofino, Santa Margherita (GE)	under broadleaved trees beech wood chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996; Orsino;	
<i>Hebeloma truncatum</i> (Schaeff.) P. Kumm.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	<i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Hebelomina</i>	<i>Cortinariaceae, Cortinariales, Basidiomycetes</i>	
<i>Hebelomina microspora</i> Huijsman		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino Traverso, 1990;	
<i>Hemimycena</i>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Hemimycena delectabilis</i> (Peck) Singer		
<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	on plant debris on plant debris on plant debris
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	

<b><i>Heterobasidion</i></b>	<i>Coriolaceae, Porales, Basidiomycetes</i>	
<i>Heterobasidion annosum</i> (Fr.) Bref.		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on wood of <i>Pinus pinaster</i> Aiton
<b>References</b>		Traverso;
<b><i>Hohenbuehelia</i></b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Hohenbuehelia atrocoerulea</i> (Fr.: Fr.) Singer		
<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE)	on living trunk of <i>Robinia pseudoacacia</i> L.
<b>References</b>		Orsino Traverso, 1990;
<i>Hohenbuehelia geogenia</i> (DC.: Fr.) Singer		
<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE)	on wood of broadleaved trees
<b>References</b>		Traverso;
<i>Hohenbuehelia mastrucata</i> (Fr.: Fr.) Singer		
<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE)	on dead trunk of <i>Castanea sativa</i> Mill.
<b>References</b>		Orsino, 1988;
<i>Hohenbuehelia petalooides</i> (Bull.: Fr.) Schulzer		
<b>Place/Habitat</b>	Montoggio (GE)	on wood of broadleaved trees
<b>References</b>		Traverso;
<b><i>Hydnellum</i></b>	<i>Thelephoraceae, Thelephorales, Basidiomycetes</i>	
<i>Hydnellum aurantiacum</i> (Alb. & Schwein.) P. Karst.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on <i>Quercus ilex</i> L. wood and <i>Pinus pinaster</i> Aiton wood
<b>References</b>		Orsino Dameri, 1989;
<i>Hydnellum caeruleum</i> (Hornem.) P. Karst.		
<b>Place/Habitat</b>	Valle Argentina, Triora (IM)	deciduous woods
	Monte Pistone, Borghetto di Vara (SP)	<i>Pinus pinaster</i> Aiton wood
<b>References</b>	Balletto, 1984; Monti Andreotti, 1981;	
<i>Hydnellum compactum</i> (Pers.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	chestnut wood
<i>Hydnellum ferrugineum</i> (Fr.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Monterosso (SP)	conifer and broadleaved woods
	Punta Baffe, Moneglia (GE)	<i>Pinus pinaster</i> Aiton wood
	Punta Manara, Sestri Levante (GE)	<i>Pinus pinaster</i> Aiton wood

<b>References</b>	Orsino Dameri, 1991b 3); Orsino 1) 2);	
<i>Hydnellum geogenium</i> (Fr.) Banker		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	conifer and broadleaved woods
<b>References</b>	Monti Andreotti, 1981;	
<i>Hydnellum mirabile</i> (Fr.) P. Karst.		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	conifer and broadleaved woods
<b>References</b>	Traverso;	
<i>Hydnellum scrobiculatum</i> (Fr.) P. Karst.		
<b>Place/Habitat</b>	Bargagli (GE)	under broadleaved trees
<b>References</b>	Balletto, 1981a;	
<i>Hydnellum spongiosipes</i> (Peck) Pouzar		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Hydnellum suaveolens</i> (Scop.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE)	chestnut wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Orsino Dameri, 1989; Monti Andreotti, 1981;	
<i>Hydnellum zonatum</i> (Batsch) P. Karst.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Monterosso (SP)	<i>Pinus pinaster</i> Aiton wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; 1991b; Orsino; Monti Andreotti, 1981;	
<i>Hydnnum</i>	<i>Hydnaceae, Cantharellales, Basidiomycetes</i>	
<i>Hydnnum albidum</i> Peck		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Hydnnum repandum</i> L.: Fr.	very common species in Liguria	
<b>Typical habitat</b>	broadleaved and coniferous woods	

*Hydnnum rufescens* Pers.: Fr.

very common species in Liguria

**Typical habitat** broadleaved and coniferous woods*Hygrocybe* *Hygrophoraceae, Agaricales, Basidiomycetes**Hygrocybe acutoconica* (Clem.) Singer

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE) Bric Arpicella Moglio, Alassio (SV)	holm-oak wood beech wood
<b>References</b>	Orsino Dameri, 1991b; Candusso, 1997;	

*Hygrocybe angustifolia* (Murrill) Candusso, 1997;

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1991b;	

*Hygrocybe aurantiosplendens* R.Haller

<b>Place/Habitat</b>	Sassello (SV)	grassy place
	Forte Richeremo San Bernardo d'Armo,	
	Pieve di Teco (IM)	grassy place

**References** Candusso, 1997;*Hygrocybe berkeleyi* (P.D. Orton) P.D. Orton & Watling

<b>Place/Habitat</b>	S.Bernardo d'Armo, Armo (IM)	grassy place
<b>References</b>	Candusso, 1997;	

*Hygrocybe brevispora* F.H Møller

<b>Place/Habitat</b>	Besolagno, Savignone (GE)	grassy place
<b>References</b>	Orsino, 1986;	

*Hygrocybe cantharellus* (Schwein.) Murrill

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE), Val	
	Polcevera, Serra Riccò (GE), Valle Scrivia,	
	Casella (GE) and Valle Scrivia,	
	Savignone (GE)	chestnut wood
	Campochiesa, Albenga (SV)	maquis
	Savignone (GE)	chestnut wood

**References** Orsino Dameri, 1996, 1989;  
Candusso, 1997; Balletto, 1977;*Hygrocybe ceracea* (Wulfen: Fr.) P. Kumm.

<b>Place/Habitat</b>	Bocchino di Semola Prale, Nava (IM)	grassy place
	Castellaro (IM)	grassy place
	Loc.Pairola, San Bartolomeo al Mare (IM)	grassy place
	Rio Boschetti, Pornassio Nava (IM)	grassy place
	Savona (SV)	grassy place

**References** Candusso, 1997 1) 2) 3) 4); Balletto,  
1981a 5);*Hygrocybe chlorophana* (Fr.) Wünsche

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
----------------------	-------------------------------------	------------

	Finalese, Finale (SV)	grassy clearing
	Molassana, Genova (GE)	grassy place
	S.Bernardo d'Armo, Armo (IM)	grassy place
	Sassello (SV)	glades of chestnut groves
	Tanarello, Mendatica (IM)	grassy place
	Val Polcevera, Sant'Olcese (GE)	grassy clearing
<b>References</b>	Zotti, 1993 1); Orsino Traverso, 1986 2); Orsino 3); Candusso, 1997 4) 5) 6); Orsino Dameri, 1989 7);	
	<i>Hygrocybe citrinovirens</i> (J.E. Lange) Jul. Schaeff.	
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Casella (GE)	grassy place
	Sassello (SV)	grassy place
<b>References</b>	Orsino Dameri, 1989; Candusso, 1997;	
	<i>Hygrocybe coccinea</i> (Schaeff.: Fr.) P. Kumm.	
<b>Typical habitat</b>	very common species in Liguria grasslands	
	<i>Hygrocybe colemani</i> (A. Bloxam) P.D. Orton & Watling	
<b>Place/Habitat</b>	Arma di Taggia, Taggia (IM)	margin of deciduous wood
<b>References</b>	Balletto, 1981;	
	<i>Hygrocybe conica</i> (Schaeff.: Fr.) P. Kumm.	
<b>Typical habitat</b>	very common species in Liguria glades and wood sides	
	<i>Hygrocybe conica</i> (Schaeff.: Fr.) P.Kumm. var. <i>chloroides</i> (Malençon) Bon	
<b>Place/Habitat</b>	Colla di Gritta, Monterosso (SP)	
	Sassello (SV)	Pinus pinaster Aiton wood in glades among conifer and broadleaved trees
<b>References</b>	Orsino Zotti Dameri, 1999; Candusso, 1997;	
	<i>Hygrocybe helobia</i> (Arnolds) Bon	
<b>Place/Habitat</b>	Cianazzi, Savona (SV)	glades of beech woods
	Colla San Giacomo, Quiliano (SV)	glades of beech woods
	Monte San Giorgio, Savona (SV)	glades of beech woods
<b>References</b>	Zotti, 1993 1) 3); submitted 2);	
	<i>Hygrocybe ingrata</i> Jensen & F.H.Moeller	
<b>Place/Habitat</b>	Calizzano (SV)	glades of beech woods
<b>References</b>	Candusso, 1997;	
	<i>Hygrocybe insipida</i> (J.E. Lange ex S. Lundell) M. Moser	
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Bocchino di Semola Prale, Nava (IM)	grassy place
<b>References</b>	Orsino Dameri, 1991b; Candusso, 1997;	

*Hygrocybe intermedia* (Pass.) Fayod

<b>Place/Habitat</b>	Finalese, Finale (SV) Sassello (SV)	grassy clearing grassy place
<b>References</b>	Orsino Traverso, 1986; Candusso, 1997;	

*Hygrocybe irrigata* (Pers.: Fr.) Bon

<b>Place/Habitat</b>	Colle dei Giovetti, Sassello (SV) Forte Richermo San Bernardo d'Armo, Pieve di Teco (IM)	grassy place
<b>References</b>	Zotti Olivieri, Candusso, 1997;	

*Hygrocybe miniata* (Fr.) P. Kumm.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Valle Scrivia, Casella (GE)	glades and wood sides margin of chestnut wood
<b>References</b>	Zotti, submitted; Orsino Dameri, 1989;	

*Hygrocybe mucronella* (Fr.) P. Karst.

<b>Place/Habitat</b>	Loc. Montescio, Mendatica (IM)	conifer and broadleaved woods
<b>References</b>	Sassello (SV) Candusso, 1997;	grassy place

*Hygrocybe nitrata* (Pers.) Wünsche

<b>Place/Habitat</b>	Carro (SP)	chestnut wood
<b>References</b>	Balletto, 1977;	

*Hygrocybe obrussea* (Fr.) Wünsche

<b>Place/Habitat</b>	Bocchino di Semola Prale, Nava (IM) Colle di Nava, Mendatica (IM) Finalese, Finale (SV) Rio Boschetti, Pornassio Nava (IM) Val Polcevera, Sant'Olcese (GE)	glades of beech woods grassy place grassy place grassy place glades of chestnut groves
<b>References</b>	Candusso, 1997 1) 2) 4); Orsino Dameri, 1986 3), 1989 5);	

*Hygrocybe ortoniana* Bon

<b>Place/Habitat</b>	Calizzano (SV)	grassy place
<b>References</b>	Candusso, 1997;	

*Hygrocybe ovina* (Bull.: Fr.) Kühner

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	grassy place
<b>References</b>	Traverso;	

*Hygrocybe perplexa* (A.H. Sm.& Hesler) Arnolds

<b>Place/Habitat</b>	Rio Boschetti, Pornassio Nava (IM) Colle di Nava, Mendatica (IM)	grassy place grassy place
<b>References</b>	Candusso, 1997;	

*Hygrocybe pratensis* (Pers.: Fr.) Murrill

<b>Place/Habitat</b>	Dan, Urbe (SV) Molassana, Genova (GE) Rio Boschetti, Pornassio Nava (IM) Val Polcevera, Sant'Olcese (GE)	grassy place grassy place grassy place glades and wood sides
<b>References</b>	Orsino 1) 2); Candusso, 1997 3); Orsino Dameri, 1989 4);	

*Hygrocybe psittacina* (Schaeff.: Fr.) P.Kumm.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Colla San Giacomo, Quiliano (SV) Colle di Nava, Mendatica (IM) Finalese, Finale (SV) Rio Boschetti, Pornassio Nava (IM) Testico (SV) Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Casella (GE)	beech wood glades and wood sides grassy place grassy place grassy place grassy place margin of chestnut wood
<b>References</b>	Zotti, 1993 1), submitted 2); Candusso, 1997 3) 5) 6); Orsino Traverso, 1986 4); Orsino Dameri, 1989 7);	

*Hygrocybe punicea* (Fr.) P. Kumm.

<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV)  Stabbio, Casella (GE)	conifer and broadleaved woods grasslands
<b>References</b>	Traverso Zotti; Orsino;	

*Hygrocybe russocoriacea* (Berk. & T.K. Mill.) P.D. Orton & Watling

<b>Place/Habitat</b>	Bocchino di Semola Prale, Nava (IM) Loc. Montescio, Mendatica (IM) Monte Brina, Sarzana (SP) Punta Manara, Sestri Levante (GE) Rio Boschetti, Pornassio Nava (IM)	under hazel pine wood among moss holm-oak wood grassy place
<b>References</b>	Orsino Dameri, 1991b 4); Monti Bisagni, 1990/91 3); Candusso, 1997 1) 2) 5);	

*Hygrocybe turunda* (Fr.: Fr.) P. Karst.

<b>Place/Habitat</b>	Bocchino di Semola Prale, Nava (IM) Piampaludo, Urbe (SV)	grassy place peat bog
<b>References</b>	Candusso, 1997; Balletto, 1981;	

*Hygrocybe virginea* (Wulfen: Fr.) P.D. Orton & Watling

common species in Liguria

<b>Typical habitat</b>	grassy place, glades and wood sides
------------------------	-------------------------------------

<b><i>Hygrophoropsis</i></b>	<i>Hygrophoropsidaceae, Agaricales, Basidiomycetes</i>	
<i>Hygrophoropsis aurantiaca</i> (Wulfen) Maire		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Colla di Gritta, Monterosso (SP) Colla San Giacomo, Quiliano (SV)	beech wood <i>Pinus pinaster</i> Aiton wood conifer and broadleaved woods
	Costa, Murialdo (Sv) Melogno, Calizzano (SV) Riofreddo, Murialdo (SV)	chestnut wood beech wood conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1996 5); Zotti, 1993 1) submitted 3); Orsino 2); Traverso 6) 4);	
<b><i>Hygrophorus</i></b>	<i>Hygrophoraceae, Agaricales, Basidiomycetes</i>	
<i>Hygrophorus agathosmus</i> (Fr.) Fr.		
<b>Place/Habitat</b>	1) Monterosso (SP) 2) Colla di Gritta, Monterosso (SP) 3) Monte Penna , Rezzoaglio (GE) 4) Riserva Agorai, Rezzoaglio (GE)	<i>Pinus pinaster</i> Aiton wood <i>Pinus pinaster</i> Aiton wood grassy place <i>Picea abies</i> (L.) H. Karst. wood
<b>References</b>	5) Punta Manara, Sestri Levante (GE) Orsino 1) 2); Orsino Zotti 3); Balletto, 1981 4) 5)	<i>Pinus pinaster</i> Aiton wood
<i>Hygrophorus agathosmus</i> (Fr.) Fr. forma <i>alba</i> Candusso, 1997;		
<b>Place/Habitat</b>	Colle di Nava, Mendatica (IM)	fir-wood
<b>References</b>	Candusso, 1997;	
<i>Hygrophorus arbustivus</i> (Fr.) Fr.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Nenno, Valbrevenna (GE) Passo Le Salse, Montegrosso (IM) Portofino, Santa Margherita (GE) Punta Manara, Sestri Levante (GE) Val Polcevera, Sant'Olcese (GE) Valle Scrivia, Busalla (GE)	beech wood oak wood under broadleaved trees chestnut wood holm-oak wood chestnut wood under broadleaved trees
<b>References</b>	Orsino Dameri, 1996 1), 1989 6), 1991b 5); Orsino 2) 4); Candusso, 1997 3); Balletto, 1981 7);	
<i>Hygrophorus camarophyllus</i> (Alb. & Schwein.: Fr.) Dumée, Grandjean & Maire		
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE) Trappena, Val Bisagno (GE) Madonna dei Cancelli, Mendatica (IM)	under broadleaved trees under broadleaved trees pine wood
<b>References</b>	Zotti Traverso; Orsino; Candusso, 1997;	
<i>Hygrophorus chrysodon</i> (Batsch: Fr.) Fr.		
	common species in Liguria	

<b>Typical habitat</b>	beech wood	
<i>Hygrophorus cossus</i> (Sowerby) Fr.	common species in Liguria	
<b>Typical habitat</b>	beech wood	
<i>Hygrophorus discoideus</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	San Teodoro, Genova (GE) Passo Le Salse, Montegrosso (IM)	glades and wood sides under conifer trees
<b>References</b>	Traverso; Candusso, 1997;	
<i>Hygrophorus discoxanthus</i> (Fr.) Rea		
<b>Place/Habitat</b>	Riofreddo, Muriyaldo (SV)	conifer and broadleaved woods
<b>References</b>	Traverso;	
<i>Hygrophorus eburneus</i> (Bull.: Fr.) Fr.	very common species in Liguria	
<b>Typical habitat</b>	beech wood, chestnut wood	
<i>Hygrophorus eburneus</i> (Bull.: Fr.) Fr. var. <i>quercketorum</i> (P.D.Orton) Arnolds		
<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	
<i>Hygrophorus fagi</i> G.Becker & Bon		
<b>Place/Habitat</b>	Madonna dei Cancelli, Mendatica (IM) Riofreddo, Muriyaldo (SV) Sassello (SV)	under conifer trees beech wood beech wood
<b>References</b>	Candusso, 1997 1) 3); Traverso 2);	
<i>Hygrophorus gliocyclus</i> Fr.		
<b>Place/Habitat</b>	Lago dei Gulli, Sassello (SV) Ponte sul Bormida, Bardinetto (SV)	under conifer trees conifer and broadleaved woods
	Sassello (SV)	under <i>Pinus sylvestris</i> L.
<b>References</b>	Candusso, 1997 1) 3); Traverso 2);	
<i>Hygrophorus hypothejus</i> (Fr.: Fr.) Fr.		
<b>Place/Habitat</b>	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton wood
	Punta Baffè, Moneglia (GE)	under <i>Pinus pinaster</i> Aiton wood
	Rio Boschetti, Pornassio Nava (IM)	grassy place
<b>References</b>	Orsino 1) 2); Candusso, 1997 3);	
<i>Hygrophorus latitabundus</i> Britzelm.		
<b>Place/Habitat</b>	Colla di Gritta, Monterosso (SP)	<i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Zotti Dameri, 1999;	
<i>Hygrophorus leucophaeus</i> (Scop.) Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	chestnut wood

	Melogno, Calizzano (SV)	beech wood
	Monte Penna, Rezzoaglio (GE)	beech wood
	Monte Zatta, Borzonasca (GE)	beech wood
	Stella S.Martino, Stella (Sv)	deciduous woods
	Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1986 1); Orsino Dameri, 1996 2), 1989 6); Orsino; Orsino Zotti 3) 4); Balletto, 1984 5);	
<i>Hygrophorus marzuolus</i> (Fr.) Bres.		
<b>Place/Habitat</b>	Passo Gouta, Pigna (IM)	fir-wood
	San Bernardino, Mendatica (IM)	fir-wood
	Trappena, Val Bisagno (GE)	chestnut wood
<b>References</b>	Candusso, 1997 1) 2); Traverso 3);	
<i>Hygrophorus melizeus</i> (Fr.: Fr.) Fr.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Monti Andreotti, 1981;	
<i>Hygrophorus nemoreus</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	1) Melogno, Calizzano (SV)	beech wood
	2) Val Polcevera, Sant'Olcese (GE)	chestnut wood
	3) Monte Beigua, Urbe (SV)	conifer and broadleaved woods
	4) Sassello (SV)	conifer and broadleaved
woods	5) Pontinvrea (SV)	conifer and broadleaved
.	6) Colla San Giacomo, Quiliano (SV)	beech wood
	7) Monte San Giorgio, Savona (SV)	beech wood
	8) Bosco della Chiesa, Montenotte (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996 1); Orsino, 1989 2); Balletto, 1981a 3); Candusso, 1997 4) 5); Zotti, submitted 6) 7) 8);	
<i>Hygrophorus penarius</i> Fr.		
<b>Place/Habitat</b>	Alta Val Nervia, Pigna (IM)	conifer and broadleaved woods
	Campochiesa, Albenga (SV)	oak wood
	Nenno, Valbrevenna (GE)	oak wood
<b>References</b>	Candusso, 1997 1) 2); Orsino 3);	
<i>Hygrophorus penarius</i> Fr. var. <i>barbatulus</i> (G.Becker) Bon		
<b>Place/Habitat</b>	Bocchino di Semola Prale, Nava (IM)	beech wood
<b>References</b>	Candusso, 1997;	
<i>Hygrophorus persononii</i> Arnolds		
<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved
<b>References</b>	Traverso Zotti;	

*Hygrophorus poetarum* R. Heim

<b>Place/Habitat</b>	Bocchino di Semola Prale, Nava (IM) Cianazza, Savona (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte Beigua, Urbe (SV)	beech wood beech wood beech wood beech wood beech wood
<b>References</b>	Orsino Dameri, 1996 4); Zotti , 1993 2), submitted 3); Candusso, 1997 1); Orsino, 5);	

*Hygrophorus pudorinus* (Fr.: Fr.) Fr.

<b>Place/Habitat</b>	Passo Le Salse, Montegrosso (IM) Valcona, Mendatica (IM)	under conifer trees under <i>Picea abies</i> (L.) H. Karst.
<b>References</b>	Candusso, 1997;	

*Hygrophorus pustulatus* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	pine wood
<b>References</b>	Monti Bisagni, 1990/91;	

*Hygrophorus queletii* Bres.

<b>Place/Habitat</b>	Passo Le Salse, Montegrosso (IM)	under <i>Larix decidua</i> Mill. and <i>Abies alba</i> Mill.
<b>References</b>	Candusso, 1997;	

*Hygrophorus roseodiscoideus* Bon & Chevassut

<b>Place/Habitat</b>	San Teodoro, Genova (GE) Loc. Fontanazza, Alassio (SV)	oak wood oak wood
<b>References</b>	Orsino; Candusso, 1997;	

*Hygrophorus russula* (Schaeff.: Fr.) Quél.

<b>Typical habitat</b>	common species in Liguria holm-oak wood	
------------------------	--	--

*Hygrophorus speciosus* Peck

<b>Place/Habitat</b>	Passo Le Salse, Montegrosso (IM)	under <i>Larix decidua</i> Mill. and <i>Abies alba</i> Mill.
<b>References</b>	Candusso, 1997;	

*Hymenochaete* *Hymenochaetaceae, Hymenochaetales, Basidiomycetes*

<i>Hymenochaete fuliginosa</i> (Pers.: Fr.) Bres.	Passo Bracco, Sestri Levante (GE)	on wood of conifer trees
<b>Place/Habitat</b>	Traverso;	

*Hymenochaete rubiginosa* (Dicks.) Lév.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Molinetti di Sant'Olcese, Sant'Olcese (GE)	on dead wood of <i>Quercus</i> sp. and <i>Castanea sativa</i> Mill. on dead wood of chestnut trees
----------------------	---	--

	Ponte sul Bormida, Bardinetto (SV)	on dead wood of broadleaved trees
	Punta Manara, Sestri Levante (GE)	on stump of <i>Quercus pubescens</i> Willd.
<b>References</b>	Orsino Dameri, 1989 2), 1996 1), 1991b 4); Traverso 3);	
<b>Hymenogaster</b>	<i>Hymenogasteraceae, Boletales, Basidiomycetes</i>	
<i>Hymenogaster hessei</i> Soehner.		
<b>Place/Habitat</b>	Colle dei Giovetti , Sassello(SV)	under <i>Fagus sylvatica</i> L.
<b>References</b>	Rebaudengo, 2000;	
<b>Hypholoma</b>	<i>Strophariaceae, Agaricales, Basidiomycetes</i>	
<i>Hypholoma capnoides</i> (Fr.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	on wood of conifer trees
<b>References</b>	Traverso Zotti;	
<i>Hypholoma fasciculare</i> (Huds.: Fr.) P. Kumm.	very common species in Liguria	
<b>Typical habitat</b>	on stumps of broadleaved and conifer trees	
<i>Hypholoma radicosum</i> J.E. Lange		
<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	on roots of conifer trees
<b>References</b>	Traverso;	
<i>Hypholoma rubrococcineum</i> (Balletto) Bellù		
<b>Place/Habitat</b>	Genova (GE)	grassy place
	Villa Pallavicini, Genova-Pegli (GE)	grassy place
<b>References</b>	Balletto, 1967; Traverso;	
<i>Hypholoma sublateritium</i> (Fr.) Quél.	very common species in Liguria	
<b>Typical habitat</b>	on stumps of broadleaved and conifer trees	
<b>Inocybe</b>	<i>Cortinariaceae, Cortinariales, Basidiomycetes</i>	
<i>Inocybe appendiculata</i> Kühner		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	under broadleaved trees
<b>References</b>	Monti Bisagni, 1990/91;	
<i>Inocybe asterospora</i> Quél.	very common species in Liguria	
<b>Typical habitat</b>	broadleaved and conifer woods	
<i>Inocybe atripes</i> G.F. Atk.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986;	

*Inocybe bongardii* (Weinm.) Quél.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Finalese, Finale (SV) Luvio, Pontinvrea (SV) Melogno, Calizzano (SV)	beech wood beech wood beech wood holm-oak wood beech wood beech wood
<b>References</b>	Orsino Traverso, 1986 4); Orsino Dameri, 1996 6); Zotti, 1993 1) 2) 5), submitted 3);	

*Inocybe brunnea* Quél.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Orto Botanico, Genova (GE)	beech wood holm-oak wood
<b>References</b>	Orsino Dameri, 1996; Orsino, 1980;	

*Inocybe brunneoatra* (R. Heim) P.D. Orton

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	pine wood
<b>References</b>	Monti Bisagni, 1990/91;	

*Inocybe calamistrata* (Fr.: Fr.) Gillet

<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	conifer and broadleaved woods
	Passo della Bocchetta, Voltaggio (GE)	conifer and broadleaved woods
<b>References</b>	Orsino; Balletto, 1977;	

*Inocybe calospora* Quél.

<b>Place/Habitat</b>	Monte Maggio, Casella (GE) Monte Brina, Sarzana (SP)	chestnut wood under <i>Erica arborea</i> L.
<b>References</b>	Orsino Dameri, 1991a; Monti Bisagni, 1990/91;	

*Inocybe cervicolor* (Pers.) Quél.

<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton beech wood under pine and chestnut trees
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996; Monti Andreotti, 1981;	

*Inocybe cincinnata* (Fr.) Quél.

<b>Place/Habitat</b>	Finalese, Finale (SV) Monterosso (SP) Orto Botanico, Genova (GE) Punta Baffe, Moneglia (GE) Punta Manara, Sestri Levante (GE) Torre di Quezzi, Genova (GE)	grassy clearing <i>Pinus pinaster</i> Aiton wood near ferns <i>Pinus pinaster</i> Aiton wood holm-oak wood <i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Traverso, 1986 1); Orsino	

Dameri, 1991b 5); Orsino, 1980 3);  
Orsino 2) 4) 6);

*Inocybe cookei* Bres.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Molinetti, Sant'Olcese (GE)	beech wood beech wood beech wood chestnut wood
<b>References</b>	Zotti, 1993, submitted; Orsino Dameri, 1996; Orsino, 1988;	

*Inocybe corydalina* Quéél.

<b>Place/Habitat</b>	Monte Maggio, Casella (GE) Nenno, Valbrevenna (GE)	chestnut wood oak wood
<b>References</b>	Orsino, 1988; Orsino;	

*Inocybe descissa* (Fr.) Quéél.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Punta Manara, Sestri Levante (GE) Luvio, Pontinvrea (SV)	beech wood holm-oak wood beech wood
<b>References</b>	Bosco della Chiesa, Montenotte (SV) Orsino Dameri, 1996, 1989; Zotti, 1993, submitted;	
		beech wood

*Inocybe destricta* (Fr.) Quéél.

<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy clearing
<b>References</b>	Orsino Traverso, 1986;	

*Inocybe dulcamara* (Alb. & Schwein.) P. Kumm.

<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Punta Baffe, Moneglia (GE)	garigues, margin of wood beech wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996; Orsino;	<i>Pinus pinaster</i> Aiton wood

*Inocybe exiguispora* Alessio

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	

*Inocybe fastigiata* (Schaeff.) Quéél.

<b>Typical habitat</b>	common species in Liguria coniferous and broadleaved woods
------------------------	---

*Inocybe fraudans* (Britzelm.) Sacc.

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	

*Inocybe friesii* R. Heim

<b>Place/Habitat</b>	Finalese, Finale (SV) Valle Scrivia, Savignone (GE) Melogno, Calizzano (SV)	under <i>Pinus pinaster</i> Aiton chestnut wood beech wood
----------------------	---	--

<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989, 1996;	
<i>Inocybe geophylla</i> (Sowerby: Fr.) P. Kumm.	common species in Liguria	
<b>Typical habitat</b>	coniferous and broadleaved woods	
<i>Inocybe geophylla</i> (Sowerby: Fr.) P. Kumm. var. <i>lateritia</i> (Weinm.) J.E. Lange		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Montenotte superiore, Montenotte (SV)	beech wood beech wood
<b>References</b>	Zotti, 1993;	
<i>Inocybe geophylla</i> (Sowerby: Fr.) P. Kumm. var. <i>lilacina</i> (Peck) Gillet		
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE) Monte San Giorgio, Savona (SV) Monterosso (SP) Punta Baffe, Moneglia (GE) Punta Manara, Sestri Levante (GE)	beech wood beech wood <i>Pinus pinaster</i> Aiton wood <i>Pinus pinaster</i> Aiton wood holm-oak wood
<b>References</b>	Orsino Zotti 1); Zotti, 1993 2); Orsino 3) 4); Orsino Dameri, 1991b 5);	
<i>Inocybe godeyi</i> Gillet		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
<b>References</b>	Zotti, submitted ;	
<i>Inocybe haemacta</i> (Berk. & Cooke) Sacc.		
<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	under palm
<b>References</b>	Orsino, 1980;	
<i>Inocybe hirtella</i> Bres.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
<b>References</b>	Zotti, submitted;	
<i>Inocybe jurana</i> (Pat.) Sacc.		
<b>Place/Habitat</b>	Orto Botanico, Genova (GE) Savignone (GE)	along a path under broadleaved trees
<b>References</b>	Orsino, 1980; Balletto, 1977;	
<i>Inocybe lacera</i> (Fr.) P. Kumm.		
<b>Place/Habitat</b>	Monte San Giorgio, Savona (SV) Punta Baffe, Moneglia (GE)	beech wood <i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Dameri, 1991; Orsino;	
<i>Inocybe lutescens</i> Velen.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Inocybe maculata</i> Boud.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	conifer and broadleaved woods

<b>References</b>	· Valle Scrivia, Casella (GE) Orsino Traverso, 1986; Orsino Dameri, 1989;	chestnut wood
<i>Inocybe mixtilis</i> (Britzelm.) Sacc.		
<b>Place/Habitat</b>	Righi, Genova (GE)	holm-oak wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Punta Baffe, Moneglia (GE) Orsino, 1986; Orsino Dameri, 1991b; 1996; Orsino;	<i>Pinus pinaster</i> Aiton wood
<i>Inocybe oblectabilis</i> (Britzelm.) Sacc.		
<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	holm-oak wood
<b>References</b>	Orsino, 1980;	
<i>Inocybe patouillardii</i> Bres.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	margin of mixed wood
	Melogno, Calizzano (SV)	beech wood
	Montoggio (GE)	conifer and broadleaved woods
<b>References</b>	Cianazzi, Savona (SV) Orsino Traverso, 1986; Orsino Dameri, 1996; Balletto 1981; Zotti, 1993;	beech wood
<i>Inocybe petiginosa</i> (Fr.: Fr.) Gillet		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Inocybe phaeodisca</i> Kühner		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	under <i>Erica arborea</i> L.
<b>References</b>	Monti Bisagni, 1990/91;	
<i>Inocybe posterula</i> (Britzelm.) Sacc.		
<b>Place/Habitat</b>	Monterosso (SP)	<i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Zotti Dameri, 1999;	
<i>Inocybe praetervisa</i> Quél.		
<b>Place/Habitat</b>	Monte Maggio, Casella (GE)	chestnut wood
	Monte Brina, Sarzana (SP)	under <i>Erica arborea</i> L.
	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1991a; Monti Bisagni, 1990/91; Orsino Dameri, 1996;	
<i>Inocybe pudica</i> Kühner		
<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	
<b>References</b>	Balletto, 1981a;	under <i>Abies alba</i> Mill.

*Inocybe pyriodora* (Pers.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Finalese, Finale (SV) Melogno, Calizzano (SV) Valle Scrivia, Casella (GE) Monte Brina, Sarzana (SP) Luvio, Pontinvrea (SV)	grassy clearing beech wood chestnut wood pine wood beech wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989; Monti Bisagni, 1990/91; Zotti, 1993;	

*Inocybe scabella* (Fr.) P. Kumm.

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Monti Andreotti, 1981;	

*Inocybe tabacina* Furrer

<b>Place/Habitat</b>	Finalese, Finale (SV)	conifer and broadleaved woods
<b>References</b>	Orsino Traverso, 1986;	

*Inocybe terrifera* Kühner

<b>Place/Habitat</b>	Finalese, Finale (SV)	margin of mixed wood
<b>References</b>	Orsino Traverso, 1986;	

*Inocybe umbrina* Bres.

<b>Place/Habitat</b>	Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte Brina, Sarzana (SP) Monte San Giorgio, Savona (SV)	beech wood beech wood beech wood under broadleaved trees beech wood
<b>References</b>	Orsino Dameri, 1996 (3); Zotti, 1993 (1) 5), submitted (2); Monti Bisagni, 1990/91 (4);	

*Inonotus* Hymenochaetaceae, Hymenochaetales, Basidiomycetes

<i>Inonotus dryadeus</i> (Pers.) Murrill	Orto Botanico, Genova (GE)	on living trunk of <i>Quercus ilex</i> L. and <i>Quercus robur</i> L. subsp. <i>brutia</i> (Ten.) O. Schwarz
<b>References</b>	Orsino, 1980;	

*Inonotus hispidus* (Bull.) P. Karst.

<b>Typical habitat</b>	common species in Liguria on living broadleaved trees
------------------------	--

*Inonotus tamaricis* (Pat.) Maire

<b>Typical habitat</b>	common species in Liguria on living Tamarix species
------------------------	--

*Irpicodon* Amylocorticiaceae, Stereales, Basidiomycetes

<i>Irpicodon pendulus</i> (Alb. & Schwein.) Pouzar	Ospedale Sampierdarena, Genova (GE)	on living broadleaved trees
<b>Place/Habitat</b>		

<b>References</b>	Traverso;
<b>Kuehneromyces</b>	<i>Strophariaceae, Agaricales, Basidiomycetes</i>
<b>Kuehneromyces mutabilis</b> (Schaeff.: Fr.) Singer & A.H. Sm.	
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Lago delle Lame, Rezzoaglio (GE)
	Melogno, Calizzano (SV)
	Monte Roccabruna, Fontanigorda(GE)
	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)
<b>References</b>	Orsino Dameri, 1996 3); Zotti, submitted 1); Orsino 4); Orsino Zotti 2) 5);
<b>Laccaria</b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>
<b>Laccaria affinis</b> (Singer) Bon	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)
<b>References</b>	beech wood Orsino Dameri, 1996;
<b>Laccaria amethystea</b> (Bull.) Murrill	very common species in Liguria
<b>Typical habitat</b>	coniferous and broadleaved woods
<b>Laccaria bicolor</b> (Maire) P.D. Orton	
<b>Place/Habitat</b>	Monterosso (SP) Monte Brina, Sarzana (SP) Monte Penna, Rezzoaglio (GE)
<b>References</b>	maquis under <i>Erica arborea</i> L. beech wood Orsino; Monti Bisagni 1990/91; Orsino Zotti;
<b>Laccaria laccata</b> (Scop.: Fr.) Berk. & Broome	very common species in Liguria
<b>Typical habitat</b>	coniferous and broadleaved woods
<b>Laccaria tortilis</b> (Bolton) Cooke	
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)
<b>References</b>	chestnut wood Monti Andreotti, 1981;
<b>Lacrymaria</b>	<i>Coprinaceae, Agaricales, Basidiomycetes</i>
<b>Lacrymaria lacrymabunda</b> (Bull.: Fr.) Pat.	
<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV) Cresta, Piana Crixia (SV) Melogno, Calizzano (SV)
<b>References</b>	at the edge of a road at the edge of a path at the edge of a path Traverso Zotti; Zotti; Orsino Dameri, 1996;
<b>Lactarius</b>	<i>Russulaceae, Russulales, Basidiomycetes</i>
<b>Lactarius acerrimus</b> Britzelm.	
<b>Place/Habitat</b>	Bric Arpicella Moglio, Alassio (SV)
	under broadleaved trees

	Finalese, Finale (SV)	mixed wood
	Forte Richermo San Bernardo d'Armo,	
	Pieve di Teco (IM)	under broadleaved trees
	Madonna della Guardia Moglio, Alassio (SV)	oak wood
	Pieve di Teco (IM)	under broadleaved trees
	Val Polcevera, Serra Riccò (GE) and Valle	
	Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Traverso, 1986 2); Orsino Dameri, 1989 6); Basso, 1999 1) 3) 4) 5);	
	<i>Lactarius acris</i> (Bolton: Fr.) Gray	
<b>Place/Habitat</b>	Bric Burain, Altare (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Forte Richermo San Bernardo d'Armo,	
	Pieve di Teco (IM)	under broadleaved trees
	Monte San Giorgio, Savona (SV)	beech wood
	Montenotte Molini, Cairo Montenotte (SV)	beech wood
	Rio Boschetti, Pornassio Nava (IM)	under broadleaved trees
	Valle Scrivia, Savignone (GE)	beech wood
<b>References</b>	Zotti, 1993 1) 2) 5), submitted 3) 6); Orsino Dameri, 1989 8); Basso, 1999 4) 7);	
	<i>Lactarius albocarneus</i> Britzelm.	
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	
	Passo Gouta, Pigna (IM)	under <i>Picea abies</i> (L.) H. Karst. and <i>Abies alba</i> Mill.
<b>References</b>	Orsino Zotti; Basso, 1999;	under conifer trees
	<i>Lactarius atlanticus</i> Bon	
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Portofino, Santa Margherita (GE)	holm-oak wood
	Marta, Villanova d'Albenga (SV)	oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; Orsino; Basso, 1999;	
	<i>Lactarius aurantiacus</i> (Pers.: Fr.) Gray	
<b>Typical habitat</b>	common species in Liguria	
	coniferous and beech woods	
	<i>Lactarius azonites</i> (Bull.) Fr.	
<b>Place/Habitat</b>	Bric Arpicella Moglio, Alassio (SV)	under broadleaved trees
	Bric Roncaste, Piana Crixia (SV)	conifer and broadleaved woods
	Campochiesa, Albenga (SV)	oak wood
	Loc.Ciantagalletto, Savona (SV)	chestnut wood
	Loc.Fontanazza, Alassio (SV)	oak wood

	Nava (SV)	beech wood
	Rio Boschetti, Pornassio Nava (IM)	under broadleaved trees
	Sassello (SV)	under broadleaved trees
<b>References</b>	Basso, 1999 1) 3) 4) 5) 6) 7) 8); Traverso Zotti 2);	
<i>Lactarius azonites</i> (Bull.) Fr. forma <i>virgineus</i> (J.E. Lange) Verbeken		
<b>Place/Habitat</b>	Bric Arpicella Moglio, Alassio (SV)	under broadleaved trees
	Rio Boschetti Nava, Mendatica (IM)	under broadleaved trees
<b>References</b>	Basso, 1999;	
<i>Lactarius bertillonii</i> (Neuhoff ex Z. Schaeff.) Bon		
<b>Place/Habitat</b>	Santuorio, Savona (SV)	under broadleaved trees
	Stella San Giovanni, Stella (SV)	under broadleaved trees
<b>References</b>	Basso, 1999;	
<i>Lactarius blennius</i> (Fr.) Fr.		
	very common species in Liguria	
<b>Typical habitat</b>	beech wood	
<i>Lactarius camphoratus</i> (Bull.) Fr.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
	Monte Penna, Rezzoaglio (GE)	beech wood
	Loc.Castellaro, Castellaro (IM)	conifer and broadleaved woods
	Cianazzi, Savona (SV)	beech wood
<b>References</b>	Zotti, submitted; Monti Andreotti, 1981; Orsino Zotti; Basso, 1999;	
<i>Lactarius chrysorrheus</i> Fr.		
	very common species in Liguria	
<b>Typical habitat</b>	broadleaved and mixed woods	
<i>Lactarius circellatus</i> Fr.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Cascinassa, Cairo Montenotte (SV)	beech wood
	Vobbieta, Isola del Cantone (GE)	under hazel
	Rio Boschetti Nava, Mendatica (IM)	under broadleaved trees
<b>References</b>	Zotti, 1993, submitted; Orsino, 1986; Basso, 1999;	
<i>Lactarius citriolens</i> Pouzar		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
<b>References</b>	Zotti, 1993, submitted;	
<i>Lactarius controversus</i> Pers.		
	common species in Liguria	
<b>Typical habitat</b>	chestnut wood	

*Lactarius cyanopus* Basso

<b>Place/Habitat</b>	Civezza (IM)	maquis
<b>References</b>	Basso, 1999;	

*Lactarius cyathuliformis* Bon

<b>Place/Habitat</b>	Tanarello, Mendatica (IM)	under hazel
<b>References</b>	Basso, 1999;	

*Lactarius decipiens* Quél.

<b>Typical habitat</b>	common species in Liguria chestnut woods and oak woods
------------------------	---

*Lactarius deliciosus* (L.: Fr.) Gray

<b>Typical habitat</b>	very common species in Liguria pine wood
------------------------	---

*Lactarius deterrimus* Gröger

<b>Place/Habitat</b>	Rio Boschetti Nava, Mendatica (IM)	conifer and broadleaved woods
<b>References</b>	Basso, 1999;	

*Lactarius flavidus* Boud.

<b>Place/Habitat</b>	Pentema, Torriglia (GE) S.Bernardo d'Armo, Armo (IM) Triora (IM) Val Noci, Montoggio (GE) Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood under broadleaved trees under broadleaved trees chestnut wood
<b>References</b>	Orsino Dameri, 1989 5); Orsino 1) 4); Basso, 1999 2) 3);	chestnut wood

*Lactarius fluens* Boud.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Colla San Giacomo, Quiliano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1994; Zotti, submitted;	beech wood

*Lactarius fuliginosus* (Fr.) Fr.

<b>Typical habitat</b>	very common species in Liguria beech woods, chestnut woods and oak woods
------------------------	--

*Lactarius fulvissimus* Romagn.

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP) Bric Arpicella Moglio, Alassio (SV)	holm-oak wood under broadleaved trees
<b>References</b>	Monti Maccioni, 1996; Basso, 1999;	

*Lactarius glaucescens* Crossl.

<b>Typical habitat</b>	very common species in Liguria beech wood
------------------------	--

*Lactarius glyciosmus* (Fr.: Fr.) Fr.

<b>Place/Habitat</b>	Brigneta, Bardinetto (SV)	conifer woods	and	broadleaved
	Rionero, Calizzano (SV)	conifer woods	and	broadleaved

**References** Basso, 1999;

*Lactarius hygginus* (Fr.: Fr.) Fr.

<b>Place/Habitat</b>	Cascina del Santo, Caragna (SV)	conifer woods	and	broadleaved
----------------------	---------------------------------	---------------	-----	-------------

**References** Basso, 1999;

*Lactarius ilicis* Sarnari

<b>Place/Habitat</b>	Bric Arpicella Moglio, Alassio (SV)	under broadleaved trees
----------------------	-------------------------------------	-------------------------

**References** Basso, 1999;

*Lactarius illyricus* Piltaver

<b>Place/Habitat</b>	Lago di Menezzo, Vendone (SV)	chestnut wood
	Triora (IM)	under broadleaved trees

**References** Basso, 1999;

*Lactarius intermedius* (Krombh.) Berk.& Broome

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
	Punta Manara, Sestri Levante (GE)	pine wood
	Rionero, Calizzano (SV)	under conifer trees

**References** Monti Maccioni, 1996; Orsino; Basso, 1999;

*Lactarius lacunarum* (Romagn.) J.E. Lange ex Hora

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	under <i>Alnus glutinosa</i> (L.) Gaertn. along a stream
----------------------	-------------------------	--

**References** Orsino Dameri, 1991a;

*Lactarius luridus* (Pers.: Fr.) Gray

<b>Place/Habitat</b>	Campochiesa, Albenga (SV)	maquis
	Loc. Bossoletto Marta,	conifer and broadleaved
	Villanova d'Albenga (SV)	woods
	Rio Boschetti Nava, Mendatica (IM)	under broadleaved trees
	S.Bernardo d'Armo, Armo (IM)	under conifer trees
	Testico (SV)	conifer and broadleaved
		woods

**References** Basso, 1999;

*Lactarius mairei* Malençon

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Portofino, Santa Margherita (GE)	conifer and broadleaved

**References** Orsino Traverso, 1986; Orsino;

*Lactarius mediterraneensis* Listosella & Bellù

<b>Place/Habitat</b>	Valle Iba, Ceriale (SV) Finales, Finale (SV)	oak wood maquis
<b>References</b>	Basso, 1999;	

*Lactarius mitissimus* (Fr.) Fr.

	common species in Liguria
<b>Typical habitat</b>	broadleaved woods

*Lactarius obscuratus* (Lasch) Fr.

<b>Place/Habitat</b>	Montenotte Molini, Cairo Montenotte (SV) Rionero, Calizzano (SV) Stella San Bernardo, Stella (SV)	beech wood under broadleaved trees under broadleaved trees
<b>References</b>	Zotti, 1993 1); Basso, 1999 2) 3);	

*Lactarius omphaliformis* Romagn.

<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE)	under <i>Alnus glutinosa</i> (L.) Gaertn. in chestnut wood
<b>References</b>	Orsino, 1986;	

*Lactarius pallidus* (Pers.: Fr.) Fr.

	very common species in Liguria
<b>Typical habitat</b>	beech wood

*Lactarius piperatus* (L.: Fr.) Pers.

	very common species in Liguria
<b>Typical habitat</b>	broadleaved woods

*Lactarius porninsis* Rolland

<b>Place/Habitat</b>	Rio Boschetti Nava, Mendatica (IM)	under <i>Larix decidua</i> Mill.
<b>References</b>	Basso, 1999;	

*Lactarius pseudoscrobiculatus* Basso, 1999; Neville & Poumarat

<b>Place/Habitat</b>	Pilalunga, Quiliano (SV)	pine wood
<b>References</b>	Basso Neville Poumarat, 2001;	

*Lactarius pterosporus* Romagn.

<b>Place/Habitat</b>	Passo San Giacomo, Testico (SV) Rio Boschetti Nava, Mendatica (IM)	under broadleaved trees under broadleaved trees
<b>References</b>	Basso, 1999;	

*Lactarius pubescens* Fr.

<b>Place/Habitat</b>	Montoggio (GE)	under broadleaved trees
<b>References</b>	Traverso;	

*Lactarius pyrogalus* (Bull.: Fr.) Fr.

<b>Place/Habitat</b>	Brigneta, Bardinetto (SV)	under <i>Corylus avellana</i> L.
	Colle Scravaion, Castel Vecchio di Rocca Barbena (SV)	under <i>Corylus avellana</i> L.
	Costa, Murialdo (Sv)	chestnut wood
	Rio Boschetti, Pornassio Nava (IM)	under <i>Corylus avellana</i> L.

<b>References</b>	Rionero, Calizzano (SV) Triora (IM) Valle Scrivia, Casella (GE) Orsino Dameri, 1989 7); Traverso 3); Basso, 1999 1) 2) 4) 5) 6);	under <i>Corylus avellana</i> L. under <i>Corylus avellana</i> L. under <i>Corylus avellana</i> L.
<i>Lactarius quieticolor</i> Romagn.		
<b>Place/Habitat</b>	Brigneta, Bardinetto (SV)	under pine and chestnut trees
<b>References</b>	Basso, 1999;	
<i>Lactarius quietus</i> (Fr.) Fr.	very common species in Liguria	
<b>Typical habitat</b>	oak woods	
<i>Lactarius resimus</i> (Fr.) Fr.		
<b>Place/Habitat</b>	Nenno, Valbrevenna (GE)	under <i>Quercus cerris</i> L.
<b>References</b>	Orsino, 1986;	
<i>Lactarius romagnesii</i> Bon		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Lactarius rubrocinctus</i> Fr.		
<b>Place/Habitat</b>	Cima prati di Cosio, Mendatica (IM) Melogno, Calizzano (SV) Monte Beigua, Urbe (SV) Rio Boschetti, Pornassio Nava (IM)	beech wood beech wood beech wood beech wood
<b>References</b>	Basso, 1999 1) 4); Orsino Dameri, 1996 2); Orsino 3);	
<i>Lactarius rufus</i> (Scop.: Fr.) Fr.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Monte San Giorgio, Savona (SV) Montenotte Molini, Cairo Montenotte (SV)	beech wood beech wood beech wood
<b>References</b>	Zotti, 1993 2) 3), submitted 1);	
<i>Lactarius rugatus</i> Kühner & Romagn.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino, 1988;	
<i>Lactarius salmonicolor</i> R. Heim & Leclair		
<b>Place/Habitat</b>	Riserva Agorae, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	conifer and broadleaved woods
	Monte Pistone, Borghetto di Vara (SP)	pine wood
	Monte Penna, Rezzoaglio (GE)	conifer and broadleaved woods
	Tanarello, Mendatica (IM)	fir-wood
<b>References</b>	Orsino; Monti Andreotti, 1981; Orsino Zotti; Basso, 1999;	

*Lactarius sanguifluus* (Paulet) Fr.

<b>Place/Habitat</b>	Case Bauson, Mendatica (IM) Civezza (IM) Finalese, Finale (SV) Loc.Brughi, Cipressa (IM) Loc.Pairola, San Bartolomeo al Mare (IM) Sori (GE) Strada Ferrieto, Piana Crixia (SV)	pine wood under <i>Pinus halepensis</i> Mill. under <i>Pinus pinaster</i> Aiton pine wood under <i>Pinus pinaster</i> Aiton under <i>Pinus halepensis</i> Mill. conifer and broadleaved woods
<b>References</b>	Basso, 1999 1) 2) 4) 5); Orsino Traverso, 1986 3); Traverso Zotti 7); Orsino, 6);	

*Lactarius sanguifluus*(Paulet) Fr. var. *violaceus* (Barla) Basso

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP) Loc.Brughi, Cipressa (IM) Loc.Pairola, San Bartolomeo al Mare (IM)	holm-oak wood pine wood pine wood
<b>References</b>	Monti Maccioni, 1996 1); Basso, 1999 2) 3);	

*Lactarius semisanguifluus* R. Heim & Leclair

<b>Place/Habitat</b>	Bardineto (SV) Finalese, Finale (SV) Punta Manara, Sestri Levante (GE) Rio Boschetti, Pornassio Nava (IM)	under conifer trees under <i>Pinus pinaster</i> Aiton under <i>Pinus pinaster</i> Aiton under <i>Pinus sylvestris</i> L.
<b>References</b>	Basso, 1999 1) 4); Orsino Traverso, 1986 2); Orsino Dameri, 1991b 3);	

*Lactarius serifluus* (DC.: Fr.) Fr.

<b>Typical habitat</b>	very common species in Liguria beech woods, chestnut woods and holm-oak woods
------------------------	---

*Lactarius subdulcis* (Pers.: Fr.) Gray

<b>Typical habitat</b>	very common species in Liguria beech woods
------------------------	---

*Lactarius subruginosus* J. Blum ex Bon

<b>Place/Habitat</b>	Brigneta, Bardineto (SV) Rio Boschetti Nava, Mendatica (IM)	under broadleaved trees under broadleaved trees
<b>References</b>	Basso, 1999;	

*Lactarius subumbonatus* Lindgr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Lactarius tesquorum* Malençon

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP) Cipressa (IM)	maquis in maquis, under <i>Cistus albidus</i> L.
----------------------	--	---

Cisano sul Neva (SV)  
Civezza (IM) under *Cistus monspeliensis* L.  
in maquis, under *Cistus albidus* L.

**References** Monti Maccioni, 1996 1); Basso,  
1999 2) 3) 4);

*Lactarius tithymalinus* (Scop.: Fr.) Fr.

**Place/Habitat** Melogno, Calizzano (SV)  
**References** Orsino Dameri, 1996;

beech wood

*Lactarius torminosus* (Schaeff.: Fr.) Pers.

**Typical habitat** common species in Liguria  
under *Betula pendula* Roth

*Lactarius turpis* (Weinm.) Fr.

**Place/Habitat** Bardinetto (SV)

under *Betula pendula* Roth in  
beech wood

Bassa dei Morti, Bardinetto (SV) Basso

conifer and broadleaved  
woods

Costa, Murialdo (SV)

chestnut wood

Melogno, Calizzano (SV)

under *Betula pendula* Roth in  
beech wood

Monte Penna, Rezzoaglio (GE)

conifer and broadleaved  
woods

Ponte sul Bormida, Bardinetto (SV)

conifer and broadleaved  
woods

Riofreddo, Murialdo (SV)

conifer and broadleaved  
woods

Rionero, Calizzano (SV)

under *Betula pendula* Roth in  
beech wood

**References** Basso, 1999 1) 2) 6) 8); Orsino  
Dameri, 1994 4); Traverso 3) 7);  
Orsino Zotti 5);

*Lactarius uvidus* (Fr.: Fr.) Fr.

**Place/Habitat** Bassa dei Morti, Bardinetto (SV)  
Monte Pistone, Borghetto di Vara (SP)  
Nenno, Valbrevenna (GE)  
Punta Manara, Sestri Levante (GE)  
Riserva Agorai, Rezzoaglio (GE),  
S.Stefano d'Aveto (GE)  
Val Polcevera, Sant'Olcese (GE), Val  
Polcevera, Serra Riccò (GE) and Valle  
Scrivia, Savignone (GE)

mixed wood  
under broadleaved trees

chestnut wood

holm-oak wood

mixed wood

**References** Basso, 1999 1); Monti Andreotti,  
1981 2); Orsino 3) 5); Orsino Dameri,  
1989 6), 1991b 4);

chestnut wood

*Lactarius vellereus* (Fr.) Fr.

**Typical habitat** very common species in Liguria  
coniferous and broadleaved woods

*Lactarius vellereus* (Fr.) Fr. var. *hometii* (Gillet) Boud.

<b>Place/Habitat</b>	Bardineto (SV)	conifer and broadleaved woods
	Bassa dei Morti, Bardineto (SV)	conifer and broadleaved woods
	Brigneta, Bardineto (SV)	under broadleaved trees
	Costa, Muraldo (Sv)	chestnut wood
	Rionero, Calizzano (SV)	conifer and broadleaved woods

**References** Basso, 1999;

*Lactarius violascens* (J. Otto: Fr.) Fr.

<b>Place/Habitat</b>	Colle Scravaion, Castel Vecchio di Rocca Barbena (SV)	conifer and broadleaved woods
	Rionero, Calizzano (SV)	conifer and broadleaved woods
	Valle Scrivia, Savignone (GE)	chestnut wood
	Vara Sup., Urbe (SV)	conifer and broadleaved woods

**References** Basso, 1999 1) 2); Orsino 1986 4);  
Orsino Dameri, 1989 3);

*Lactarius volemus* (Fr.) Fr.

**Typical habitat** very common species in Liguria  
broadleaved woods

*Lactarius zonarius* (Bull.) Fr.

**Typical habitat** very common species in Liguria  
broadleaved woods

*Laetiporus* Coriolaceae, Poriales, Basidiomycetes*Laetiporus sulphureus* (Bull.) Murrill

<b>Place/Habitat</b>	Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE)	on trunk of <i>Castanea sativa</i> Mill.
	Vobbia (GE)	on wood of chestnut trees

**References** Orsino Dameri, 1989; Orsino;

*Langemannia* Lycoperdaceae, Lycoperdales, Basidiomycetes*Langemannia gigantea* (Batsch:Pers.) Rostk.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	grassy place
	Monte San Giorgio, Savona (SV)	grassy place

**References** Zotti, 1993 1) 3), submitted 2);

<i>Leccinum</i>	<i>Boletaceae, Boletales, Basidiomycetes</i>
<i>Leccinum carpini</i> (R. Schulz) M. Moser	very common species in Liguria
<b>Typical habitat</b>	broadleaved woods mainly <i>Ostrya carpinifolia</i> Scop., <i>Quercus</i> sp., <i>Corylus avellana</i> L. etc.
<i>Leccinum crocipodium</i> (Letell.) Watling	
<b>Place/Habitat</b>	Genova (GE)
	Cianazza, Savona (SV)
<b>References</b>	Traverso; Zotti, 1993;
<i>Leccinum lepidum</i> (P. Bouchet ex Essette) Redeuilh	holm-oak wood
	common species in Liguria
<b>Typical habitat</b>	beech wood
<i>Leccinum oxydabile</i> Singer	
<b>Place/Habitat</b>	Creto (GE)
<b>References</b>	Traverso ;
<i>Leccinum quercinum</i> (Pilát & Dermek) Pilát	under broadleaved trees
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)
	Melogno, Calizzano (SV)
<b>References</b>	Orsino Dameri, 1989, 1996;
<i>Leccinum rufum</i> (Schaeff.) Kreisel	chestnut wood
	common species in Liguria
<b>Typical habitat</b>	deciduous woods
<i>Leccinum scabrum</i> (Bull.: Fr.) Gray	
<b>Place/Habitat</b>	Costa, Murialdo (SV)
	Fornelli di Pallare, Pallare (SV)
	Monte Beigua, Urbe (SV)
	Riofreddo, Murialdo (SV)
	Val Polcevera, Sant'Olcese (GE)
<b>References</b>	under <i>Betula pendula</i> Roth in beech wood
	Orsino 3); Orsino Dameri, 1989 5);
	Traverso 1) 4); Zotti Olivieri 2)
	under <i>Populus tremula</i> L.
	under <i>Betula pendula</i> Roth in beech wood
	under <i>Betula pendula</i> Roth in beech wood
	under <i>Betula pendula</i> Roth in beech wood
	under <i>Populus tremula</i> L.
<i>Lentinellus</i>	<i>Lentinellaceae, Hericiales, Basidiomycetes</i>
<i>Lentinellus cochleatus</i> (Pers.: Fr.) P. Karst.	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)
<b>References</b>	on rotting wood of <i>Fagus sylvatica</i> L.
<i>Lentinellus omphalodes</i> (Fr.) P. Karst.	
<b>Place/Habitat</b>	Montoggio (GE)
<b>References</b>	on wood of broadleaved trees
	Traverso ;

*Lentinellus ursinus* (Fr.) Kühner

**Place/Habitat** Melogno, Calizzano (SV) on fallen twigs of *Fagus sylvatica* L.

**References** Orsino Dameri, 1994;

*Lentinellus vulpinus* (Sowerby: Fr.) Kühner & Maire

**Place/Habitat** Monte Penna, Rezzoaglio (GE) on trunk of broadleaved trees

**References** Zotti, 2001;

*Lentinus* Lentinaceae, Porales, Basidiomycetes*Lentinus cyathiformis* (Schaeff.) Bres.

**Place/Habitat** Sarissola, Busalla (GE) on fallen trunks of broadleaved trees

**References** Balletto, 1981;

*Lentinus tigrinus* (Bull.: Fr.) Fr.

**Place/Habitat** Val Noci, Montoggio (GE) on dead wood of *Salix* sp.

**References** Orsino;

*Lenzites* Coriolaceae, Porales, Basidiomycetes*Lenzites betulinus* (L.: Fr.) Fr.

**Place/Habitat** Costa, Muraldo (Sv) on trunk of *Castanea sativa* Mill.

Melogno, Calizzano (SV)

Val Polcevera, Sant'Olcese (GE),  
Valle Scrivia, Casella (GE) and  
Valle Scrivia, Savignone (GE)

on dead trunk of *Fagus sylvatica* L.

on trunk and stumps of  
*Castanea sativa* Mill.

**References** Traverso; Orsino Dameri, 1994;  
Orsino Dameri, 1989;

*Lepiota* Agaricaceae, Agaricales, Basidiomycetes*Lepiota alba* (Bres.) Sacc.

**Place/Habitat** Alpe di Vobbia, Vobbia (GE) grassy place

**References** Orsino;

*Lepiota aspera* (Pers.: Fr.) Quél.

**Place/Habitat** Bosco della Chiesa, Montenotte (SV)  
Bric Rolando, Piana Crixia (SV) beech wood  
conifer and broadleaved woods

Cianazzi, Savona (SV)  
Colla San Giacomo, Quiliano (SV)  
Finalese, Finale (SV)

beech wood  
beech wood  
conifer and broadleaved woods

Melogno, Calizzano (SV)  
Monte San Giorgio, Savona (SV)  
Montenotte Molini, Cairo Montenotte (SV)

beech wood  
beech wood

**References** Orsino Traverso, 1986 5); Orsino beech wood

Dameri, 1996 6); Zotti, 1993 1) 3) 7)  
8), submitted 4); Traverso Zotti 2);

*Lepiota brunneoincarnata* Chodat & C. Martin

<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved woods
<b>References</b>	Traverso Zotti;	

*Lepiota castanea* Quél.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Zotti, 1996;	

*Lepiota clypeolaria* (Bull.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Costa, Muraldo (Sv)	chestnut wood
	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	beech wood
	Nenno, Valbrevenna (GE)	chestnut wood
	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Val Polcevera, Serra Riccò (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989 7), 1991b 6) 1996 2); Traverso 1) 5); Orsino 3) 4);	

*Lepiota clypeolarioides* Rea

<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	near <i>Agave</i> sp.
<b>References</b>	Orsino, 1980;	

*Lepiota cristata* (Bolton: Fr.) P. Kumm.

<b>Typical habitat</b>	common species in Liguria
	margins of woods, gardens, paths

*Lepiota erminea* (Fr.) Gillet

<b>Place/Habitat</b>	Finalese, Finale (SV)	garrigues
<b>References</b>	Orsino Traverso, 1986;	

*Lepiota helveola* Bres.

<b>Place/Habitat</b>	Valle Argentina, Triora (IM)	margin of chestnut wood
	Bosco dei Frati, Genova (GE)	mixed wood
<b>References</b>	Balletto, 1977 ;	

*Lepiota ignivolvata* Bousset & Joss. ex Joss.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	beech wood
<b>References</b>	Orsino Dameri, 1994; Orsino;	

*Lepiota josserandii* Bon & Boiffard

<b>Place/Habitat</b>	Riofreddo, Muraldo (SV)	conifer and broadleaved woods
<b>References</b>	Traverso;	

*Lepiota kuehneriana* Locq.

<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE)	grassy place
<b>References</b>	Traverso;	

*Lepiota setulosa* J.E. Lange

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	

*Lepiota subincarnata* J.E. Lange

<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy clearing
<b>References</b>	Orsino Traverso, 1986;	

*Lepiota ventriosospora* D.A. Reid

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Nenno, Valbrevenna (GE)	chestnut wood
	Monte Roccabruna, Fontanigorda (GE)	beech wood
	Monte Penna, Rezzoaglio (GE)	beech wood
<b>References</b>	Orsino Dameri, 1996 1); Orsino 2) 3); Orsino Zotti 4);	

*Lepista* *Tricholomataceae, Agaricales, Basidiomycetes**Lepista caespitosa* (Bres.) Singer

<b>Place/Habitat</b>	Punta Corvo M.Marcello, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	

*Leucoagaricus* *Agaricaceae, Agaricales, Basidiomycetes**Leucoagaricus badhamii* (Berk. & Broome) Singer

<b>Place/Habitat</b>	Portofino, Santa Margherita (GE)	mixed wood
	Genova (GE)	cultivated soil
<b>References</b>	Orsino; Balletto, 1981;	

*Leucoagaricus densifolius* (Gillet) Babos

<b>Place/Habitat</b>	Monte Penna , Rezzoaglio (GE)	conifer and broadleaved woods
<b>References</b>	Orsino Zotti;	

*Leucoagaricus leucothites* (Vittad.) Wasser

<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy place
	Besolagno, Savignone (GE)	grasslands
	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved woods
	Bric Roncaste, Piana Crixia (SV)	conifer and broadleaved woods
<b>References</b>	Orsino Traverso, 1986; Orsino; Traverso Zotti; Zotti;	

*Leucoagaricus serenus* (Fr.) Bon & Boiffard

<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	near the main greenhouse
<b>References</b>	Orsino, 1980;	

*Leucocoprinus* *Agaricaceae, Agaricales, Basidiomycetes*

*Leucocoprinus cepistipes* (Sowerby: Fr.) Pat.

**Place/Habitat** Punta Manara, Sestri Levante (GE)  
Orto Botanico, Genova (GE)

**References** Orsino Dameri, 1991b; Orsino, 1980;

on plant debris  
on mould

*Leucocortinarius* *Cortinariaceae, Cortinariales, Basidiomycetes**Leucocortinarius bulbiger* (Alb. & Schwein.: Fr.) Singer

**Place/Habitat** Passo Bracco, Sestri Levante (GE)  
**References** Traverso ;

maquis

*Leucopaxillus* *Tricholomataceae, Agaricales, Basidiomycetes**Leucopaxillus gentianeus* (Quél.) Kotl.

**Place/Habitat** Finalese, Finale (SV)  
Melogno, Calizzano (SV)  
Portofino, Santa Margherita (GE)

**References** Orsino Traverso, 1986; Orsino  
Dameri, 1996; Orsino;

holm-oak wood  
beech wood  
holm-oak wood

*Leucopaxillus giganteus* (Sowerby : Fr.) Singer

**Place/Habitat** M.Sella, Sant'Olcese (GE)  
**References** Orsino;

grasslands

*Leucopaxillus macrocephalus* (Schulzer) Bohus

**Place/Habitat** Finalese, Finale (SV)  
Acquafrredda, Sassello (SV)

**References** Orsino Traverso, 1986; Balletto,  
1981;

holm-oak wood  
deciduous woods

*Leucopaxillus paradoxus* (Costantin & L.M. Dufour) Boursier

**Place/Habitat** Colle di Nava, Mendatica (IM)  
**References** Balletto, 1977 ;

grassy place

*Leucopaxillus tricolor* (Peck) Kühner

**Place/Habitat** Finalese, Finale (SV)  
Melogno, Calizzano (SV)  
Punta Manara, Sestri Levante (GE)

**References** Orsino Traverso, 1986; Orsino  
Dameri, 1996, 1989;

holm-oak wood  
beech wood  
holm-oak wood

*Limacella* *Amanitaceae, Agaricales, Basidiomycetes**Limacella guttata* (Pers.: Fr.) Konrad & Maubl.

**Place/Habitat** Cianazzi, Savona (SV)  
Colla San Giacomo, Quiliano (SV)  
Luvio, Pontinvrea (SV)  
Melogno, Calizzano (SV)  
Monte S. Giorgio, Savona (SV)  
Monte San Giorgio, Savona (SV)

**References** Orsino Dameri, 1996 4); Zotti, 1993  
1) 3) 5) 6), submitted 2);

beech wood  
beech wood  
beech wood  
beech wood  
beech wood  
beech wood

*Lycoperdon* *Lycoperdaceae, Lycoperdales, Basidiomycetes*

*Lycoperdon echinatum* Pers.: Pers.  
common species in Liguria  
**Typical habitat** beech wood

<i>Lycoperdon foetidum</i> Bonord.		
<b>Place/Habitat</b>	Colla di Gritta, Monterosso (SP) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte Brina, Sarzana (SP) Monte San Giorgio, Savona (SV) Monterosso (SP) Portofino, Santa Margherita (GE) Val Polcevera, Serra Riccò (GE) and Valle Scrivia, Savignone (GE)	pine wood beech wood beech wood under broadleaved trees beech wood pine wood chestnut wood
<b>References</b>	Orsino Dameri, 1996 3), 1989 8); Zotti, 1993 5), submitted 2); Orsino Dameri, 1989; Orsino 1) 6) 7); Monti Bisagni, 1990/91 4);	chestnut wood

*Lycoperdon lividum* Pers.  
**Place/Habitat** Melogno, Calizzano (SV)  
**References** Orsino Dameri, 1996;

<i>Lycoperdon mammaeforme</i> Pers.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Colla San Giacomo, Quiliano (SV) Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE) Nenno, Valbrevenna (GE)	beech wood beech wood
<b>References</b>	Orsino Dameri, 1996; Zotti, submitted; Orsino Dameri, 1989; Orsino;	chestnut wood chestnut wood

<i>Lycoperdon molle</i> Pers.:Pers.		
<b>Place/Habitat</b>	Riofreddo, Muraldo (SV)	conifer and broadleaved woods
<b>References</b>	Costa, Muraldo (Sv) Traverso;	chestnut wood

*Lycoperdon perlatum* Pers.: Pers.  
**Typical habitat** very common species in Liguria  
broadleaved and coniferous woods

*Lycoperdon pyriforme* Schaeff.: Pers.  
**Typical habitat** common species in Liguria  
on rotting wood in woodlands

*Lycoperdon umbrinum* Pers.: Pers.  
**Place/Habitat** Melogno, Calizzano (SV)  
beech wood

	Monte Roccabruna, Fontanigorda(GE)	beech wood
	Nenno, Valbrevenna (GE)	chestnut wood
	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1996 1), 1989 5); Orsino 2) 3); Traverso 4);	
<i>Lyophyllum</i>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Lyophyllum decastes</i> (Fr.: Fr.) Singer	common species in Liguria	
<b>Typical habitat</b>	conifer and broadleaved woods	
<i>Lyophyllum favrei</i> Haller & Haller		
<b>Place/Habitat</b>	Colle dei Giovetti, Sassello (SV)	beech wood
<b>References</b>	Riva, 1999;	
<i>Lyophyllum fumosum</i> (Pers.: Fr.) P.D. Orton		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved woods
	Passo San Giorgio, Savona (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996; Traverso Zotti; Zotti, 1993;	
<i>Lyophyllum infumatum</i> (Bres.) Kühner		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Orsino Dameri, 1989; Orsino; Monti Andreotti, 1981;	
<i>Lyophyllum leucophaeatum</i> (P. Karst.) P. Karst.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1996, 1989;	
<i>Lyophyllum loricatum</i> (Fr.) Kühner		
<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved woods
	Località Ferrieto, Piana Crixia (SV)	chestnut wood
<b>References</b>	Orsino Zotti Dameri , 1999; Traverso Zotti;	
<i>Lyophyllum semitale</i> (Fr.) Kühner		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Colla di Gritta, Monterosso (SP)	under <i>Pinus pinaster</i> Aiton

<b>References</b>	Orsino Dameri, 1996, 1989; Orsino; Orsino Dameri;	
<i>Lyophyllum trigonosporum</i> (Bres.) Kühner		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Lyophyllum tylicolor</i> (Fr.: Fr.) M.Lange & Sivertsen		
<b>Place/Habitat</b>	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino Zotti Dameri, 2001;	
<i>Macrolepiota</i>	<i>Agaricaceae, Agaricales, Basidiomycetes</i>	
<i>Macrolepiota excoriata</i> (Schaeff.: Fr.) Wasser		
<b>Place/Habitat</b>	Costa, Murialdo (Sv) Monterosso (SP) Ponte sul Bormida, Bardinetto (SV)	chestnut wood under <i>Pinus pinaster</i> Aiton conifer and broadleaved woods
	Torre di Quezzi, Genova (GE) Val Polcevera, Sant'Olcese (GE)	grassy place
<b>References</b>	Orsino Dameri, 1989 5); Traverso 1) 3); Orsino 2) 4);	chestnut wood
<i>Macrolepiota konradii</i> (Huijsman ex P.D. Orton) M.Moser		
<b>Place/Habitat</b>	Pontinvrea (SV)	glades and wood sides
<b>References</b>	Zotti;	
<i>Macrolepiota mastoidea</i> (Fr.) Singer		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Nenno, Valbrevenna (GE) Punta Manara, Sestri Levante (GE) Val Polcevera, Sant'Olcese (GE)	beech wood beech wood beech wood chestnut wood holm-oak wood chestnut wood
<b>References</b>	Orsino Dameri, 1989 6), 1991b 5), 1996 3); Zotti, 1993 1), submitted 2); Orsino 4);	
<i>Macrolepiota phaeodisca</i> Bellù		
<b>Place/Habitat</b>	Montoggio (GE)	grassy place
<b>References</b>	Traverso;	
<i>Macrolepiota procera</i> (Scop.: Fr.) Singer	very common species in Liguria	
<b>Typical habitat</b>	woodlands and grasslands	
<i>Macrolepiota puellaris</i> (Fr.) M.Moser		
<b>Place/Habitat</b>	Torre di Quezzi, Genova (GE)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino, 1986;	
<i>Macrolepiota rachodes</i> (Vittad.) Singer		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood

	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Costa, Muralaldo (Sv)	chestnut wood
	Luvio, Pontinvrea (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Zotti, 1993 1) 2) 5), submitted 3); Orsino Dameri, 1996 6); Traverso, 4);	

*Macrolepiota rachodes* (Vittad.) Singer var. *bohemica* (Wichansky) Bellù & Lanzoni

<b>Place/Habitat</b>	Bric del tesoro, Cairo Montenotte (SV)	beech wood
<b>References</b>	Zotti, 1993;	

*Macrolepiota rickenii* (Velen.) Bellù & Lanzoni

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE)	margin of chestnut wood
<b>References</b>	Orsino Dameri, 1996; 1989;	

*Macrotyphula* *Clavariaceae, Cantharellales, Basidiomycetes**Macrotyphula fistulosa* (Holmsk.: Fr.) R.H. Petersen

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Ponte sul Bormida, Bardineto (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Riofreddo, Muralaldo (SV)	on dead wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996 1); Traverso 2) 3);	

*Macrotyphula juncea* (Fr.: Fr.) Berthier

<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE) on decaying leaves of <i>Castanea sativa</i> Mill.
<b>References</b>	Orsino, 1988;

*Marasmiellus* *Tricholomataceae, Agaricales, Basidiomycetes**Marasmiellus candidus* (Bolton) Singer

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on fallen twigs of <i>Quercus ilex</i> L.
	Ponte sul Bormida, Bardineto (SV)	on fallen branches of deciduous trees
<b>References</b>	Orsino Dameri, 1991b; Traverso;	

*Marasmiellus ramealis* (Bull.: Fr.) Singer

<b>Typical habitat</b>	very common species in Liguria on fallen twigs of broadleaved trees
------------------------	--

*Marasmius* *Tricholomataceae, Agaricales, Basidiomycetes**Marasmius alliaceus* (Jacq.: Fr.) Fr.  
common species in Liguria

**Typical habitat** on decaying stems and twigs of *Fagus sylvatica* L.

*Marasmius androsaceus* (L.: Fr.) Fr.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Casella (GE) on fallen twigs of <i>Castanea sativa</i> Mill.
	Punta Manara, Sestri Levante (GE)
	Monte Beigua, Urbe (SV)
	Monte Brina, Sarzana (SP)
<b>References</b>	Orsino Dameri, 1989, 1991b; Orsino; Monti Bisagni, 1990/91;

*Marasmius bulliardii* Quél.

<b>Place/Habitat</b>	Finalese, Finale (SV)	on fallen twigs of <i>Quercus ilex</i> L.
	Melogno, Calizzano (SV)	on dead leaves of <i>Quercus ilex</i> L.
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	on dead leaves of chestnut
	Costa, Murialdo (Sv)	on dead leaves of chestnut
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989; Traverso;	

*Marasmius cohaerens* (Pers.: Fr.) Cooke & Quél.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on plant debris in beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Marasmius collinus* (Scop.: Fr.) Singer

<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	grassy clearing in beech wood
	Val Polcevera, Sant'Olcese (GE)	grassy clearing in chestnut wood
<b>References</b>	Orsino; Orsino Dameri, 1989;	

*Marasmius corbariensis* (Roum.) Singer

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)
<b>References</b>	Orsino Dameri, 1991b;

on dead leaves of *Quercus ilex* L.

*Marasmius epiphylloides* (Pers.: Fr.) Fr.

<b>Typical habitat</b>	common species in Liguria on dead leaves of broadleaved trees
------------------------	--

*Marasmius oreades* (Bolton: Fr.) Fr.

<b>Typical habitat</b>	very common species in Liguria grasslands and open places
------------------------	--

*Marasmius prasiosmus* (Fr.: Fr.) Fr.

**Place/Habitat** Melogno, Calizzano (SV) on decaying leaves of *Fagus sylvatica* L.

Monte Penna , Rezzoaglio (GE) on decaying leaves of *Fagus sylvatica* L.

**References** Orsino Dameri, 1996; Orsino Zotti;

*Marasmius rotula* (Scop.: Fr.) Fr.

very common species in Liguria

**Typical habitat** on debris of broadleaved trees

*Marasmius scorodonius* (Fr.: Fr.) Fr.

common species in Liguria

**Typical habitat** on debris of broadleaved trees

*Marasmius setosus* (Sowerby) Noordel.

**Place/Habitat** Monte Antola, Genova (GE) on decaying leaves of *Fagus sylvatica* L.

**References** Orsino Zotti Dameri, 1999;

*Marasmius splachnoides* (Hornem.: Fr.) Fr.

**Place/Habitat** Punta Manara, Sestri Levante (GE) on dead leaves of *Quercus ilex* L.

**References** Orsino, 1986;

*Marasmius tephicensis* Antonín & Skála

**Place/Habitat** Orto Botanico, Genova (GE) on *Ravenala madagascariensis* J.F. Gmel.

**References** Orsino Zotti Dameri, 1999;

*Marasmius torquescens* Quél.

**Place/Habitat** Melogno, Calizzano (SV) on litter in beech wood

**References** Orsino Dameri, 1989;

*Marasmius wynnei* Berk. & Broome

very common species in Liguria

**Typical habitat** on litter, fallen leaves and twigs of deciduous trees

*Megacollybia* Tricholomataceae, Agaricales, Basidiomycetes*Megacollybia platyphylla* (Pers.: Fr.) Kotl. & Pouzar

**Place/Habitat** Bosco della Chiesa, Montenotte (SV) on buried woody debris of *Fagus sylvatica* L.

Melogno, Calizzano (SV) on buried woody debris of *Fagus sylvatica* L.

Monte S. Giorgio, Savona (SV) on buried woody debris of *Fagus sylvatica* L.

Monte San Giorgio, Savona (SV) on buried woody debris of *Fagus sylvatica* L.

on buried woody debris of *Fagus sylvatica* L.

	Monte Zatta, Borzonasca (GE)	on buried woody debris of <i>Fagus sylvatica</i> L.
	Montenotte Molini, Cairo Montenotte (SV)	on buried woody debris of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996 2); Zotti, 1993 1) 3) 4) 6); Orsino 5);	
<b><i>Melanogaster</i></b>	<i>Melanogastraceae, Melanogastrales, Basidiomycetes</i>	
<i>Melanogaster ambiguus</i> (Vittad.) Tul. & C. Tul.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Melanogaster broomeianus</i> Berk. ex Tul. & C. Tul.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Melanogaster variegatus</i> (Vittad.) Tul. & C. Tul.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Alta Langa, Cairo Montenotte (SV)	holm-oak wood under <i>Ostrya carpinifolia</i> Scop.
<b>References</b>	Orsino Traverso, 1986; Rebaudengo, 2001;	
<b><i>Melanoleuca</i></b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Melanoleuca arcuata</i> (Bull.: Fr.) Singer		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Melanoleuca brevipes</i> (Bull.: Fr.) Pat.		
<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE) Punta Manara, Sestri Levante (GE)	chestnut wood margin of holm-oak wood
<b>References</b>	Orsino Dameri, 1989, 1991b;	
<i>Melanoleuca cognata</i> (Fr.) Konrad & Maubl.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	mixed wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Melanoleuca excissa</i> (Fr.) Singer		
<b>Place/Habitat</b>	Finalese, Finale (SV)	clearing in chestnut wood
<b>References</b>	Orsino Traverso, 1986;	
<i>Melanoleuca grammopodia</i> (Bull.: Fr.) Pat.		
<b>Place/Habitat</b>	Località Ferrieto, Piana Crixia (SV) Molinetti, Sant'Olcese (GE)	grassy place grassy place
<b>References</b>	Traverso Zotti; Orsino;	
<i>Melanoleuca humilis</i> (Pers.: Fr.) Pat.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	clearing of deciduous wood
<b>References</b>	Orsino Traverso, 1986;	

*Melanoleuca luteolosperma* (Britzelm.) Singer

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	grassy place
<b>References</b>	Orsino Traverso, 1990;	

*Melanoleuca melaleuca* (Pers.: Fr.) Murrill

<b>Place/Habitat</b>	Bric Roncaste, Piana Crixia (SV) Cresta, Piana Crixia (SV) Finalese, Finale (SV) Melogno, Calizzano (SV) Molino di Piano, Piana Crixia (SV) Monte Penna, Rezzoaglio (GE) Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE) Torre di Quezzi, Genova (GE)	margin of chestnut wood margin of chestnut wood margin of chestnut wood beech wood margin of chestnut wood beech wood
<b>References</b>	Orsino Traverso, 1986 (3); Orsino Dameri, 1996 (4); Traverso Zotti 1 (2) 5); Orsino Zotti 6 (7); Orsino 8);	beech wood under <i>Pinus pinaster</i> Aiton

*Melanoleuca pedida* (Fr.) Kühner & Maire

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Melanophyllum* Agaricaceae, Agaricales, Basidiomycetes*Melanophyllum haematospermum* (Bull.: Fr.) Kreisel

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1994;	

*Meripilus* Coriolaceae, Porales, Basidiomycetes*Meripilus giganteus* (Pers.) P. Karst.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on stumps of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	

*Micromphale* Tricholomataceae, Agaricales, Basidiomycetes*Micromphale brassicola* (Romagn.) P.D. Orton

<b>Place/Habitat</b>	Finalese, Finale (SV)	on dead leaves of <i>Quercus ilex</i> L.
	Bric Rolando, Piana Crixia (SV)	on dead leaves of chestnut
	Bric Roncaste, Piana Crixia (SV)	on dead leaves of chestnut
<b>References</b>	Orsino Traverso, 1986; Traverso Zotti; Zotti;	

*Micromphale foetidum* (Sowerby: Fr.) Singer

<b>Place/Habitat</b>	Finalese, Finale (SV)	on dead branches of <i>Ostrya carpinifolia</i> Scop.
	Strada Ferrieto, Piana Crixia (SV)	on dead leaves of chestnut
	Molassana, Genova (GE)	on rotting branches of <i>Ostrya carpinifolia</i> Scop.
<b>References</b>	Orsino Traverso, 1986; Traverso Zotti; Orsino;	

*Micromphale inodorum* (Pat.) Svr?ek

**Place/Habitat** Sant'Olcese, Genova (GE) on bark of *Castanea sativa* Mill.

**References** Punta Manara, Sestri Levante (GE) on bark of *Quercus ilex* L.  
Orsino, 1986; Orsino Dameri, 1991b;

*Mutinus* *Phallaceae, Phallales, Basidiomycetes*

*Mutinus caninus* (Huds.:Pers.) Fr.

**Place/Habitat** Melogno, Calizzano (SV) beech wood  
Monte Zatta, Borzonasca (GE) beech wood  
Rio Rostiolo, Urbe (SV) beech wood

**References** Orsino Dameri, 1996; Orsino; Balletto, 1981;

*Mycena* *Tricholomataceae, Agaricales, Basidiomycetes*

*Mycena abramsii* (Murrill) Murrill

**Place/Habitat** Punta Manara, Sestri Levante (GE) on plant debris of *Quercus ilex* L.

**References** Orsino Dameri, 1991b;

*Mycena adonis* (Bull.: Fr.) Gray

**Place/Habitat** Bargone, Casarza Ligure (GE) under conifer trees

**References** Traverso;

*Mycena adscendens* (Lasch) Maas Geest.

**Place/Habitat** Finalese, Finale (SV) on decaying bark of broadleaved trees  
Punta Manara, Sestri Levante (GE) on fallen twigs and rotting bark of *Quercus ilex* L.

**References** Orsino Traverso, 1986; Orsino Dameri, 1991b;

*Mycena aetites* (Fr.) Quél.

**Place/Habitat** Punta Manara, Sestri Levante (GE) holm-oak wood  
Monterosso (SP) *Pinus pinaster* Aiton wood

**References** Orsino Dameri, 1991b; Orsino;

*Mycena alba* (Bres.) Kühner

**Place/Habitat** Monte Pistone, Borghetto di Vara (SP) on wood of conifer trees

**References** Monti Andreotti, 1981;

*Mycena capillaris* (Schumach.: Fr.) P. Kumm.

**Place/Habitat** Monte Beigua, Urbe (SV) on fallen leaves of *Fagus sylvatica* L.

**References** Orsino;

*Mycena corticola* (Pers.: Fr.) Gray

**Place/Habitat** Punta Manara, Sestri Levante (GE) on bark of *Quercus ilex* L.  
Monte Penna, Rezzoaglio (GE) on rotten wood

**References** Orsino Dameri, 1991b; Orsino Zotti;

*Mycena crocata* (Schrad.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen twigs of <i>Fagus sylvatica</i> L.
	Monte Antola, Genova (GE)	on dead wood of <i>Fagus sylvatica</i> L.
	Bosco della Chiesa, Montenotte (SV)	on dead wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino; Zotti, 1993;	

*Mycena diosma* Krieglst. & Schwöbel

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Monte Zatta, Borzonasca (GE)	beech wood
	Monte Beigua, Urbe (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996; Orsino Dameri; Orsino;	

*Mycena epipterygia* (Scop.: Fr.) Gray

<b>Typical habitat</b>	very common species in Liguria beech woods and chestnut woods
------------------------	--

*Mycena epipterygia* (Scop.: Fr.) Gray var. *pelliculosa* (Fr.) Maas Geest.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	

*Mycena fagetorum* (Fr.) Gillet

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on decaying leaves of <i>Fagus sylvatica</i> L.
	Monte Beigua, Urbe (SV)	on decaying leaves of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino;	

*Mycena flavescens* Velen.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on litter in beech wood
<b>References</b>	Orsino Dameri, 1996;	

*Mycena flavoalba* (Fr.) Quél.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen leaves of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	

*Mycena galericulata* (Scop.: Fr.) Gray

<b>Typical habitat</b>	very common species in Liguria on decaying wood of broadleaved and coniferous trees
------------------------	--

*Mycena galopus* (Pers.: Fr.) P. Kumm.

<b>Typical habitat</b>	very common species in Liguria on debris and decayed wood of deciduous trees
------------------------	---

*Mycena galopus*(Pers.: Fr.) P. Kumm. var. *candida* J.E.Lange

<b>Place/Habitat</b>	Cianazza, Savona (SV)	beech wood
<b>References</b>	Zotti, 1993;	

*Mycena haematopus* (Pers.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen twigs of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	

*Mycena inclinata* (Fr.) Quél.

<b>Typical habitat</b>	very common species in Liguria on old stumps and fallen branches of deciduous trees
------------------------	---

*Mycena maculata* P. Karst.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	on decaying wood of <i>Fagus sylvatica</i> L.
	Melogno, Calizzano (SV)	on decaying wood of <i>Fagus sylvatica</i> L.
	Monte San Giorgio, Savona (SV)	on decaying wood of <i>Fagus sylvatica</i> L.
	Montenotte Molini, Cairo Montenotte (SV)	on decaying wood of <i>Fagus sylvatica</i> L.
<b>References</b>	beech wood Orsino Dameri, 1996 2); Zotti, 1993 3) 4), submitted 1);	

*Mycena metata* (Fr.: Fr.) P. Kumm.

<b>Typical habitat</b>	very common species in Liguria on fallen twigs and other plant debris
------------------------	--

*Mycena niveipes* (Murrill) Murrill

<b>Place/Habitat</b>	Molinetti, Sant'Olcese (GE)	on rotting trunk of chestnut tree
<b>References</b>	Balletto, 1981;	

*Mycena pelianthina* (Fr.) Quél.

<b>Typical habitat</b>	common species in Liguria on dead leaves of <i>Fagus sylvatica</i> L. and other plant debris
------------------------	--

*Mycena polygramma* (Bull.: Fr.) Gray

<b>Typical habitat</b>	very common species in Liguria on stumps of deciduous trees
------------------------	--

*Mycena pseudocorticola* Kühner

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on living trunk of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1991b;	

*Mycena pura* (Pers.: Fr.) P. Kumm.

	very common species in Liguria
--	--------------------------------

<b>Typical habitat</b>	on leaf humus in deciduous and coniferous woods
<i>Mycena renati</i> Quél.	
<b>Place/Habitat</b>	Monte San Giorgio, Savona (SV)
	Colla San Giacomo, Quiliano (SV)
	Miniere di Grafite, Murialdo (SV)
L.	
<b>References</b>	Orsino Dameri, 1994; Zotti, submitted; Zotti;
<i>Mycena rosea</i> (Bull.) Gramberg	very common species in Liguria
<b>Typical habitat</b>	beech wood
<i>Mycena rubromarginata</i> (Fr.: Fr.) P. Kumm.	on fallen branches of <i>Fagus sylvatica</i> L.
<b>Place/Habitat</b>	Melogno, Calizzano (SV)
	Monte Zatta, Borzonasca (GE)
<b>References</b>	Orsino Dameri, 1996; Orsino;
<i>Mycena sanguinolenta</i> (Alb. & Schwein.: Fr.) P. Kumm.	common species in Liguria
<b>Typical habitat</b>	on dead leaves of <i>Fagus sylvatica</i> L.
<i>Mycena seynii</i> Quél.	common species in Liguria
<b>Typical habitat</b>	on fallen cones of <i>Pinus pinaster</i> Aiton
<i>Mycena stipata</i> Maas Geest. & Schwöbel	common species in Liguria
<b>Typical habitat</b>	on decaying wood of coniferous and broadleaved trees
<i>Mycena strobilicola</i> J. Favre & Kühner	on fallen cones of <i>Pinus pinaster</i> Aiton
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)
<b>References</b>	Monti Andreotti, 1981;
<i>Mycena stylobates</i> (Pers.: Fr.) P. Kumm.	on fallen leaves of <i>Fagus sylvatica</i> L.
<b>Place/Habitat</b>	Melogno, Calizzano (SV)
<b>References</b>	Orsino Dameri, 1996;
<i>Mycena vitilis</i> (Fr.) Quél.	on fallen leaves of <i>Fagus sylvatica</i> L.
<b>Place/Habitat</b>	Melogno, Calizzano (SV)

	Valle Scrivia, Casella (GE)	on decaying leaves of <i>Castanea sativa</i> Mill.
	Monte Brina, Sarzana (SP)	on rotten wood of <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino Dameri, 1996, 1989; Monti Bisagni, 1990/91;	
<i>Mycena vulgaris</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on fallen needles of <i>Pinus pinaster</i>
<b>References</b>	Orsino Dameri, 1996;	
<i>Nyctalis</i>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Nyctalis asterophora</i> Fr.		
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	on rotting basidiocarps of <i>Russula nigricans</i>
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	on rotting basidiocarps of <i>Russula nigricans</i>
<b>References</b>	Orsino; Orsino Dameri, 1989;	
<i>Nyctalis parasitica</i> (Bull.: Fr.) Fr.		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	on decaying basidiocarps
<b>References</b>	Monti Bisagni, 1990/91;	
<i>Octaviania</i>	<i>Melanogastraceae, Melanogastrales, Basidiomycetes</i>	
<i>Octaviania asterosperma</i> Vittad.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE) Molinetti, Sant'Olcese (GE) Ferrania, (SV)	holm-oak wood chestnut wood under lime trees
<b>References</b>	Orsino Dameri, 1991b, 1989; Rebaudengo, 2001;	
<i>Oligoporus</i>	<i>Coriolaceae, Poriales, Basidiomycetes</i>	
<i>Oligoporus caesius</i> (Schrad.: Fr.) Gilb. & Ryvarden		
<b>Place/Habitat</b>	Monte Penna , Rezzoaglio (GE) Forte Diamante, Genova (GE)	on beech wood on dead wood of <i>Castanea sativa</i> Mill.
<b>References</b>	Orsino Zotti; Orsino Traverso, 1990;	
<i>Oligoporus obductus</i> (Berk.) Gilb. & Ryvarden		
<b>Place/Habitat</b>	Valle di Upega, Pigna (IM)	on wood of conifer trees
<b>References</b>	Traverso;	
<i>Oligoporus stipticus</i> (Pers.: Fr.) Gilb. & Ryvarden		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on wood of <i>Pinus pinaster</i> Aiton
<b>References</b>	Traverso ;	

*Oligoporus subcaesius* (David) Gilb. & Ryvarden

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Forte Sperone, Genova (GE)	on beech wood on dead trunk of <i>Castanea sativa</i> Mill.
----------------------	---	--

<b>References</b>	Orsino Dameri, 1996; Orsino Traverso;
-------------------	---------------------------------------

*Oligoporus tephroleucus* (Fr.) Gilb. & Ryvarden

<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	on beech wood
<b>References</b>	Zotti, 2001;	

*Omphalina* *Tricholomataceae, Agaricales, Basidiomycetes*

*Omphalina ericetorum* (Pers.: Fr.) M.Lange

<b>Place/Habitat</b>	Savignone (GE)	on decaying twigs of <i>Clematis vitalba</i> L.
----------------------	----------------	---

<b>References</b>	Balletto, 1984;
-------------------	-----------------

*Omphalina galericolor* (Romagn.) Bon

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	grassy place
<b>References</b>	Monti Bisagni, 1990/91;	

*Omphalina obscurata* D.A. Reid

<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy clearing
<b>References</b>	Orsino Traverso, 1986;	

*Omphalina rustica* (Fr.) Quél.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	under <i>Pinus pinaster</i> Aiton
Punta Baffe, Moneglia (GE)		under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino Dameri, 1994; Orsino;	

*Omphalotus* *Paxillaceae, Boletales, Basidiomycetes*

*Omphalotus olearius* (DC.: Fr.) Singer  
common species in Liguria

<b>Typical habitat</b>	on stumps of <i>Olea europaea</i> L. and of broadleaved trees
------------------------	--

*Oudemansiella* *Tricholomataceae, Agaricales, Basidiomycetes*

*Oudemansiella mucida* (Schrad.: Fr.) Höhn.

<b>Place/Habitat</b>	Cianazzi, Savona (SV)	on wood of <i>Fagus sylvatica</i> L.
Monte San Giorgio, Savona (SV)		on wood of <i>Fagus sylvatica</i> L.
Colla San Giacomo, Quiliano (SV)		on wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1994; Zotti, 1993, submitted;	

*Panaeolus* *Strophariaceae, Agaricales, Basidiomycetes*

*Panaeolus campanulatus* (Bull.: Fr.) Quél.

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	manured soil
<b>References</b>	Traverso;	

*Panaeolus fimicola* (Fr.) Quél.

<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy place
<b>References</b>	Orsino Traverso, 1986;	

*Panaeolus papilionaceus* (Bull.: Fr.) Quél.

<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	manured soil
<b>References</b>	Orsino, 1980;	

*Panaeolus semiovatus* (Sowerby: Fr.) Lundell

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	manured soil
	M.Reixa, Urbe (SV)	on cow dung
<b>References</b>	Traverso, Orsino;	

*Panaeolus sphinctrinus* (Fr.) Quél.

<b>Place/Habitat</b>	Dan, Urbe (SV)	manured soil
<b>References</b>	Orsino;	

*Panellus* Tricholomataceae, Agaricales, Basidiomycetes*Panellus serotinus* (Schrad.: Fr.) Kühner

<b>Place/Habitat</b>	Trappena, Val Bisagno (GE)	on wood of <i>Castanea sativa</i> Mill.
<b>References</b>	Orsino Traverso, 1990;	

*Panellus stipticus* (Bull.: Fr.) P. Karst.

<b>Typical habitat</b>	common species in Liguria on fallen branches and stumps of broadleaved trees, mostly <i>Quercus</i>
------------------------	--

*Paxillus* Paxillaceae, Boletales, Basidiomycetes*Paxillus atrotomentosus* (Batsch: Fr.) Fr.

<b>Place/Habitat</b>	Passo Bracco, Sestri Levante (GE)	conifer and broadleaved woods
<b>References</b>	Traverso Zotti;	

*Paxillus filamentosus* Fr.

<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)	under <i>Alnus glutinosa</i> (L.) Gaertn.
	Riofreddo, Murialdo (SV)	under <i>Alnus glutinosa</i> (L.) Gaertn.
	Costa, Murialdo (SV)	under <i>Alnus glutinosa</i> (L.) Gaertn.
	Lago Val Noci, Montoggio (GE)	under <i>Alnus glutinosa</i> (L.) Gaertn.
<b>References</b>	Orsino Dameri, 1989; Traverso; Traverso Zotti; Orsino;	

*Paxillus involutus* (Batsch: Fr.) Fr.

<b>Typical habitat</b>	very common species in Liguria deciduous and coniferous woods
------------------------	--

*Paxillus panuoides* (Fr.: Fr.) Fr.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on stump of <i>Pinus pinaster</i> Aiton
<b>References</b>	Fornelli di Pallare, Pallare (SV) Orsino Traverso, 1990; Zotti Olivieri;	on stumps of conifer trees

*Peniophora* *Peniophoraceae, Stearales, Basidiomycetes**Peniophora quercina* (Pers.: Fr.) Cooke

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on dead branches of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1991b;	

*Perenniporia* *Coriolaceae, Porales, Basidiomycetes**Perenniporia ochroleuca* (Berk.) Ryvarden

<b>Place/Habitat</b>	Fodo M. Rocchetta, Lerici (SP)	on wood of broadleaved trees
<b>References</b>	Monti Maccioni, 1996;	

*Phaeomarasmius* *Cortinariaceae, Cortinariales, Basidiomycetes**Phaeomarasmius erinaceus* (Fr.) Kühner

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen twigs of <i>Fagus sylvatica</i> L.
	Val Polcevera, Sant'Olcese (GE)	on fallen twigs of <i>Quercus pubescens</i> Willd.
	Punta Manara, Sestri Levante (GE)	on fallen twigs of <i>Quercus ilex</i> L.
	Portofino, Santa Margherita (GE)	on fallen twigs of <i>Quercus ilex</i> L.
	Monte Brina, Sarzana (SP)	on dead wood of <i>Erica arborea</i> L.
<b>References</b>	Orsino Dameri, 1996, 1989, 1991b; Orsino; Monti Bisagni, 1990/91;	

*Phallus* *Phallaceae, Phallales, Basidiomycetes**Phallus hadriani* Vent.:Pers.

<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	in succulent glasshouse
<b>References</b>	Orsino, 1980 ;	

*Phallus impudicus* L.:Pers.

<b>Typical habitat</b>	very common species in Liguria deciduous woods
------------------------	---

*Phanerochaete* *Meruliaceae, Stereales, Basidiomycetes**Phanerochaete sanguinea* (Fr.) Pouzar

<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)	on wood of conifer trees
<b>References</b>	Zotti, 2001;	

*Phellinus* *Hymenochaetaceae, Hymenochaetales, Basidiomycetes**Phellinus ferruginosus* (Schrad.) Pat.

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	on wood of broadleaved trees
<b>References</b>	Traverso;	

*Phellinus pini* (Brot.) A. Ames

**Place/Habitat** Monte Brina, Sarzana (SP)

on trunk of *Pinus pinaster*  
Aiton wood

**References** Monti Bisagni, 1990/91;

*Phellinus punctatus* (P. Karst.) Pilát

**Place/Habitat** Portofino, Santa Margherita (GE)

on dead wood of *Arbutus unedo* L.

**References** Orsino Traverso, 1990;

*Phellinus torulosus* (Baumg.) Niemela

very common species in Liguria

**Typical habitat** at the base of *Quercus ilex* L.

*Phellinus tuberculosus* (Pers.) Maire

**Place/Habitat** Finalese, Finale (SV)

on *Prunus domestica* L.

Melogno, Calizzano (SV)

on dead trunk of *Prunus avium* L.

Prato Casarile, Genova (GE)

on dead trunk of *Prunus avium* L.

**References** Orsino Traverso, 1986; Orsino Dameri, 1996; Balleto 1981;

*Phellodon* Bankeraceae, Thelephorales, Basidiomycetes*Phellodon confluens* (Pers.) Pouzar

**Place/Habitat** Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)

chestnut wood

**References** Orsino Dameri, 1989;

*Phellodon melaleucus* (Fr.: Fr.) P. Karst.

**Place/Habitat** Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)  
Punta Manara, Sestri Levante (GE)  
Monte Pistone, Borghetto di Vara (SP)  
Monte Brina, Sarzana (SP)

chestnut wood

*Pinus pinaster* Aiton wood

*Pinus pinaster* Aiton wood

*Pinus pinaster* Aiton wood

**References** Orsino Dameri, 1989; 1991b; Monti Andreotti, 1981; Monti Bisagni, 1990/91;

*Phellodon niger* (Fr.: Fr.) P. Karst.

**Place/Habitat** Finalese, Finale (SV)  
Val Polcevera, Sant'Olcese (GE)  
Punta Manara, Sestri Levante (GE)  
Monterosso (SP)  
Colla di Gritta, Monterosso (SP)  
Monte Pistone, Borghetto di Vara (SP)

holm-oak wood

chestnut wood

holm-oak wood

*Pinus pinaster* Aiton wood

*Pinus pinaster* Aiton wood

*Pinus pinaster* Aiton wood

**References** Orsino Traverso, 1986; Orsino Dameri, 1989; 1991b; Orsino, 1980; Monti Andreotti, 1981;

*Phellodon tomentosus* (L.: Fr.) Banker

**Place/Habitat** Campo di Gia' M. Rocchetta, Lerici (SP) holm-oak wood  
**References** Monti Maccioni, 1996;

*Phlebia* *Meruliaceae, Stereales, Basidiomycetes**Phlebia tremellosa* (Schrad.: Fr.) Burds. & Nakasone

**Place/Habitat** Montoggio (GE) on rotten wood  
 Monte Penna, Rezzoaglio (GE) on rotten wood  
**References** Traverso, Orsino Zotti;

*Pholiota* *Strophariaceae, Agaricales, Basidiomycetes**Pholiota alnicola* (Fr.) Singer

**Place/Habitat** Diga Brugneto, Torriglia (GE) on wood of *Alnus glutinosa* (L.) Gaertn.  
**References** Traverso;

*Pholiota astragalina* (Fr.) Singer

**Place/Habitat** Bric Roncaste, Piana Crixia (SV) on wood of conifer trees  
**References** Traverso Zotti;

*Pholiota carbonaria* (Fr.: Fr.) Singer

very common species in Liguria  
**Typical habitat** on burnt soils

*Pholiota decussata* (Fr.) M. Moser

**Place/Habitat** Riva Trigoso (GE) on rotten wood of *Pinus pinaster* Aiton  
**References** Traverso ;

*Pholiota destruens* (Brond.) Gillet

**Place/Habitat** Valle Scrivia, Casella (GE) on dead trunk of *Populus nigra* L.  
**References** Orsino Dameri, 1989;

*Pholiota flavida* (Schaeff.: Fr.) Singer

**Place/Habitat** Monte Penna, Rezzoaglio (GE) on wood of conifer trees  
**References** Zotti, 2001;

*Pholiota gummosa* (Lasch) Singer

**Place/Habitat** Melogno, Calizzano (SV) beech wood  
 Costa, Murialdo (Sv) chestnut wood  
**References** Orsino Dameri, 1991a; Traverso;

*Pholiota lenta* (Pers.: Fr.) Singer

**Place/Habitat** Melogno, Calizzano (SV) beech wood  
 Riserva Agorai, Rezzoaglio (GE), beech wood  
 S.Stefano d'Aveto (GE) beech wood  
 Monte Beigua, Urbe (SV) beech wood  
 Monte Penna , Rezzoaglio (GE) beech wood  
**References** Orsino Dameri, 1996; Orsino; Orsino Dameri; Orsino Zotti;

*Pholiota oedipus* (Cooke) P.D. Orton

**Place/Habitat** Montoggio (GE) under broadleaved trees  
**References** Traverso;

*Pholiota spumosa* (Fr.) Singer

**Place/Habitat** Punta Manara, Sestri Levante (GE) *Pinus pinaster* Aiton wood  
**References** Orsino Dameri, 1991b;

*Pholiota squarrosa* (O.F. Müll.: Fr.) P. Kumm.

**Place/Habitat** Melogno, Calizzano (SV) at the base of dead trunks of  
**References** Orsino Dameri, 1996; *Fagus sylvatica* L.

*Phylloporus* *Xerocomaceae, Boletales, Basidiomycetes**Phylloporus rhodoxanthus* (Schwein.) Bres.

**Place/Habitat** Bric Sportiolo, Pontinvrea (SV) beech wood  
 Cascinassa, Cairo Montenotte (SV) beech wood  
 Cianazzi, Savona (SV) beech wood  
 Colla San Giacomo, Quiliano (SV) beech wood  
 Monte S. Giorgio, Savona (SV) beech wood  
 Montenotte Molini, Cairo Montenotte (SV) beech wood  
 Passo San Giorgio, Savona (SV) beech wood  
 Val Polcevera, Sant'Olcese (GE), Val  
 Polcevera, Serra Riccò (GE) and Valle  
 Scrivia, Savignone (GE) chestnut wood

**References** Zotti, 1993 1) 2) 3) 5) 6) 7); submitted  
 4); Orsino Dameri, 1989 8);

*Piptoporus* *Coriolaceae, Poriales, Basidiomycetes**Piptoporus betulinus* (Bull.) P. Karst.

**Place/Habitat** Melogno, Calizzano (SV) on dead wood of *Betula pendula* Roth  
**References** Orsino Dameri, 1996;

*Pisolithus* *Sclerodermataceae, Sclerodermatales, Basidiomycetes**Pisolithus arhizus* (Scop.:Pers.) Rauschert

**Place/Habitat** Punta Manara, Sestri Levante (GE) holm-oak wood  
 Finalese, Finale (SV) under *Pinus pinaster* Aiton  
 Punta Baffe, Moneglia (GE) under *Pinus pinaster* Aiton  
 Monterosso (SP) under *Pinus pinaster* Aiton  
**References** Orsino Dameri, 1991b; Orsino, 1988;  
 Orsino Dameri; Orsino;

*Pleurotellus* *Crepidotaceae, Cortinariales, Basidiomycetes**Pleurotellus hypnophilus* (Pers.) Fayod

**Place/Habitat** Melogno, Calizzano (SV) on dead leaves and woody  
**References** Orsino Dameri, 1994; debris of *Fagus sylvatica* L.

<b>Pleurotus</b>	<i>Lentinaceae, Poriales, Basidiomycetes</i>	
<i>Pleurotus cornucopiae</i> (Paulet) Rolland		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on stumps of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<i>Pleurotus dryinus</i> (Pers.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Molino di Piano, Piana Crixia (SV) Bric Roncaste, Piana Crixia (SV) Torriglia (GE)	on trunk of broadleaved trees on trunk of broadleaved trees on wood of broadleaved trees
<b>References</b>	Zotti; Traverso Zotti; Balletto 1981a;	
<i>Pleurotus eryngii</i> (DC.: Fr.) QuéL.		
<b>Place/Habitat</b>	Righi, Genova (GE)	parasitic on roots of <i>Eryngium campestre</i> L.
<b>References</b>	Traverso;	
<i>Pleurotus ostreatus</i> (Jacq.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	on dead trunk of <i>Fagus sylvatica</i> L.
	Cianazzi, Savona (SV)	on dead trunk of <i>Fagus sylvatica</i> L.
	Melogno, Calizzano (SV)	on stumps of <i>Fagus sylvatica</i> L.
	Monte San Giorgio, Savona (SV)	on stumps of <i>Fagus sylvatica</i> L.
<b>References</b>	Zotti, 1993 1) 2) 4); Orsino Dameri, 1996 3);	
<b>Pluteus</b>	<i>Pluteaceae, Agaricales, Basidiomycetes</i>	
<i>Pluteus cervinus</i> (Schaeff.) P. Kumm.		
<b>Typical habitat</b>	very common species in Liguria on stumps of deciduous trees	
<i>Pluteus godeyi</i> Gillet		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on rotten wood of broadleaved trees
<b>References</b>	Orsino Traverso, 1986; <i>Pluteus griseopus</i> P.D. Orton	
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on woody debris of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1989;	
<i>Pluteus leoninus</i> (Schaeff.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Riofreddo, Murialdo (SV)	under broadleaved trees
	Melogno, Calizzano (SV)	on buried woody debris
	Val Fontanabuona, Lavagna (GE)	on wood of chestnut trees
<b>References</b>	Traverso; Orsino Dameri, 1996; Balletto, 1984;	
<i>Pluteus murinus</i> Bres.		
<b>Place/Habitat</b>	Orto Botanico, Genova (GE)	grassy place
<b>References</b>	Orsino, 1980;	

*Pluteus patricius* (Schulzer) Boud.

<b>Place/Habitat</b>	Valle Argentina, Triora (IM)	on woody debris
<b>References</b>	Balletto, 1977;	

*Pluteus pellitus* (Pers.: Fr.) P. Kumm.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Bric del tesoro, Cairo Montenotte (SV)	beech wood
<b>References</b>	Zotti, submitted, 1993 ;	

*Pluteus phlebophorus* (Ditmar: Fr.) P. Kumm.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on woody debris of <i>Quercus ilex</i> L.
<b>References</b>	Orsino, 1986;	

*Pluteus romellii* (Britzelm.) Lapl.

<b>Place/Habitat</b>	Finaise, Finale (SV)	on woody debris of broadleaved trees
	Val Polcevera, Serra Riccò (GE)	on woody debris of <i>Castanea sativa</i> Mill.
	Orto Botanico, Genova (GE)	on woody debris of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; Balletto, 1981;	

*Pluteus semibulbosus* (Lasch in Fr.) Gillet

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	on rotting wood of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1989;	

*Pluteus thomsonii* (Berk. & Broome) Dennis

<b>Place/Habitat</b>	Genova (GE)	on wood of broadleaved trees
<b>References</b>	Traverso;	

*Polyporus*

*Polyporaceae, Porales, Basidiomycetes*

*Polyporus alveolaris* (DC.: Fr.) Bondartsev & Singer

<b>Place/Habitat</b>	Genova (GE)	on wood of broadleaved trees
<b>References</b>	Traverso;	

*Polyporus arcularius* (Batsch) Fr.: Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
	Val Polcevera, Sant'Olcese (GE)	on fallen branches of <i>Castanea sativa</i> Mill.
	Olmi, Savignone (GE)	on fallen branches of <i>Castanea sativa</i> Mill.
<b>References</b>	Orsino Dameri, 1996, 1989; Orsino, 1986;	

*Polyporus badius* (Gray) Schwein.

<b>Place/Habitat</b>	Serra Riccò (GE)	on wood of chestnut trees
<b>References</b>	Orsino;	

*Polyporus brumalis* (Pers.) Fr.: Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Riofreddo, Muriel (SV)	on dead wood of broadleaved trees
	Miniere di Grafite, Muriel (SV)	on dead wood of broadleaved trees
<b>References</b>	Orsino Dameri, 1996; Traverso; Zotti;	

*Polyporus ciliatus* Fr.: Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on buried woody debris and fallen branches of <i>Fagus sylvatica</i> L.
	Vara Sup., Urbe (SV)	on stumps of <i>Fagus sylvatica</i>
L.	Bosco della Chiesa, Montenotte (SV)	on bried woody debris of <i>Fagus sylvatica</i> L.
	Colla San Giacomo, Quiliano (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino, 1986; Zotti, 1993, submitted;	

*Polyporus melanopus* (Pers.: Fr.) Fr.

<b>Place/Habitat</b>	Serra Riccò (GE)	on walnut log
<b>References</b>	Balletto, 1984;	

*Polyporus squamosus* (Huds.) Fr.: Fr.

<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)	on dead trunk of <i>Castanea sativa</i> Mill.
	Orto Botanico, Genova (GE)	on trunk of <i>Acer pseudoplatanus</i> L.
<b>References</b>	Orsino Dameri, 1989; Orsino, 1980;	

*Polyporus tuberaster* (Jacq.) Fr.: Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV)	on fallen branches of <i>Quercus ilex</i> L.
	Melogno, Calizzano (SV)	on fallen trunk of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	

*Polyporus umbellatus* (Pers.) Fr.: Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on buried woody debris and fallen branches of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	

*Polyporus varius* (Pers.) Fr.: Fr.

common species in Liguria

<b>Typical habitat</b>	on fallen branches of <i>Fagus sylvatica</i> L.	
<b><i>Porphyrellus</i></b>	<i>Strobilomycetaceae, Boletales, Basidiomycetes</i>	
<b><i>Porphyrellus porphyrosporus</i> (Fr. in Fr. &amp; Hök)</b>	J.E. Gilbert	
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Cascinassa, Cairo Montenotte (SV) Riserva Agorai, Rezzoaglio (GE),	beech wood beech wood under <i>Abies alba</i> Mill.
<b>References</b>	Zotti, submitted, 1993; Balletto, 1981;	
<b><i>Psathyrella</i></b>	<i>Coprinaceae, Agaricales, Basidiomycetes</i>	
<b><i>Psathyrella ammophila</i> (Dur. &amp; Lév.)</b>	P.D. Orton	
<b>Place/Habitat</b>	Savona (SV)	on beach
<b>References</b>	Zotti, 2001;	
<b><i>Psathyrella artemisiae</i> (Pass.) Konrad &amp; Maubl.</b>		
<b>Place/Habitat</b>	Miniere di Grafite, Murialdo (SV)	grassy place
<b>References</b>	Zotti;	
<b><i>Psathyrella bipellis</i> (Quél.) A.H. Sm.</b>		
<b>Place/Habitat</b>	Ospedale Sampierdarena, Genova (GE)	on plant debris
<b>References</b>	Traverso;	
<b><i>Psathyrella candelleana</i> (Fr.: Fr.) Maire</b>		
	common species in Liguria	
<b>Typical habitat</b>	on or near broadleaved trees stumps	
<b><i>Psathyrella conopilus</i> (Fr.: Fr.) A. Pearson &amp; Dennis</b>		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	under broadleaved trees
<b>References</b>	Traverso;	
<b><i>Psathyrella cotonea</i> (Quél.) Konrad &amp; Maubl.</b>		
<b>Place/Habitat</b>	Prato, Genova (GE)	on wood of broadleaved trees
<b>References</b>	Traverso;	
<b><i>Psathyrella gracilis</i> (Fr.) Quél.</b>		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on rotting wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<b><i>Psathyrella leucotephra</i> (Berk. &amp; Broome)</b>	P.D. Orton	
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	around old stumps of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996;	
<b><i>Psathyrella marcescibilis</i> (Britzelm.) Singer</b>		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Colla San Giacomo, Quiliano (SV) Bric del tesoro, Cairo Montenotte (SV)	beech wood beech wood beech wood

**References** Orsino Dameri, 1996; Zotti, submitted, 1993;

*Psathyrella multipedata* (Peck) A.H. Sm.

**Place/Habitat** Fornelli di Pallare, Pallare (SV) chestnut wood  
**References** Zotti Olivieri;

*Psathyrella murcida* (Fr.) Kits van Wav.

**Place/Habitat** Melogno, Calizzano (SV) beech wood  
**References** Orsino Dameri, 1994;

*Psathyrella piluliformis* (Bull.: Fr.) P.D. Orton

common species in Liguria  
**Typical habitat** on or around stumps of broadleaved trees

*Psathyrella prona* (Fr.) Gillet

**Place/Habitat** Melogno, Calizzano (SV) path sides, on wet soil  
 Monte Beigua, Urbe (SV) beech wood  
**References** Orsino Dameri, 1996; Orsino;

*Psathyrella spadicea* (Schaeff.) Singer

**Place/Habitat** Melogno, Calizzano (SV) on dead trunk of *Fagus sylvatica* L.  
**References** Orsino Dameri, 1996;

*Psathyrella spadiceogrisea* (Schaeff.) Maire

**Place/Habitat** Punta Manara, Sestri Levante (GE) at the base of *Arbutus unedo* L.  
**References** Orsino Dameri, 1991b;

*Psathyrella spadiceogrisea* (Schaeff.) Maire forma *vernalis* (J.E. Lange) Kits van Wav.

**Place/Habitat** Melogno, Calizzano (SV) on soil rich in humus  
**References** Orsino Dameri, 1996;

*Pseudoclitocybe* Tricholomataceae, Agaricales, Basidiomycetes

*Pseudoclitocybe cyathiformis* (Bull.: Fr.) Singer

**Place/Habitat** Dan, Urbe (SV) beech wood  
 Melogno, Calizzano (SV) beech wood  
 Punta Manara, Sestri Levante (GE) holm-oak wood  
 Vaccarezza, Casella (GE) grassy place  
**References** Orsino Dameri; Orsino Dameri, 1996,  
 1991b; Orsino;

*Pseudoclitocybe expallens* (Pers.: Fr.) M. Moser

**Place/Habitat** Melogno, Calizzano (SV) margin of beech wood  
**References** Orsino Dameri, 1991a;

*Pseudocraterellus* Cantharellaceae, Cantharellales, Basidiomycetes

*Pseudocraterellus cinereus* (Pers.) Kalaméés

**Place/Habitat** Melogno, Calizzano (SV) beech wood  
 Val Polcevera, Sant'Olcese (GE),

<b>References</b>	Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE) Monte Pistone, Borghetto di Vara (SP) Colla San Giacomo, Quiliano (SV) Miniere di Grafite, Murialdo (SV) Orsino Dameri, 1996, 1989; Monti Andreotti, 1981; Zotti, submitted; Traverso Zotti;	chestnut wood chestnut wood beech wood under broadleaved trees
<b>Pseudocraterellus sinuosus</b> (Fr.) Corner		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Molinetti, Sant'Olcese, (GE) Monte Beigua, Urbe (SV) Monte Pistone, Borghetto di Vara (SP) Monte San Giorgio, Savona (SV) Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	beech wood beech wood beech wood chestnut wood chestnut wood chestnut wood chestnut wood beech wood
<b>References</b>	Zotti, 1993 1) 7), submitted 2); Orsino Dameri, 1996 3), 1989 8); Monti Andreotti, 1981 6); Balletto, 1981 4); Orsino 5);	chestnut wood
<b>Pseudohydnum</b>	<i>Exidiaceae, Tremellales, Basidiomycetes</i>	
<b>Pseudohydnum gelatinosum</b> (Scop.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP) Lago delle Lame, Rezzoaglio (GE)	on wood of chestnut trees on wood of broadleaved trees
<b>References</b>	Monti Andreotti, 1981; Orsino Zotti;	
<b>Psilocybe</b>	<i>Strophariaceae, Agaricales, Basidiomycetes</i>	
<b>Psilocybe cyanescens</b> Wakef.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on woody debris of broadleaved trees
<b>References</b>	Orsino Dameri, 1991a;	
<b>Psilocybe merdaria</b> (Fr.) Ricken		
<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	on dung
<b>References</b>	Monti Bisagni, 1990/91;	
<b>Psilocybe semilanceata</b> (Fr.) P. Kumm.		
<b>Place/Habitat</b>	Villetta di Negro, Genova (GE)	among moss
<b>References</b>	Traverso;	
<b>Psilocybe squamosa</b> (Pers.: Fr.) P.D. Orton		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1991a;	

<b>Pterula</b>	<i>Pterulaceae, Cantharellales, Basidiomycetes</i>	
<i>Pterula multifida</i> Fr.		
<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE) on woody debris	
<b>References</b>	Orsino, 1988;	
<b>Pulcherricum</b>	<i>Corticiaceae, Stereales, Basidiomycetes</i>	
<i>Pulcherricum caeruleum</i> (Schrad.: Fr.) Parmasto		
<b>Place/Habitat</b>	Finales, Finale (SV)	on dead wood of <i>Quercus ilex</i> L.
	Punta Manara, Sestri Levante (GE)	on fallen branches of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1991b;	
<b>Pulveroboletus</b>	<i>Boletaceae, Boletales, Basidiomycetes</i>	
<i>Pulveroboletus hemichrysus</i> (Berk. & M.A. Curtis) Singer		
<b>Place/Habitat</b>	Riva Trigoso (GE)	on stump of <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino Traverso, 1990;	
<b>Pycnoporus</b>	<i>Coriolaceae, Poriales, Basidiomycetes</i>	
<i>Pycnoporus cinnabarinus</i> (Jacq.) P. Karst.		
<b>Place/Habitat</b>	1) Melogno, Calizzano (SV)	on fallen twigs of <i>Fagus sylvatica</i> L.
	2) Riofreddo, Murialdo (SV)	on fallen twigs of <i>Fagus sylvatica</i> L.
	3) Sassello (SV)	on fallen branches of <i>Fagus sylvatica</i> L.
	4) Colle Melosa, Pigna (IM)	on fallen branches of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996 1); Traverso 2);	
Balletto 3) 4) 1981;		
<b>Ramaria</b>	<i>Ramariaceae, Gomphales, Basidiomycetes</i>	
<i>Ramaria aurea</i> (Schaeff.) Quél.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Miniere di Grafite, Murialdo (SV)	under broadleaved trees
<b>References</b>	Orsino Dameri, 1996; Zotti;	
<i>Ramaria botrytis</i> (Pers.: Fr.) Ricken		
	common species in Liguria	
<b>Typical habitat</b>	deciduous woods	
<i>Ramaria bourdotiana</i> Maire		
<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP)	holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	
<i>Ramaria eumorpha</i> (P. Karst.) Corner		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	on wood of conifer trees
<b>References</b>	Traverso;	

*Ramaria flava* (Schaeff.: Fr.) Quél.

common species in Liguria

**Typical habitat** deciduous woods, chestnut woods*Ramaria flavescens* (Schaeff.) R.H. Petersen**Place/Habitat** Melogno, Calizzano (SV)

beech wood

Colla San Giacomo, Quiliano (SV)

beech wood

**References** Orsino Dameri, 1996; Zotti, submitted;*Ramaria formosa* (Pers.: Fr.) Quél.

common species in Liguria

**Typical habitat** deciduous woods, chestnut woods*Ramaria fumigata* (Peck) Corner**Place/Habitat** Colla San Giacomo, Quiliano (SV)

beech wood

Costa, Murialdo (Sv)

chestnut wood

Melogno, Calizzano (SV)

beech wood

Val Polcevera, Sant'Olcese (GE)

chestnut wood

**References** Zotti, submitted; Traverso; Orsino Dameri, 1996; Orsino, 1988;*Ramaria lutea* (Vittad.) Schild**Place/Habitat** Melogno, Calizzano (SV)

beech wood

Colla San Giacomo, Quiliano (SV)

beech wood

**References** Orsino Dameri, 1996; Zotti, submitted;*Ramaria obtusissima* (Peck) Corner**Place/Habitat** Cianazzi, Savona (SV)

beech wood

**References** Zotti, 1993;*Ramaria pallida* (Schaeff.) Ricken**Place/Habitat** Melogno, Calizzano (SV)

beech wood

Ponte sul Bormida, Bardinetto (SV)

conifer and broadleaved

Riofreddo, Murialdo (SV)

woods

**References** Orsino Dameri, 1996; Traverso; Traverso Zotti;

conifer and broadleaved

woods

*Ramaria sanguinea* (Pers.) Quél.**Place/Habitat** Bosco della Chiesa, Montenotte (SV)

beech wood

Cianazzi, Savona (SV)

beech wood

Colla San Giacomo, Quiliano (SV)

beech wood

Melogno, Calizzano (SV)

beech wood

Ponte sul Bormida, Bardinetto (SV)

beech wood

**References** Zotti, 1993 1) 2), submitted 3); Orsino Dameri, 1996; Traverso 5);

beech wood

*Ramaria stricta* (Pers.: Fr.) Quél.

common species in Liguria

**Typical habitat** on rotten wood and roots of broadleaved trees

*Ramaria subbotrytis* (Coker) Corner

**Place/Habitat** Melogno, Calizzano (SV)  
Riofreddo, Murialdo (SV)

beech wood  
conifer and broadleaved woods

**References** Orsino Dameri, 1996; Traverso;

*Resupinatus* *Tricholomataceae, Agaricales, Basidiomycetes*

*Resupinatus applicatus* (Batsch: Fr.) Gray

**Place/Habitat** Punta Manara, Sestri Levante (GE)  
Finalese, Finale (SV)

on dead wood of *Quercus ilex* L.  
on decaying bark of broadleaved trees

**References** Orsino Dameri, 1991b; Orsino, 1988;

*Rhizopogon* *Rhizopogonaceae, Boletales, Basidiomycetes*

*Rhizopogon luteolus* Fr.

**Place/Habitat** Punta Manara, Sestri Levante (GE)  
Monterosso (SP)  
Punta Baffe, Moneglia (GE)

under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton

**References** Orsino, 1986; Orsino Dameri;  
Orsino;

*Rhizopogon roseolus* (Corda in Sturm) Th. Fr.

**Place/Habitat** Finalese, Finale (SV)  
Monte Brina, Sarzana (SP)  
Monte Pistone, Borghetto di Vara (SP)  
Portofino, Santa Margherita (GE)  
Punta Manara, Sestri Levante (GE)

under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton

**References** Orsino Traverso, 1986 1); Monti Bisagni, 1990/91 2); Monti Andreotti, 1981 3); Orsino 4); Orsino Dameri, 1991b 5);

*Rhizopogon villosulus* Zeller

**Place/Habitat** Colle dei Giovetti, Sassetto (SV)

under *Douglasia*

**References** Rebaudengo, 2000;

*Rhizopogon vulgaris* (Vittad.) M. Lange

**Place/Habitat** Monterosso (SP)  
Punta Baffe, Moneglia (GE)  
Punta Manara, Sestri Levante (GE)  
S. Giovanni dei Prati, Castel Vittorio (IM)

under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton  
under *Pinus pinaster* Aiton

**References** Orsino 1) 4); Orsino Traverso, 1990  
2); Orsino Dameri 3);

<b>Rhodocybe</b>	<i>Entolomataceae, Agaricales, Basidiomycetes</i>	
<i>Rhodocybe nitellina</i> (Fr.) Singer		
<b>Place/Habitat</b>	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
<b>References</b>	Zotti, 1993 1) 4), submitted 2); Orsino Dameri, 1996 3);	
<b>Rhodopaxillus</b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Rhodopaxillus densifolius</i> J. Favre		
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	beech wood
<b>References</b>	Orsino;	
<i>Rhodopaxillus glaucocanus</i> (Bres.) Métrod		
<b>Place/Habitat</b>	Lago delle Lame, Rezzoaglio (GE)	under broadleaved trees
	Besolagno, Savignone (GE)	chestnut wood
<b>References</b>	Traverso; Orsino;	
<i>Rhodopaxillus irinus</i> (Fr.) Métrod		
<b>Place/Habitat</b>	Urbe (SV)	margin of pine wood
<b>References</b>	Balletto, 1984;	
<i>Rhodopaxillus nudus</i> (Bull.: Fr.) Maire		
	very common species in Liguria	
<b>Typical habitat</b>	broadleaved and coniferous woods	
<i>Rhodopaxillus panaeolus</i> (Fr.) Maire		
<b>Place/Habitat</b>	Finalese, Finale (SV)	grassy place
<b>References</b>	Orsino Traverso, 1986;	
<i>Rhodopaxillus sordidus</i> (Schumach.: Fr.) Maire		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Orto Botanico, Genova (GE)	holm-oak wood
	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Traverso, 1986; Orsino, 1980; Orsino Dameri, 1989;	
<b>Rickenella</b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Rickenella fibula</i> (Bull.: Fr.) Raithelh.		
	common species in Liguria	
<b>Typical habitat</b>	among mosses in humid soil	
<b>Ripartites</b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Ripartites metrodii</i> Huijsman		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Ripartites tricholoma</i> (Alb. & Schwein.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Bric Burain, Altare (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood

<b>References</b>	Melogno, Calizzano (SV) Monte San Giorgio, Savona (SV) Orsino Dameri, 1991a 3); Zotti, 1993 1) 4) submitted 2);	beech wood beech wood
<b>Rozites</b>	<i>Cortinariaceae, Cortinariales, Basidiomycetes</i>	
<i>Rozites caperatus</i> (Pers.: Fr.) P. Karst.	common species in Liguria	
<b>Typical habitat</b>	beech wood	
<b>Russula</b>	<i>Russulaceae, Russulales, Basidiomycetes</i>	
<i>Russula acrifolia</i> Romagn.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE) Portofino, Santa Margherita (GE) Monterosso (SP)	holm-oak wood  chestnut wood chestnut wood <i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; Orsino; Orsino Dameri;	
<i>Russula adusta</i> (Pers.: Fr.) Fr.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Valle Scrivia, Savignone (GE)	holm-oak wood chestnut wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989;	
<i>Russula aeruginea</i> Lindblad		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Monti Andreotti, 1981;	
<i>Russula albonigra</i> (Krombh.) Fr.		
<b>Typical habitat</b>	common species in Liguria chestnut woods, beech woods	
<i>Russula alneterorum</i> Romagn.		
<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	under <i>Alnus glutinosa</i> (L.) Gaertn.
<b>References</b>	Traverso;	
<i>Russula alutacea</i> (Pers.: Fr.) Fr.		
<b>Typical habitat</b>	common species in Liguria chestnut woods, beech woods	
<i>Russula amoena</i> Quél.		
<b>Typical habitat</b>	common species in Liguria chestnut woods, beech woods and holm-oak woods	

*Russula amoenicolor* Romagn.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) Melogno, Calizzano (SV)	chestnut wood beech wood
<b>References</b>	Orsino, 1986; Orsino Dameri, 1996;	

*Russula amoenolens* Romagn.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	

*Russula anatina* Romagn.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989;	

*Russula anthracina* Romagn.

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	chestnut wood
<b>References</b>	Monti Bisagni, 1990/91;	

*Russula atropurpurea* (Krombh.) Britzelm.

<b>Typical habitat</b>	common species in Liguria broadleaved woods
------------------------	--

*Russula aurata* (With.) Fr.

<b>Typical habitat</b>	common species in Liguria broadleaved woods
------------------------	--

*Russula azurea* Bres.

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Monti Andreotti, 1981;	

*Russula brunneoviolacea* Crawshay

<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE)	chestnut wood
	Melogno, Calizzano (SV)	
	Cianazzi, Savona (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989, 1996; Zotti, 1993;	

*Russula caerulea* (Pers.) Fr.

<b>Place/Habitat</b>	Monterosso (SP)	<i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino;	

*Russula cavipes* Britzelm.

<b>Place/Habitat</b>	Lago delle Lame, Rezzoaglio (GE)	under <i>Abies alba</i> Mill.
	Valle di Upega, Pigna (IM)	under <i>Abies alba</i> Mill.
<b>References</b>	Orsino Zotti; Traverso;	

*Russula cessans* A. Pearson

<b>Place/Habitat</b>	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino;	

*Russula chamaeleontina* (Fr.) Fr.

common species in Liguria

**Typical habitat** broadleaved and coniferous woods

*Russula chloroides* (Krombh.) Bres.

common species in Liguria

**Typical habitat** broadleaved and coniferous woods

*Russula cistoadelpha* M.Moser & Trimbach

**Place/Habitat** M.Branzi, Lerici (SP) holm-oak wood

**References** Monti Maccioni, 1996;

*Russula claroflava* Grove

**Place/Habitat** Trappena, Val Bisagno (GE) chestnut wood

**References** Traverso;

*Russula curtipes* F.H. Moeller & Jul. Schaeff.

**Place/Habitat** Calizzano (SV) beech wood

Melogno, Calizzano (SV)

**References** Traverso; Orsino Dameri, 1996;

*Russula cyanoxantha* (Schaeff.) Fr.

very common species in Liguria

**Typical habitat** broadleaved and coniferous woods

*Russula cyanoxantha* (Schaeff.) Fr. forma *peltreaui* Maire

**Place/Habitat** Melogno, Calizzano (SV) beech wood

**References** Orsino Dameri. 1996;

*Russula decipiens* (Singer) Kühner & Romagn.

**Place/Habitat** Punta Manara, Sestri Levante (GE) holm-oak wood

Portofino, Santa Margherita (GE)

**References** Orsino, 1988; Orsino;

*Russula delica* Fr.

very common species in Liguria

**Typical habitat** broadleaved and coniferous woods

*Russula densifolia* Gillet

**Place/Habitat** Melogno, Calizzano (SV) beech wood

Val Polcevera, Sant'Olcese (GE),

Val Polcevera, Serra Riccò (GE), Valle

Scrivia, Casella (GE) and Valle Scrivia,

Savignone (GE)

**References** Orsino Dameri, 1996, 1989;

*Russula elaeodes* (Pers.) Romagn.

**Place/Habitat** Punta Manara, Sestri Levante (GE) holm-oak wood

Genova (GE)

**References** Orsino Dameri, 1989; Balletto, 1983;

in public park under *Pinus halepensis* Mill. and *Quercus ilex* L.

*Russula emeticicolor* Jul. Schaeff.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	

*Russula faginea* Romagn.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Bric del tesoro, Cairo Montenotte (SV)	beech wood
	Cianazza, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Lago delle Lame, Rezzoaglio (GE)	under broadleaved trees
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
<b>References</b>	Zotti, 1993 1) 2) 3) 7), submitted 4); Orsino Dameri, 1994 6); Orsino Zotti 5); Traverso 8);	

*Russula fellea* (Fr.) Fr.

<b>Typical habitat</b>	very common species in Liguria beech woods
------------------------	---

*Russula foetens* Pers.

<b>Typical habitat</b>	very common species in Liguria broadleaved and coniferous woods
------------------------	--

*Russula fragilis* (Pers.: Fr.) Fr.

<b>Typical habitat</b>	common species in Liguria holm-oak woods, beech woods, chestnut woods
------------------------	--

*Russula gracillima* Jul. Schäff.

<b>Place/Habitat</b>	Costa, Muralaldo (Sv)	under birch
<b>References</b>	Traverso;	

*Russula graveolens* Romell

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino, 1986;	

*Russula grisea* (Pers.) Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
	Valle Scrivia, Casella (GE)	chestnut wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved woods
	Monte Pistone, Borghetto di Vara (SP)	conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1996, 1989; Zotti, submitted; Traverso Zotti; Monti Andreotti, 1981;	

*Russula heterophylla* (Fr.) Fr.

very common species in Liguria

**Typical habitat** beech woods, chestnut woods*Russula ilicis* Romagn., Chevassut & PRivat

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	

*Russula illota* Romagn.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
<b>References</b>	Zotti, submitted, 1993;	

*Russula integra* (L.) Fr.

<b>Place/Habitat</b>	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	chestnut wood
	Monte San Giorgio, Savona (SV)	beech wood
<b>References</b>	Zotti, 1993 1) 3), submitted 2);	

*Russula laeta* Jul. Schaeff. & F.H. Moeller

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino Dameri, 1989;	

*Russula langei* Bon

<b>Place/Habitat</b>	Riofreddo, Murielmo (SV)	conifer and broadleaved woods
	Costa, Murielmo (Sv)	chestnut wood
<b>References</b>	Traverso;	

*Russula laurocerasi* Melzer

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Lago delle Lame, Rezzoaglio (GE)	conifer and broadleaved woods
	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	beech wood
	Monte Pistone, Borghetto di Vara (SP)	beech wood
	Passo San Giorgio, Savona (SV)	beech wood
	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	beech wood
	Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	beech wood
<b>References</b>	Orsino Dameri, 1989 8), 1996 3); Zotti, 1993 6), submitted 1); Orsino 4); Monti Andreotti, 1981 5); Orsino Zotti 2) 7);	chestnut wood

*Russula lepida* Fr.

<b>Typical habitat</b>	very common species in Liguria
	chestnut woods, beech woods

*Russula livescens* (Batsch) Quél.

<b>Place/Habitat</b>	Monte Maggio, Casella (GE) Monte Brina, Sarzana (SP)	chestnut wood conifer and broadleaved woods
<b>References</b>	Orsino, 1988; Monti Bisagni, 1990/91;	

*Russula lutea* (Huds.: Fr.) Gray

<b>Typical habitat</b>	very common species in Liguria broadleaved and coniferous woods
------------------------	--

*Russula maculata* Quél.

<b>Place/Habitat</b>	Finalese, Finale (SV) Punta Manara, Sestri Levante (GE) Nenno, Valbrevenna (GE) Monte Beigua, Urbe (SV)	holm-oak wood holm-oak wood under <i>Quercus cerris</i> L. beech wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1991b; Orsino; Orsino Traverso;	

*Russula mairei* Singer

<b>Typical habitat</b>	Very common species in Liguria beech woods
------------------------	---

*Russula melliolens* Quél.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) Punta Manara, Sestri Levante (GE) Costa, Murialdo (SV) Monte Pistone, Borghetto di Vara (SP) Monte Brina, Sarzana (SP)	chestnut wood holm-oak wood chestnut wood chestnut wood chestnut wood
<b>References</b>	Orsino Dameri, 1989, 1991b; Traverso; Monti Andreotti, 1981; Monti Bisagni, 1990/91;	

*Russula mesospora* Singer

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Punta Manara, Sestri Levante (GE) Nenno, Valbrevenna (GE)	beech wood holm-oak wood under <i>Quercus cerris</i> L.
<b>References</b>	Orsino Dameri, 1996; 1991b; Orsino;	

*Russula minutula* Velen.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	conifer and broadleaved woods
	Monte Maggio, Casella (GE)	chestnut wood
<b>References</b>	Zotti, submitted; Orsino, 1988;	

*Russula nigricans* (Bull.) Fr.

<b>Typical habitat</b>	very common species in Liguria broadleaved and coniferous woods
------------------------	--

*Russula ochroleuca* Pers.

<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Cascinassa, Cairo Montenotte (SV) Cianazzi, Savona (SV) Melogno, Calizzano (SV) Monte Beigua, Urbe (SV) Monte San Giorgio, Savona (SV)	beech wood beech wood beech wood beech wood beech wood beech wood
<b>References</b>	Montenotte Molini, Cairo Montenotte (SV) Zotti, 1993 1) 2) 3) 6) 7); Orsino Dameri, 1996 4); Orsino, 5);	beech wood

*Russula ochrospora* (Nicolaj) Quadraccia

<b>Place/Habitat</b>	Campo di Gia' M. Rocchetta, Lerici (SP) Fodo M. Rocchetta, Lerici (SP)	holm-oak wood holm-oak wood
<b>References</b>	Monti Maccioni, 1996;	

*Russula olivacea* (Schaeff.) Pers.

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Monte Beigua, Urbe (SV) Val Polcevera, Sant'Olcese (GE) Riofreddo, Murielado (SV)	beech wood beech wood chestnut wood conifer and broadleaved woods
<b>References</b>	Bric del tesoro, Cairo Montenotte (SV) Zotti, submitted; Orsino; Orsino Dameri, 1989; Traverso;	beech wood

*Russula olivasicens* Pers.

<b>Place/Habitat</b>	Genova (GE)	in a public park
<b>References</b>	Balletto, 1981a;	

*Russula pallidospora* (J. Blum) Romagn.

<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986;	

*Russula parazurea* Jul. Schaeff.

<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1989;	

*Russula pectinata* (Bull.) Fr.

<b>Place/Habitat</b>	Finalese, Finale (SV) Monte Beigua, Urbe (SV) Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	holm-oak wood beech wood
<b>References</b>	chestnut wood Rio Rostiolo, Urbe (SV) Orsino Traverso, 1986; Orsino; Orsino Dameri, 1989; Traverso;	beech wood

*Russula persicina* Krombh.

<b>Place/Habitat</b>	Monte Brina, Sarzana (SP)	conifer and broadleaved woods
----------------------	---------------------------	-------------------------------

<b>References</b>	Monti Bisagni, 1990/91;	
<i>Russula praetervisa</i> Sarnari		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE) Costa, Murialdo (Sv)	holm-oak wood chestnut wood
<b>References</b>	Orsino Dameri, 1991b; Traverso;	
<i>Russula pseudointegra</i> Arnoult & Goris		
<b>Place/Habitat</b>	Valle Scrivia, Casella (GE) Bargagli (GE)	chestnut wood under broadleaved trees
<b>References</b>	Orsino Dameri, 1989; Balletto 1981a;	
<i>Russula puellaris</i> Fr.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE) Lago delle Lame, Rezzoaglio (GE)	holm-oak wood conifer and broadleaved woods
<b>References</b>	Orsino Dameri, 1991b; Orsino Zotti;	
<i>Russula raoultii</i> Quél.		
<b>Place/Habitat</b>	Molinetti di Sant'Olcese, Sant'Olcese (GE) Lago delle Lame, Rezzoaglio (GE)	chestnut wood conifer and broadleaved woods
<b>References</b>	Orsino 1986; Orsino Zotti ;	
<i>Russula rhodopus</i> Zvára		
<b>Place/Habitat</b>	Valle di Upega, Pigna (IM)	fir-wood
<b>References</b>	Traverso;	
<i>Russula romellii</i> Maire		
<b>Typical habitat</b>	very common species in Liguria deciduous woods	
<i>Russula rosea</i> Quél.		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV) Cianazza, Savona (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte Roccabruna, Fontanigorda(GE) Monte San Giorgio, Savona (SV) Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	beech wood beech wood beech wood beech wood beech wood beech wood beech wood chestnut wood
<b>References</b>	Zotti, 1993 1) 2) 6), submitted 3); Orsino Dameri, 1996 4) 1989 7); Orsino 5);	
<i>Russula rubroalba</i> (Singer) Romagn.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Monte San Giorgio, Savona (SV)	beech wood beech wood
<b>References</b>	Orsino Dameri, 1996; Zotti, 1993;	

*Russula rutila* Romagn.

<b>Place/Habitat</b>	Bargone, Casarza Ligure (GE)	pine wood
<b>References</b>	Traverso;	

*Russula sanguinea* (Bull.) Fr.

<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV) Monterosso (SP) Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Monte Brina, Sarzana (SP) Traverso Zotti; Orsino; Monti Andreotti, 1981; Monti Bisagni, 1990/91;	under <i>Pinus pinaster</i> Aiton
		under <i>Pinus pinaster</i> Aiton
		under <i>Pinus pinaster</i> Aiton

*Russula sardonia* Fr.

<b>Typical habitat</b>	very common species in Liguria <i>Pinus pinaster</i> Aiton woods
------------------------	---

*Russula silvestris* (Singer) Reumaux

<b>Typical habitat</b>	very common species in Liguria deciduous and coniferous woods
------------------------	--

*Russula solaris* Ferd. & Winge

<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte San Giorgio, Savona (SV) Passo San Giorgio, Savona (SV) Valle Scrivia, Savignone (GE)	beech wood beech wood beech wood beech wood chestnut wood
<b>References</b>	Zotti, 3) 4), submitted 1); Orsino Dameri, 1989 5), 1996 2);	

*Russula sororia* Fr.

<b>Place/Habitat</b>	Finalse, Finale (SV) Val Polcevera, Sant'Olcese (GE) Punta Manara, Sestri Levante (GE)	mixed wood chestnut wood holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989, 1991b;	

*Russula subfoetens* Wm.G. Sm.

<b>Place/Habitat</b>	Finalse, Finale (SV) Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986; Orsino;	
		beech wood

*Russula torulosa* Bres.

<b>Typical habitat</b>	very common species in Liguria <i>Pinus pinaster</i> Aiton woods
------------------------	---

*Russula velenovskyi* Melzer & Zvára

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	

*Russula vesca* Fr.

<b>Typical habitat</b>	very common species in Liguria broadleaved woods
------------------------	---

*Russula veterosa* Fr.

<b>Place/Habitat</b>	Melogno, Calizzano (SV) Nenno, Valbrevenna (GE)	beech wood under <i>Quercus cerris</i> L.
<b>References</b>	Orsino Dameri, 1996; Orsino, 1988;	

*Russula vinosobrunnea* (Bres.) Romagn.

<b>Place/Habitat</b>	Bric del tesoro, Cairo Montenotte (SV) Bric Sportiolo, Pontinvrea (SV) Colla San Giacomo, Quiliano (SV) Melogno, Calizzano (SV) Monte San Giorgio, Savona (SV)	beech wood beech wood beech wood beech wood beech wood
<b>References</b>	Zotti, 1993 1) 2) 5), submitted 3); Orsino Dameri, 1996 4);	

*Russula violacea* Quél.

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP) Monte Brina, Sarzana (SP)	chestnut wood chestnut wood
<b>References</b>	Monti Andreotti, 1981; Monti Bisagni, 1990/91;	

*Russula violeipes* Quél.

<b>Typical habitat</b>	very common species in Liguria deciduous woods
------------------------	---

*Russula virescens* (Schaeff.) Fr.

<b>Typical habitat</b>	common species in Liguria thermophilous broadleaved woods
------------------------	--

*Russula xerampelina* (Schaeff.) Fr.

<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	pine wood
<b>References</b>	Monti Andreotti, 1981;	

*Russula zvarae* Velen.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	

*Sarcodon* *Thelephoraceae, Thelephorales, Basidiomycetes**Sarcodon cyrneus* Maas Geest.

<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino, 1988;	

*Sarcodon imbricatus* (L.: Fr.) P. Karst.

<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
----------------------	--	---------------

<b>References</b>	Orsino Dameri, 1989;	
<i>Sarcodon joeides</i> (Pass.) Bataille		
<b>Place/Habitat</b>	Sant'Olcese, Genova (GE) Nenno, Valbrevenna (GE)	chestnut wood chestnut wood
<b>References</b>	Orsino, 1986; Orsino, 1986;	
<i>Sarcodon scabrosus</i> (Fr.) Karst.		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV) Cascinassa, Cairo Montenotte (SV) Val Polcevera, Sant'Olcese (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE) Arma di Taggia, Taggia (IM)	beech wood beech wood
<b>References</b>	Zotti, submitted, 1993; Orsino Dameri, 1989; Balletto 1981a;	chestnut wood under broadleaved trees
<i>Sarcodon versipellis</i> (Fr.) Quél.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Monti Andreotti, 1981;	
<i>Schizophyllum</i>	<i>Schizophyllaceae, Schizophyllales, Basidiomycetes</i>	
<i>Schizophyllum commune</i> Fr.: Fr.	very common species in Liguria	
<b>Typical habitat</b>	on dead wood of deciduous and coni- fer trees	
<i>Schizopora</i>	<i>Hyphodermataceae, Stereales, Basidiomycetes</i>	
<i>Schizopora paradoxa</i> (Schrad.: Fr.) Donk		
<b>Place/Habitat</b>	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	on dead branches of deciduous trees
	Monte Alpesisa, Montoggio (GE)	on dead wood of <i>Corylus avel- lana</i> L.
	Monte Brina, Sarzana (SP)	on wood of chestnut trees
	Punta Manara, Sestri Levante (GE)	on fallen branches of <i>Quercus ilex</i> L.
<b>References</b>	Orsino Dameri, 1989; Orsino, 1988; Monti Bisagni, 1990/91; Orsino Dameri, 1991b;	
<i>Scleroderma</i>	<i>Sclerodermataceae, Sclerodermatales, Basidiomycetes</i>	
<i>Scleroderma areolatum</i> Ehrenb.		
<b>Place/Habitat</b>	Riva Trigoso (GE)	broadleaved wood
<b>References</b>	Traverso;	
<i>Scleroderma bovista</i> Fr.		
<b>Place/Habitat</b>	Bric del tesoro, Cairo Montenotte (SV)	beech wood

	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Passo San Giorgio, Savona (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Zotti, 1993 1) 4) 5), submitted 2); Orsino Dameri, 1996 3), 1989 6);	
<b>Scleroderma citrinum</b> (L.) Pers.:Pers.	very common species in Liguria	
<b>Typical habitat</b>	beech woods, chestnut woods	
<b>Scleroderma meridionale</b> Demoulin & Malençon		
<b>Place/Habitat</b>	Genova (GE)	pine wood
<b>References</b>	Traverso;	
<b>Scleroderma polyrhizum</b> J.F. Gmel.: Pers.		
<b>Place/Habitat</b>	Ponte sul Bormida, Bardinetto (SV)	conifer and broadleaved woods
	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Cianazza, Savona (SV)	beech wood
<b>References</b>	Traverso; Orsino; Zotti, 1993;	
<b>Scleroderma verrucosum</b> (Bull.) Pers.:Pers.	very common species in Liguria	
<b>Typical habitat</b>	broadleaved woods	
<b>Serpula</b>	<i>Coniophoraceae, Boletales, Basidiomycetes</i>	
<b>Serpula lacrymans</b> (Wulfen) J. Schröt.		
<b>Place/Habitat</b>	Savignone (GE)	on wood
<b>References</b>	Balletto, 1981;	
<b>Skeletocutis</b>	<i>Coriolaceae, Porales, Basidiomycetes</i>	
<b>Skeletocutis alutacea</b> (J. Lowe) J.Keller		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on dead branches of <i>Prunus avium</i> L.
<b>References</b>	Orsino Traverso, 1986;	
<b>Sparassis</b>	<i>Sparassidaceae, Cantharellales, Basidiomycetes</i>	
<b>Sparassis crispa</b> (Wulfen in Jacq.) Fr.: Fr.		
<b>Place/Habitat</b>	Casella (GE)	conifer and broadleaved woods
<b>References</b>	Balletto, 1977;	
<b>Sphaerobolus</b>	<i>Sphaerobolaceae, Sclerodermatales, Basidiomycetes</i>	
<b>Sphaerobolus stellatus</b> Tode:Pers.		
<b>Place/Habitat</b>	Dan, Urbe (SV)	on decaying plant debris
<b>References</b>	Orsino;	

<b><i>Steccherinum</i></b>	<i>Steccherinaceae, Stereales, Basidiomycetes</i>
<i>Steccherinum ochraceum</i> (Pers.: Fr.) Gray	
<b>Place/Habitat</b>	Savona (SV)
<b>References</b>	on dead wood of <i>Alnus glutinosa</i> (L.) Gaertn.
<b><i>Stereum</i></b>	<i>Stereaceae, Stereales, Basidiomycetes</i>
<i>Stereum gausapatum</i> (Fr.) Fr.	
<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)
<b>References</b>	on dead wood of <i>Quercus cerris</i> L. and <i>Castanea sativa</i> Mill.
<b><i>Stereum hirsutum</i></b> (Willd.: Fr.) Gray	very common species in Liguria
<b>Typical habitat</b>	on dead wood of broadleaved trees
<b><i>Stereum insignitum</i></b> Quél.	
<b>Place/Habitat</b>	Passo Bracco, Sestri Levante (GE)
<b>References</b>	on wood of broadleaved trees
<b><i>Stereum ochraceo-flavum</i></b> (Schwein.) Ellis	
<b>Place/Habitat</b>	Villa Doria, Pegli (GE)
<b>References</b>	on wood of broadleaved trees
<b><i>Stereum reflexulum</i></b> D.A. Reid	
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)
<b>References</b>	on stumps and dead branches of <i>Erica arborea</i> L.
<b><i>Stereum rugosum</i></b> Pers.	
<b>Place/Habitat</b>	Finalese, Finale (SV)
	on dead wood of broadleaved trees
	Melogno, Calizzano (SV)
	on stumps of <i>Fagus sylvatica</i> L.
	Val Polcevera, Sant'Olcese (GE)
	on dead wood of chestnut trees
	Punta Manara, Sestri Levante (GE)
	on dead branches of <i>Quercus ilex</i> L.
	Monte Pistone, Borghetto di Vara (SP)
	on wood of chestnut trees
	Monte Brina, Sarzana (SP)
	on wood of chestnut trees
	Bosco della Chiesa, Montenotte (SV)
	on stumps of <i>Fagus sylvatica</i> L.
<b>References</b>	
	Orsino Traverso, 1986; Orsino Dameri, 1996, 1989, 1991b; Monti Andreotti, 1981; Monti Bisagni, 1990/91; Zotti, 1993;
<b><i>Stereum sanguinolentum</i></b> (Alb. & Schwein.: Fr.) Fr.	
<b>Place/Habitat</b>	Monte Penna, Rezzoaglio (GE)
<b>References</b>	on wood of conifer trees

<b><i>Strobilomyces</i></b>	<i>Strobilomycetaceae, Boletales, Basidiomycetes</i>	
<i>Strobilomyces strobilaceus</i> (Scop.: Fr.) Berk.	common species in Liguria	
<b>Typical habitat</b>	broadleaved woods	
<b><i>Strobilurus</i></b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<i>Strobilurus tenacellus</i> (Pers. : Fr.) Singer		
<b>Place/Habitat</b>	Besolagno, Savignone (GE)	on buried cones of <i>Pinus nigra</i> J. F. Arnold
<b>References</b>	Orsino;	
<b><i>Stropharia</i></b>	<i>Strophariaceae, Agaricales, Basidiomycetes</i>	
<i>Stropharia aeruginosa</i> (Curtis: Fr.) Quél.	common species in Liguria	
<b>Typical habitat</b>	beech woods, chestnut woods	
<i>Stropharia albocyanea</i> (Fr.) Quél.		
<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	beech wood
<b>References</b>	Traverso;	
<i>Stropharia caerulea</i> Kreisel		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1991a;	
<i>Stropharia coronilla</i> (Bull.: Fr.) Quél.		
<b>Place/Habitat</b>	Valle Scrivia, Casella (GE)	margin of chestnut wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Stropharia ferrii</i> Bres.		
<b>Place/Habitat</b>	Masone (GE)	grassy place
<b>References</b>	Balletto, 1981;	
<i>Stropharia semiglobata</i> (Batsch: Fr.) Quél.		
<b>Place/Habitat</b>	Faiallo, Urbe (SV)	on horse dung
<b>References</b>	Orsino;	
<b><i>Suillus</i></b>	<i>Boletaceae, Boletales, Basidiomycetes</i>	
<i>Suillus bellinii</i> (Inzenga) Kuntze	common species in Liguria	
<b>Typical habitat</b>	<i>Pinus pinaster</i> Aiton woods	
<i>Suillus bovinus</i> (L.: Fr.) Kuntze	common species in Liguria	
<b>Typical habitat</b>	<i>Pinus pinaster</i> Aiton woods	
<i>Suillus collinitus</i> (Fr.) Kuntze		
<b>Place/Habitat</b>	Strada Ferrieto, Piana Crixia (SV) Portofino, Santa Margherita (GE)	under <i>Pinus pinaster</i> Aiton under <i>Pinus pinaster</i> Aiton
<b>References</b>	Traverso Zotti; Orsino;	

*Suillus granulatus* (L.: Fr.) Kuntze

common species in Liguria

**Typical habitat** Pine woods, mostly under *Pinus nigra*  
**References** J. F. Arnold

*Suillus grevillei* (Klotzsch: Fr.) Singer

**Place/Habitat** Fontanigorda (GE)  
**References** Orsino;

under *Larix decidua* Mill.*Suillus luteus* (L.: Fr.) Gray

**Place/Habitat** Costa, Muraldo (Sv)  
 Fontanigorda (GE)  
 Fornelli di Pallare, Pallare (SV)  
**References** Traverso; Orsino; Zotti Olivieri;

under *Pinus nigra* J. F. Arnold  
 under *Pinus sylvestris* L.  
 under *Pinus nigra* J. F. Arnold

*Suillus tridentinus* (Bres.) Singer

**Place/Habitat** Fontanigorda (GE)  
**References** Orsino ;

under *Larix decidua* Mill.*Suillus variegatus* (Sw.: Fr.) Kuntze

**Place/Habitat** Calizzano (SV)  
 Ponte sul Bormida, Bardinetto (SV)  
 Riserva Agorai, Rezzoaglio (GE),  
 S.Stefano d'Aveto (GE)  
 Lago delle Lame, Rezzoaglio (GE)  
**References** Orsino Dameri, 1996; Traverso;  
 Orsino; Orsino Zotti;

under *Pinus sylvestris* L.  
 under *Pinus sylvestris* L.  
 under *Pinus sylvestris* L.  
 under *Pinus sylvestris* L.

*Suillus viscidus* (Fr. & Hök) S. Rauschert

**Place/Habitat** Fontanigorda (GE)  
 Miniere di Grafite, Muraldo (SV)  
**References** Orsino; Zotti ;

under *Larix decidua* Mill.  
 under *Larix decidua* Mill.

*Tephrocybe* *Tricholomataceae, Agaricales, Basidiomycetes**Tephrocybe anthracophila* (Lasch) P.D. Orton

**Place/Habitat** Molinetti di Sant'Olcese, Sant'Olcese (GE) on burnt soil  
 Punta Manara, Sestri Levante (GE) on burnt soil  
**References** Orsino, 1986; Orsino Dameri, 1991b;

*Tephrocybe implexa* (P. Karst.) M. Moser

**Place/Habitat** Melogno, Calizzano (SV) beech wood  
**References** Orsino Dameri, 1989;

*Tephrocybe murina* (Batsch: Fr.) M. Moser

**Place/Habitat** Rossiglione (GE) grassy place  
**References** Orsino Traverso, 1990;

*Tephrocybe platypus* (Kühner) M. Moser

**Place/Habitat** Punta Manara, Sestri Levante (GE) holm-oak wood  
**References** Orsino Dameri, 1989;

<i>Tephrocybe rancida</i> (Fr.) Donk		
<b>Place/Habitat</b>	Melogno, Calizzano (SV) Colla di Gritta, Monterosso (SP)	beech wood <i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino Dameri, 1996; Orsino;	
<i>Thelephora</i>	<i>Thelephoraceae, Thelephorales, Basidiomycetes</i>	
<i>Thelephora caryophyllea</i> (Schaeff.) Fr.: Fr.		
<b>Place/Habitat</b>	Colle Langan, Pigna (IM)	under <i>Pinus sylvestris</i> L.
<b>References</b>	Orsino Dameri, 1991;	
<i>Thelephora palmata</i> (Scop.) Fr.: Fr.		
<b>Place/Habitat</b>	Righi, Genova (GE)	under <i>Pinus nigra</i> J. F. Arnold
<b>References</b>	Traverso;	
<i>Thelephora terrestris</i> Ehrh.: Fr.		
<b>Place/Habitat</b>	Riofreddo, Murielado (SV)	conifer and broadleaved woods
	Monte Pistone, Borghetto di Vara (SP)	chestnut wood
<b>References</b>	Traverso, Monti Andreotti, 1981;	
<i>Trametes</i>	<i>Coriolaceae, Porales, Basidiomycetes</i>	
<i>Trametes gibbosa</i> (Pers.) Fr.		on stumps of <i>Fagus sylvatica</i> L.
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	
<b>References</b>	Orsino Dameri, 1994;	
<i>Trametes hirsuta</i> (Wulfen) Pilát		
<b>Place/Habitat</b>	Finalese, Finale (SV)	on dead wood of broadleaved trees
	Melogno, Calizzano (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Monte Beigua, Urbe (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Riofreddo, Murielado (SV)	on dead wood of broadleaved trees
	Valbrevenna (GE)	on dead wood of chestnut trees
	Valle Scrivia, Savignone (GE)	on dead wood of chestnut trees
<b>References</b>	Orsino Traverso, 1986 1); Orsino Dameri, 1989 6); 1996 2); Traverso 4); Orsino 3) 5);	
<i>Trametes ochracea</i> (Pers.) Gilb. & Ryvarden		
<b>Place/Habitat</b>	Fodo M. Rocchetta, Lerici (SP)	on wood of holm-oak trees
<b>References</b>	Monti Maccioni, 1996;	
<i>Trametes pubescens</i> (Schumach.) Pilát		
<b>Place/Habitat</b>	Val Bisagno, Davagna (GE)	on dead wood of alder trees
	Punta Manara, Sestri Levante (GE)	on fallen branches of <i>Quercus ilex</i> L.
<b>References</b>	Orsino; Orsino Dameri, 1991b;	

*Trametes versicolor* (L.) Pilát

very common species in Liguria

**Typical habitat** on dead wood of broadleaved trees*Tremella* Tremellaceae, Tremellales, Basidiomycetes*Tremella foliacea* Pers.: Fr.**Place/Habitat** Valle Scrivia, Casella (GE)on dead trunk of *Castanea sativa* Mill.

Melogno, Calizzano (SV)

on dead wood of *Fagus sylvatica* L.**References** Orsino, 1988; Orsino Dameri, 1996;*Tremella mesenterica* Retz.: Fr.

common species in Liguria

**Typical habitat** on dead wood of deciduous trees*Trichaptum* Coriolaceae, Porales, Basidiomycetes*Trichaptum abietinum* (Pers.) Ryvarden**Place/Habitat** Ponte sul Bormida, Bardinetto (SV)

on dead wood of conifer trees

**References** Traverso;*Trichaptum biforme* (Fr.) Ryvarden**Place/Habitat** Campo di Gia' M. Rocchetta, Lerici (SP)

on wood of holm-oak trees

**References** Monti Maccioni, 1996;*Trichaptum fuscoviolaceum* (Ehrenb.: Fr.) Ryvarden**Place/Habitat** Colla di Gritta, Monterosso (SP)on dead wood of *Pinus pinaster* Aiton

Punta Baffe, Moneglia (GE)

on dead wood of *Pinus pinaster* Aiton

Punta Manara, Sestri Levante (GE)

on dead wood of *Pinus pinaster* Aiton

Righi, Genova (GE)

on dead wood of *Pinus nigra* J. F. Arnold**References** Orsino Traverso, 1990 1) 2) 4);  
Orsino Dameri, 1991b 3);*Tricholoma* Tricholomataceae, Agaricales, Basidiomycetes*Tricholoma acerbum* (Bull.: Fr.) Quél.

common species in Liguria

**Typical habitat** coniferous and broadleaved woods*Tricholoma album* (Schaeff.: Fr.) P. Kumm.

common species in Liguria

**Typical habitat** broadleaved woods*Tricholoma argyraceum* (Bull.) Gillet**Place/Habitat** Val Polcevera, Sant'Olcese (GE)

chestnut wood

<b>References</b>	Orsino Dameri, 1989;	
<i>Tricholoma atrosquamosum</i> (Chevall.) Sacc.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Valle Scrivia, Casella (GE) Melogno, Calizzano (SV) Monte Pistone, Borghetto di Vara (SP) Monte Brina, Sarzana (SP) Lago delle Lame, Rezzoaglio (GE)	holm-oak wood chestnut wood beech wood under <i>Pinus pinaster</i> Aiton under <i>Pinus pinaster</i> Aiton under broadleaved trees
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; 1996; Monti Andreotti, 1981; Monti Bisagni, 1990/91; Orsino Zotti;	
<i>Tricholoma aurantium</i> (Schaeff.: Fr.) Ricken		
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
<b>References</b>	Orsino Traverso, 1986 ;	
<i>Tricholoma basirubens</i> (Bon) A. Riva & Bon		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Tricholoma batschii</i> Gulden		
<b>Place/Habitat</b>	Monterosso (SP) Punta Manara, Sestri Levante (GE) Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	under <i>Pinus pinaster</i> Aiton under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino, 1986 2); Orsino Dameri 1) 3);	under <i>Abies alba</i> Mill.
<i>Tricholoma bresadolani</i> Clémençon		
<b>Place/Habitat</b>	Nenno, Valbrevenna (GE)	under <i>Quercus cerris</i> L.
<b>References</b>	Orsino;	
<i>Tricholoma bufonium</i> (Pers.: Fr.) Quél.		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Monti Andreotti, 1981;	
<i>Tricholoma caligatum</i> (Viv.) Ricken		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)  Punta Manara, Sestri Levante (GE) Portofino, Santa Margherita (GE) Monterosso (SP)	conifer and broadleaved woods holm-oak wood under <i>Pinus pinaster</i> Aiton under <i>Pinus pinaster</i> Aiton
<b>References</b>	Zotti, submitted; Orsino Dameri, 1991b; Orsino; Orsino Dameri;	
<i>Tricholoma colossus</i> (Fr.) Quél.		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE) Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton under <i>Pinus pinaster</i> Aiton

<b>References</b>	Orsino Dameri, 1991b; Monti Andreotti, 1981;	
<i>Tricholoma columbetta</i> (Fr.) P. Kumm.	very common species in Liguria	
<b>Typical habitat</b>	beech woods, chestnut woods	
<i>Tricholoma equestre</i> (L.: Fr.) P. Kumm.	common species in Liguria	
<b>Typical habitat</b>	<i>Pinus pinaster</i> Aiton woods, more rarely in holm-oak and beech woods	
<i>Tricholoma filamentosum</i> Alessio		
<b>Place/Habitat</b>	Bric Burain, Altare (SV)	beech wood
<b>References</b>	Zotti, 1993;	
<i>Tricholoma focale</i> (Fr.) Ricken		
<b>Place/Habitat</b>	Colla di Gritta, Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino;	
<i>Tricholoma fulvum</i> (DC.: Fr.) Sacc.		
<b>Place/Habitat</b>	Monte Beigua, Urbe (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Casella (GE)	
<b>References</b>	Orsino; Orsino Dameri, 1989;	chestnut wood
<i>Tricholoma groanense</i> Viola		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Colle dei Giovetti, Sassello (SV)	under broadleaved trees
	Melogno, Calizzano (SV)	beech wood
	Miniere di Grafite, Murielmo (SV)	under broadleaved trees
	Monte Zatta, Borzonasca (GE)	beech wood
	S.Pietro d'Olba, Urbe (SV)	under broadleaved trees
<b>References</b>	Orsino Dameri, 1996 3); Zotti, submitted 1); Orsino 5); Zotti Olivieri 2) 4); Balletto, 1981a 6);	
<i>Tricholoma imbricatum</i> (Fr.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Riserva Agorae, Rezzoaglio (GE), S.Stefano d'Aveto (GE)	under <i>Pinus nigra</i> J. F. Arnold
	Melogno, Calizzano (SV)	under <i>Pinus nigra</i> J. F. Arnold
<b>References</b>	Orsino; Orsino Dameri, 1996;	
<i>Tricholoma joachimii</i> Bon & A. Riva		
<b>Place/Habitat</b>	Passo della Bocchetta, Campomorone(GE)	oak wood
<b>References</b>	Traverso;	
<i>Tricholoma lascivium</i> (Fr.) Gillet		
<b>Place/Habitat</b>	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood

<b>References</b>	Monte Antola, Genova (GE) Monte Beigua, Urbe (SV) Zotti, 1993 1) submitted 2); Orsino Dameri, 1996 3); Orsino 4) 5);	beech wood beech wood
<i>Tricholoma luteovirens</i> (Alb. & Schwein.: Fr.) Ricken		
<b>Place/Habitat</b>	Sori (GE)	broadleaved woods
<b>References</b>	Orsino;	
<i>Tricholoma orirubens</i> Quél.		
<b>Place/Habitat</b>	Finalese, Finale (SV) Colla di Gritta, Monterosso (SP)	under <i>Pinus pinaster</i> Aiton mixed wood
<b>References</b>	Orsino Traverso, 1986; Orsino;	
<i>Tricholoma pessundatum</i> (Fr.) Quél		
<b>Place/Habitat</b>	Monesi (IM)	under <i>Picea abies</i> (L.) H. Karst.
<b>References</b>	Orsino Zotti Dameri, 1999;	
<i>Tricholoma populinum</i> J.E. Lange		
<b>Place/Habitat</b>	Riofreddo, Murialdo (SV) M.Buio, Valbrevenna (GE)	under <i>Populus nigra</i> L. under <i>Populus tremula</i> L.
<b>References</b>	Traverso; Orsino;	
<i>Tricholoma portentosum</i> (Fr.) Quél.	very common species in Liguria	
<b>Typical habitat</b>	<i>Pinus pinaster</i> Aiton woods, also in beech woods	
<i>Tricholoma psammopus</i> (Kalchbr.) Quél.		
<b>Place/Habitat</b>	Cianazzi, Savona (SV) Colla San Giacomo, Quiliano (SV) Finalese, Finale (SV) Luvio, Pontinvrea (SV)	under <i>Pinus sylvestris</i> L. under <i>Pinus sylvestris</i> L. under <i>Pinus halepensis</i> Mill. under <i>Pinus sylvestris</i> L.
<b>References</b>	Zotti, 1993 1) 4), submitted 2); Orsino Traverso, 1986 3);	
<i>Tricholoma pseudoalbum</i> Bon		
<b>Place/Habitat</b>	Punta Manara, Sestri Levante (GE)	holm-oak wood
<b>References</b>	Orsino, 1988;	
<i>Tricholoma roseoacerbum</i> A. Riva		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Orsino Dameri, 1996;	
<i>Tricholoma saponaceum</i> (Fr.) P. Kumm.	very common species in Liguria	
<b>Typical habitat</b>	deciduous and coniferous woods	
<i>Tricholoma saponaceum</i> (Fr.) P. Kumm. var. <i>lavedanum</i> Rolland		
<b>Place/Habitat</b>	Monte Pistone, Borghetto di Vara (SP)	under <i>Pinus pinaster</i> Aiton

<b>References</b>	Monti Andreotti, 1981;	
<i>Tricholoma saponaceum</i> (Fr.) P. Kumm. var. <i>squamosum</i> (Cooke) Rea		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE)	chestnut wood
<b>References</b>	Zotti , 1993 2), submitted 1); Orsino Dameri, 1989 4), 1996 3);	
<i>Tricholoma sculpturatum</i> (Fr.) Quél.		
	common species in Liguria	
<b>Typical habitat</b>	coniferous and broadleaved woods	
<i>Tricholoma sciodes</i> (Pers.) C. Martin		
	common species in Liguria	
<b>Typical habitat</b>	beech woods	
<i>Tricholoma sejunctum</i> (Sowerby: Fr.) Quél		
	common species in Liguria	
<b>Typical habitat</b>	chestnut woods, beech woods	
<i>Tricholoma squarrulosum</i> Bres.		
	common species in Liguria	
<b>Typical habitat</b>	holm-oak wood also <i>Pinus pinaster</i> Aiton woods	
<i>Tricholoma stans</i> (Fr.) Sacc.		
<b>Place/Habitat</b>	Colla di Gritta, Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Punta Manara, Sestri Levante (GE)	under <i>Pinus pinaster</i> Aiton
	Torre di Quezzi, Genova (GE)	<i>Pinus pinaster</i> Aiton wood
<b>References</b>	Orsino 1) 2) 4); Orsino Dameri, 1991b 3);	
<i>Tricholoma sulphureum</i> (Bull.: Fr.) P. Kumm.		
	common species in Liguria	
<b>Typical habitat</b>	coniferous and broadleaved woods	
<i>Tricholoma terreum</i> (Schaeff.: Fr.) P. Kumm.		
	very common species in Liguria	
<b>Typical habitat</b>	<i>Pinus pinaster</i> Aiton woods, also broadleaved woods	
<i>Tricholoma tigrinum</i> (Schaeff.: Fr.) P. Kumm.		
<b>Place/Habitat</b>	Cianazza, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Luvio, Pontinvrea (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte San Giorgio, Savona (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	mixed wood

	Riofreddo, Murialdo (SV)	conifer and broadleaved woods
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Zotti, 1993 1) 3) 5), submitted 2); Orsino Dameri, 1996 4) 1991b 6) 1989 8); Traverso 7);	
	<i>Tricholoma triste</i> (Scop.) Quél.	
<b>Place/Habitat</b>	Finalese, Finale (SV)	holm-oak wood
	Colla San Giacomo, Quiliano (SV)	beech wood
<b>References</b>	Orsino Traverso, 1986; Zotti, submitted;	
	<i>Tricholoma ustale</i> (Fr.: Fr.) P. Kumm.	
	very common species in Liguria	
<b>Typical habitat</b>	beech woods, chestnut woods	
	<i>Tricholoma ustaloides</i> Romagn.	
	very common species in Liguria	
<b>Typical habitat</b>	beech woods, chestnut woods, holm-oak woods	
	<i>Tricholoma vaccinum</i> (Schaeff.: Fr.) P. Kumm.	
<b>Place/Habitat</b>	Riserva Agorai, Rezzoaglio (GE), S.Stefano d'Aveto (GE) under <i>Picea abies</i> (L.) H. Karst.	
<b>References</b>	Orsino	
	<i>Tricholoma virgatum</i> (Fr.: Fr.) P. Kumm.	
<b>Place/Habitat</b>	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Valle Scrivia, Casella (GE)	chestnut wood
<b>References</b>	Zotti, 1993 1), submitted 2); Orsino Dameri, 1989 6), 1991b 5), 1996 3); Orsino 4);	
	<i>Tricholoma viridilutescens</i> M. Moser	
<b>Place/Habitat</b>	Genova (GE)	holm-oak wood
<b>References</b>	Traverso;	
	<i>Tricholomopsis</i> <i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
	<i>Tricholomopsis decora</i> (Fr.) Singer	
<b>Place/Habitat</b>	Nenno, Valbrevenna (GE)	on wood of conifer trees
<b>References</b>	Orsino;	
	<i>Tricholomopsis rutilans</i> (Schaeff.: Fr.) Singer	
	common species in Liguria	

<b>Typical habitat</b>	on wood of conifer trees	
<b><i>Tricholosporum</i></b>	<i>Tricholomataceae, Agaricales, Basidiomycetes</i>	
<b><i>Tricholosporum goniospermum</i> (Bres.) Guzmán</b>		
<b>Place/Habitat</b>	Monte Fasce, Genova (GE)	grasslands
<b>References</b>	Orsino;	
<b><i>Tubaria</i></b>	<i>Crepidotaceae, Cortinariales, Basidiomycetes</i>	
<b><i>Tubaria conspersa</i> (Pers.: Fr.) Fayod</b>		
<b>Place/Habitat</b>	Monterosso (SP)	under <i>Pinus pinaster</i> Aiton
	Miniere di Grafite, Muraldo (SV)	under <i>Pinus pinaster</i> Aiton
<b>References</b>	Orsino; Zotti;	
<b><i>Tubaria furfuracea</i> (Pers.: Fr.) Gillet</b>		
<b>Place/Habitat</b>	Cianazzi, Savona (SV)	beech wood
	Luvio, Pontinvrea (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte Beigua, Urbe (SV)	chestnut wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	S.Alberto, Bargagli (GE)	chestnut wood
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989 7), 1991b 5), 1996 3); Orsino 4) 6); Zotti, 1993 1) 2);	
<b><i>Tubaria minutalis</i> Romagn.</b>		
<b>Place/Habitat</b>	Colla San Giacomo, Quiliano (SV)	beech wood
	Monte Antola, Genova (GE)	mixed wood
<b>References</b>	Zotti, submitted; Orsino Dameri, 1994;	
<b><i>Tulostoma</i></b>	<i>Tulostomataceae, Tulostomatales, Basidiomycetes</i>	
<b><i>Tulostoma brumale</i> Pers.:Pers.</b>		
<b>Place/Habitat</b>	Finalese, Finale (SV)	garrigues
	Monte Brina, Sarzana (SP)	on sandy soil
<b>References</b>	Orsino Traverso, 1986; Monti Bisagni, 1990/91;	
<b><i>Tylopilus</i></b>	<i>Strobilomycetaceae, Boletales, Basidiomycetes</i>	
<b><i>Tylopilus felleus</i> (Bull.: Fr.) P. Karst.</b>		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Bric del tesoro, Cairo Montenotte (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Val Polcevera, Sant'Olcese (GE), Val Polcevera, Serra Riccò (GE), Valle Scrivia, Casella (GE) and Valle Scrivia, Savignone (GE)	chestnut wood

<b>References</b>	Zotti, 1993 1) 2), submitted 3); Orsino Dameri, 1989 5), 1996 4);	
<b>Tyromyces</b>	<i>Coriolaceae, Poriales, Basidiomycetes</i>	
<i>Tyromyces chioneus</i> (Fr.: Fr.) P. Karst.		
<b>Place/Habitat</b>	Melogno, Calizzano (SV)	on dead wood of <i>Fagus sylvatica</i> L.
	Monte S. Giorgio, Savona (SV)	on dead wood of <i>Fagus sylvatica</i> L.
<b>References</b>	Orsino Dameri, 1996; Zotti, 1993;	
<b>Volvariella</b>	<i>Pluteaceae, Agaricales, Basidiomycetes</i>	
<i>Volvariella hypopithys</i> (Fr.) M. Moser		
<b>Place/Habitat</b>	Bric del tesoro, Cairo Montenotte (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
<b>References</b>	Zotti, 1993 1) 2), submitted 3); Orsino Dameri, 1996 4);	
<i>Volvariella media</i> (Schumach.: Fr.) Singer		
<b>Place/Habitat</b>	Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Orsino Dameri, 1989;	
<i>Volvariella murinella</i> (Quél.) M. Moser		
<b>Place/Habitat</b>	Genova (GE)	grassy place
<b>References</b>	Traverso;	
<i>Volvariella parvula</i> (Weinm.) Speg.		
<b>Place/Habitat</b>	Finalese, Finale (SV)	at the edge of a mixed wood
	Valle Scrivia, Casella (GE)	chestnut wood
	Monte Pistone, Borghetto di Vara (SP)	grassy place
<b>References</b>	Orsino Traverso, 1986; Orsino Dameri, 1989; Monti Andreotti, 1981;	
<i>Volvariella speciosa</i> (Fr.: Fr.) Singer		
<b>Place/Habitat</b>	Finalese, Finale (SV)	at the edge of a path
	Colla San Giacomo, Quiliano (SV)	grassy clearing in beech wood
	Cianazzi, Savona (SV)	at the edge of a road
<b>References</b>	Orsino Traverso, 1986; Zotti, submitted, 1993;	
<i>Volvariella surrecta</i> (Knapp) Singer		
<b>Place/Habitat</b>	Pannesi, Lumarzo (GE)	on fallen leaves
<b>References</b>	Balletto, 1981;	
<b>Xerocomus</b>	<i>Xerocomaceae, Boletales, Basidiomycetes</i>	
<i>Xerocomus armeniacus</i> (Quél.) Quél.		
<b>Place/Habitat</b>	Bric Bagara, Altare (SV)	beech wood
	Bric del tesoro, Cairo Montenotte (SV)	beech wood

	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Punta Manara, Sestri Levante (GE)	holm-oak wood
	Strada Ferrieto, Piana Crixia (SV)	conifer and broadleaved woods
	Val Polcevera, Sant'Olcese (GE) and Valle Scrivia, Savignone (GE)	chestnut wood
<b>References</b>	Zotti, 1993 1) 2) 3) submitted 4); Orsino Dameri, 1991b 5), 1989 7); Traverso Zotti 6);	
<i>Xerocomus badius</i> (Fr.) J.E. Gilbert		
<b>Place/Habitat</b>	Bosco della Chiesa, Montenotte (SV)	beech wood
	Cianazzi, Savona (SV)	beech wood
	Colla San Giacomo, Quiliano (SV)	beech wood
	Melogno, Calizzano (SV)	beech wood
	Monte S. Giorgio, Savona (SV)	beech wood
	Monte Zatta, Borzonasca (GE)	beech wood
	Nostra Signore del Monte, Savona (SV)	chestnut wood
<b>References</b>	Zotti, 1993 1) 2) 5), submitted 3); Orsino Dameri, 1996 4); Orsino 6); Zotti Olivieri 7);	
<i>Xerocomus chrysenteron</i> (Bull.) Quél.		
<b>Typical habitat</b>	very common species in Liguria beech woods, chestnut woods, holm-oak woods	
<i>Xerocomus leonis</i> (D.A. Reid) Bon		
<b>Place/Habitat</b>	Fornelli di Pallare, Pallare (SV)	chestnut wood
<b>References</b>	Zotti Olivieri;	
<i>Xerocomus parasiticus</i> (Bull.: Fr.) Quél.		
<b>Place/Habitat</b>	Pannesi, Lumarzo (GE)	mixed wood
<b>References</b>	Balletto, 1981;	
<i>Xerocomus pruinatus</i> (Fr.) Quél.		
<b>Place/Habitat</b>	Costa, Muraldo (Sv)	chestnut wood
<b>References</b>	Traverso;	
<i>Xerocomus rubellus</i> (Krombh.) Quél.		
<b>Typical habitat</b>	common species in Liguria beech woods, chestnut woods, holm-oak woods	
<i>Xerocomus subtomentosus</i> (L.: Fr.) Quél.		
<b>Typical habitat</b>	very common species in Liguria coniferous and broadleaved woods	

*Xerocomus xanthus* (J.E. Gilbert) Contu

**Place/Habitat** Bargone, Casarza Ligure (GE)      chestnut wood  
**References** Traverso;

*Xerula*      *Tricholomataceae, Agaricales, Basidiomycetes*

*Xerula longipes* (Bull.) Maire      very common species in Liguria  
**Typical habitat** deciduous woods

*Xerula melanotricha* Dörfelt

**Place/Habitat** Fornelli di Pallare, Pallare (SV)      under broadleaved trees  
**References** Zotti Olivieri;

*Xerula radicata* (Relhan: Fr.) Dörfelt

very common species in Liguria  
**Typical habitat** deciduous forests, mainly beech woods

## Discussion

Our researches, that take into account the works of several mycologists through about thirty years, point out the great variety of the Ligurian mycological flora. The total number of entities reported in the check-list is 1521 (1385 *Basidiomycota*, 136 *Ascomycota*).

For almost 90% of the species, a detailed description of the habitat and location where




Fig. 1A: Percentage distribution of the orders vs. the number of species

they were collected is available, while 167 species remain incompletely documented by Balletto.

In order to highlight the distribution of the species on the higher systematic ranks, a set of diagrams is provided in which the most representative orders, families and genera are presented, respectively. Regarding the orders, Fig. 1A and Fig. 1B show two pie charts: the former reports the percentage distribution of the fifteen most significant orders versus the number of collected species (i.e. the relevance of each order is evaluated by counting the number of the species belonging to the considered order), the latter the percentage distribution of the orders versus the number of records (i.e. the relevance of each order is evaluated by counting the number of records related to the considered order). Among the *Ascomycota*, the *Pezizales* is the most representative order both as regards the number of species observed (63) and the total number of records (114). Among *Basidiomycota*, *Agaricales* present the highest diversity (633 species) and is the quite common order with 2044 records.

A similar kind of statistics is depicted in Fig. 2, where the number of records (red bar) and the number of observed species (blue bar) are represented by a diagram in relation to the fifteen most important families.

Fig. 3 illustrates, for each genus, the number of observed species (blue bar) and the total number of records (red bar). It should be noted that *Russula* is the most recurring genus (i.e. the genus with highest number of records) while *Cortinarius* presents the highest diversity (i.e. the highest number of observed species). Furthermore, the species of *Amanita* collected in Liguria almost equals 50% of all species recorded in Italy thus confirming the great mycoflora diversity of our region.




Fig. 1B: Distribution of the orders vs. the number of records




Fig. 2: Histogram of the most representative families: the blue and red bars report the number of species and the number of records for each family, respectively.




Fig. 3: Histogram of the most representative genera: the blue and red bars report the number of species and the number of records for each genus, respectively.

### Acknowledgments

Authors thank S. Zappatore for his help in maintaining the fungal data-base, M. Traverso for his precious records, A. Bernicchia for reviewing some aphyllophoraceous orders and our friends M. Coico, G. Oliveri, O. Orlando, E. Isetta, F. Boccardo, M. Rosso, in collecting macrofungi. Authors would like also to thank S. Onofri for reviewing the manuscript. This check-list has been realized within the framework of the Program on fungal data-bases, founded by the Italian MIUR (Cofin 2000).

### References

- Baglietto, F. 1865: Materiali per la Micologia Italiana. — *Comment. Soc. Crittog. Ital. Genova* **2**: 261–265.
- 1886: Primo censimento dei funghi della Liguria. — *Nuovo Giorn. Bot. Ital.* **18**: 230–285.
- Balletto, C. 1967: Une nouvelle espèce du genre *Nematoloma* sensu H. Romagnesi: *Nematoloma rubrococcineum* nov. sp. — *Bull. Soc. Mycol. France* **83**: 215–217.
- 1972: Saggio di flora micologica analitica con particolare riguardo per la flora ligustica. — Genova.
- 1977: Segnalazione di macromiceti per la prima volta osservati in Liguria. — *Micol. Ital.* **6** (2): 8–11.
- 1981a: Contributo alla conoscenza della flora micologica ligustica. — II. *Micol. Ital.* **10** (2): 22–28.
- 1981b: Contributo alla conoscenza della flora micologica ligustica. — III. *Micol. Ital.* **10** (3): 29–32.
- 1983: Contributo alla conoscenza della flora micologica ligustica. — IV. *Micol. Ital.* **12** (1): 11–15.
- 1984: Contributo alla conoscenza della flora micologica ligustica. — V. *Micol. Ital.* **13** (2): 24–26.
- Barla, J.B. 1858: Aperçu mycologique & Catalogue des champignons observés dans les environs de Nice.— Nice.
- 1859: Les champignons de la Province de Nice & principalement les espèces comestibles, suspectes ou vénéneuses. — Nice.
- 1886: Liste des championons nouvellement observés dans le département des Alpes-Maritimes. — *Bull. Soc. Mycol. France* **3**: 112–119.
- 1887: Liste des champignons nouvellement observés dans le département des Alpes-Maritimes. — *Bull. Soc. Mycol. France* **4**: 195–214.
- 1889: Liste des champignons nouvellement observés dans le département des Alpes-Maritimes. — *Bull. Soc. Mycol. France* **5**: 3–24.
- Basso, M.T. 1999: *Fungi Europaei* 7. *Lactarius*. — Mykoflora. Alassio.
- , Neville P. & Poumarat S. 2001: Une nouvelle espèce de *Lactarius* de la sous-section *Scrobiculati* Hesler & A.H. Smith : *L. pseudoscrobiculatus* Basso, Neville & Poumarat sp.nov. — *Bull. Famm., N.S.*, **19**: 13–20.
- Brummitt, R.K. & Powell, C.E. (ed.) 1992: *Authors of Plant Names*. — Royal Botanic Gardens, Kew, 732 pp.
- Candusso, M. 1997: *Fungi Europaei* 6. *Hygrophorus* s.l.. — Libreria Basso, Alassio.
- Casabona, A. 1869: Dei caratteri della maggior parte delle specie dei funghi che trovansi in Italia e specialmente nella Liguria. — Genova.
- De Notaris, G. 1846: Prospetto della Flora ligustica e dei zoofiti del mare ligustico. — Tip. Ferrando, Genova.
- 1861a: Nuova specie di *Coccosporium*. *Comment. Soc. Crittog. Ital.* — Genova 35–37.

- 1861b: Nuova specie di *Ottaviana*. *Comment. Soc. Crittog. Ital.* — Genova **1**: 33–35.
- 1863: Proposte di alcune rettificazioni al profilo dei Discomiceti. *Comment. Soc. Crittog. Ital.* — Genova 357–388.
- 1863: Sferiacei Italici. — Tip. Sordo-Muti, Genova.
- De Thuemen, F. 1876: Fungi nonnulli novi italici. — *Nuovo Giorn. Bot. Ital.* **8**: 251–252.
- Fayod, V. 1889: Sopra un nuovo genere di Imenomiceti. — *Malpighia* **3**: 69–73.
- Garbiglietti, A. 1867: Catalogo delle principali specie di funghi crescenti nei contorni di Torino ed in altre Province degli antichi Stati Sardi di Terraferma. — *Atti Reale Accad. Med. Torino* **5**: 65 pp.
- Greuter, W. & al. (eds) 1988: *International Code of Botanical Nomenclature*. — Koeltz Sci. Books, Koenigstein.
- Haworth, D.L., Kirk, P.M., Sutton, B.C., Pegler, D.N. 1995: *Dictionary of the Fungi*. — Ed 8. CAB International, Cambridge.
- Maffei, L. 1905: Sopra una nuova specie di Ascomicete. — *Atti Ist. Bot. Univ. Pavia. ser. 2.* **11**(1908): 325–326.
- 1906: Contribuzione allo studio della micologia ligustica. Prima centuria, con una tavola lit. (XI). — *Atti Ist. Bot. Univ. Pavia.* **12** (1915): 1–16.
- 1908: Contribuzione allo studio della micologia ligustica. Secondo contributo. — *Atti Ist. Bot. Univ. Pavia.* **13** (1914): 273–289.
- 1910: Contribuzione allo studio della micologia ligustica. Terzo contributo. — *Atti Ist. Bot. Univ. Pavia.* **14** (1914): 137–150.
- 1915: Contribuzione allo studio della micologia ligustica. Quarto contributo. — *Atti Ist. Bot. Univ. Pavia.* (1916): 225–243.
- Magnaghi, A. 1902: Contribuzione allo studio della micologia ligustica. — *Atti Ist. Bot. Univ. Pavia. ser. 2.* **8** (1904): 121–133.
- Magnus, P. 1910: Ein kleiner Beitrag zur Kenntnis parasitischer Pilze Liguriens. *Mitth. Thuering. Bot. Vereins* **27**: 13–17.
- Mattirola, O. 1911: I funghi ipogei della Liguria. — *Atti Soc. Ligustica Sci. Nat. Geogr. Genova* **22**: 3–10.
- 1924: Noterelle di micologia. I. *Il Myriostoma coliforme* in Liguria. — *Bull. Soc. Bot. Ital.* 1924: 11–13.
- 1933: I funghi ipogei della Liguria. Elenco II. — *Atti Soc. Ligustica Sci. Lett. Genova. n.s.* **12**: 281–286.
- Monti, G. & Andreotti S. 1981: Contributo alla conoscenza della micoflora ligustica: i macromicetzi nel versante NE del Monte Pistone (Borghetto Vara, La Spezia). — *Boll. Mus. S. Nat. Lunig.* **1** (2): 83–107.
- & Bisagni B., 1990–1991: Contributo alla conoscenza della micoflora ligustica. X: I macromicetzi del Monte Brina (Sarzana). — *Mem. Accad. Lunig. Sci.* **50–51**: 487–514.
- & Maccioni S., 1996: Ricerche sulla flora micologica della Liguria. I macromicetzi delle leccete del Caprione (Liguria orientale). — *Micol. Ital.* **25** (1): 55–73.
- Orsino, F. 1980: Macromicetzi e mixomicetzi dell'Orto Botanico di Genova. — *Informatore Botanico Italiano* **12**: 53–60.
- 1986: Contributo alla conoscenza della flora micologica ligustica. VI. *Micol. Ital.* **15** (3): 5–9.
- 1988: Contributo alla conoscenza della flora micologica ligustica. VII. *Micol. Ital.* **17** (2): 13–20.
- & Dameri, R.M. 1989: Ricerche sulla flora micologica della Liguria. 2. I Macromicetzi dei castagneti delle alte valli Scrivia e Polcevera (Appennino ligure). — *Webbia* **43** (2): 355–386.
- & — 1991a: Contributo alla conoscenza della flora micologica ligustica. IX. *Micol. Ital.* **20** (2): 3–8.

- & — 1991b: Ricerche sulla flora micologica della Liguria. 3. I macromiceti delle leccete di Punta Manara (Liguria orientale). — *Webbia* **46** (1): 125–149.
- & — 1994: Contributo alla conoscenza della flora micologica ligustica. XI. *Micol. Ital.* **23**(2): 97–104.
- & — 1996 — Ricerche sulla flora micologica della Liguria. 4. I macromiceti delle faggete del Melogno (Liguria occidentale). — *Webbia* **51** (1): 121–166.
- & Traverso, M. 1986: Ricerche sulla flora micologica della Liguria. I macromiceti della “Pietra di Finale” (Liguria occidentale). — *Webbia* **40** (2): 301–322.
- & — 1990: Contributo alla conoscenza della flora micologica ligustica. — VIII. *Micol. Ital.* **19**(2): 11–16.
- Zotti, M., Dameri, R.M. 1999: Contributo alla conoscenza della flora micologica ligustica. — XII. *Micol. Ital.* **28**(2): 3–8.
- Panizzi, F. 1862: Degli Imenomiceti che crescono nel Circondario di San Remo. — *Comment. Soc. Crittig. Ital. Genova* **1**: 166–175.
- 1886: Nuova specie di *Polyporus* scoperta e descritta da F. Panizzi. — *Nuovo Giorn. Bot. Ital.* **18**: 65–66.
- Penzig, O. 1884: Funghi della Mortola. — *Atti Reale Ist. Veneto Sci. Lett. Arti. ser. 6.* **2**: 25.
- Petri, L. 1909: Flora Italica Cryptogama. Pars I: Fungi. Gasterales. — Cappelli, Rocca S. Casciano.
- Piccone, A. 1876: Appunti sulla distribuzione geografica del *Polyporus Inzengae* Ces. & DN. — *Nuovo Giorn. Bot. Ital.* **8**: 367–368.
- Pollacci, G. 1896: Micologia ligustica. — *Atti Soc. Ligustica. Sci. Nat. e Geogr.* Genova. **7**: 283–350.
- 1897: Micologia Ligustica. — *Atti Soc. Ligustica Sci. Nat. Geogr.* Genova **8**: 94–134.
- Razzore, A. 1903: Note preliminari di Micologia Ligure. — *Atti Soc. Ligustica Sci. Nat. Geogr.* Genova **14**: 288–303.
- 1911a: Duplice forma della fruttificazione del *Polyportis dichrous* Fries. — *Atti Soc. Ligustica Sci. Nat. Geogr.* Genova **22**: 11–15.
- 1911b: Un nuovo Poliporo resupinato. — *Atti Soc. Ligustica Sci. Nat. Geogr.* Genova **22**: 16–17.
- Rebaudengo, E. 2000: Cronaca sul “Seminario degli ipogei di Ceva”. — *Il Micologo*, **97**: 10–13.
- Riva, A. 1999: *Lyophyllum favrei* Haller & Haller: un raro fungo svizzero sbarcato a Ceva in “primizia” italiana. — *Il Micologo*, **96**: 8–9.
- Saccardo, P.A. 1915: Flora Italica Cryptogama. Pars I: Fungi. Hymeniales. — Cappelli, Rocca S. Casciano.
- Strani, M. & Tosco, U. 1953–1954: Osservazioni sulla flora micologica piemontese e ligure (I° contributo). — *Mem. Mus. Civico Storia Nat. Verona* **4**: 91–115.
- Tofacchi, L. & Mannini, M. 1999: I funghi in Toscana. Mappatura e censimento dei macromiceti epigei. ARSIA, Firenze.
- Tulloss, R.E. & Traverso M. 2001: *Amanita basiana* — a new species from pure pinus forest and resembling the alnus-associated species *Amanita friabilis*. — *Mycotaxon* **77**: 47–55.
- Traverso, M. 1999: Il genere *Amanita* in Italia. — A.M.E.R., Roma.
- Venturella, G. 1991: A check-list of Sicilian fungi. — *Bocconeia* **2**: 5–221.
- Viviani, D. 1834: I funghi d’Italia e principalmente le loro specie mangereccie, velenose, o sospette. — XV. Tip. Ponthenier, Genova.
- Vizzini, A., Zotti, M. & Traverso M. 1999: Ritrovamento di una specie tropicale in Liguria: *Favolaschia calocera* R.Heim ex R.Heim. — *Boll. Amer.* Anno XV, (3): 34–35.
- Voglino, P. 1894: Osservazioni micologiche (Notizie intorno ad alcuni funghi raccolti nei dintorni di Busalla e Ronco — Appennino Ligure). — *Bull. Soc. Bot. Ital.* **1894**: 115–122.
- Zotti, M. 1993: Ricerche floristiche e cenologiche sui macromiceti in boschi di faggio

- dell'Appennino ligure, tra il Colle di Cadibona e il Passo del Giovo (Savona). –Biol. Sc. Graduation Thesis, University of Genoa.
- 2001: Contributo alla conoscenza della flora micologica ligustica. XIII. *Micol. Ital.* **30**(1): 13–18.
  - Mycological flora researches in beech woods of the Western Ligurian Apennines located between Cadibona and Giovo Pass, Savona (Italy). *Cryptogamie Mycologie* (submitted)

Addresses of the authors:

Mirca ZOTTI & Francesco ORSINO, Dipartimento per lo Studio del Territorio e delle sue Risorse (DIP.TE.RIS.), Università degli Studi di Genova — Comparto Botanico, Corso Dogali 1/M Genova, Italy.  
E-mail: Mirca.Zotti@klaatu.com.dist.unige.it