

E. Özuslu, E. Iskender, M. Ozaslan & Y .Zeynelow

The Investigation of the flora of Sof Mountain (Gaziantep, Turkey)

Abstract

Özuslu, E., Iskender, E., Ozaslan, M & Zeynelow, Y.: The Investigation of the flora of Sof Mountain (Gaziantep, Turkey). — Fl. Medit. 15: 179-209. 2005. — ISSN 1120-4052.

This floristic study was the first one in Sof mountain after more than a century. (Turkey C 6: Gaziantep, SE Anatolia). The floristic catalogue of this area was presented, with the total of 2088 vascular plant specimens collected in 1999-2002. 36 taxes were endemic for Turkey in this study area.

Introduction

This floristic study was carried out between 1999 and 2002 to investigate the flora of Sof mountain W of the SE Anatolian city of Gaziantep (Turkey: C 6 is according to the grid system of Davis 1965). It was the first one in the province of Gaziantep after Dr. Fanny Adrews Shepard [1856 - 1920] from the medical department of the Central Turkey College of Aintab who collected medicinal plants in that area more than a hundred years ago (Baytop 1996). In the history of Turkish Botany, she claims the privilege of being the first woman lecturer of Medical Botany and the first woman to make a collection of Turkish plants. F. Shepard did not publish her specimens but gave them to G. E. Post of the American University of Beirut who was then preparing his flora of Syria, Palestine and Sinai (Post 1896) in which he honoured her by eponymies in genera such as *Achillea*, *Astragalus*, *Campanula*, *Erigeron*, *Galium*, *Medicago*, *Micromeria*, *Nepeta*, *Phlomis*, *Pyrethrum* and *Verbascum* (see Index Kewensis 1993). Her collection is in the Post Herbarium located at the Herbarium of the American University of Beirut (BEI; types in G, duplicates in NY). Earlier authors and collectors to investigate the plants of the Gaziantep region were Leonhard Rauwolf [1535 - 1596], Heinrich Karl Haussknecht [1838 - 1903] and George Edward Post himself [1838 - 1909]. Rauwolf travelled in the Birecik, Urfa and Gaziantep regions of South Anatolia (specimens in L, according to Baytop 2000).




Fig.1: Geographic site of Sof Mountain.

Investigated area

The Turkish province of Gaziantep was named after its capital, situated between $36^{\circ}03'8''$ to $37^{\circ}03'2''$ N and $36^{\circ}02'8''$ to $38^{\circ}01'1''$ E in southeastern Anatolia, close to the border of Syria. Major surrounding cities are Kahramanmaraş in the north, Osmaniye in the west, Kilis in the south, and Şanlıurfa in the east (Fig. 1).

Sof mountain is located at the W of Gaziantep, the eastern side of the İslahiye plain, the southeastern side of the Pazarcık plain, and the northern side of the Sof mountain plateau. Altitude ranges from 900 m above sealevel to 1496 m in the highest peak of Kepenkçi (Büyük Sof) hill. The area covers a total surface of 840 km^2 , 582 km^2 of which reach 1000-1250 m of altitude while 60 km^2 surpass 1250 m (Anonymous 1973). There are some villages in the Sof mountain area, viz. Çarpın, Sofalıcı, Dımişkılı, Karadede, Durnalık, Acaroba, and Ye?ilce. The income of the villagers is based on pistachio and apple orchards, viniculture, wheat fields and livestock (Solmaz & Yetkin 1969). The investigated area is a gene center for Pistachio.

Geologically, Sof mountain predominantly consists of serpentine and miocene limestone rocks (calcareous claystone, dolomite, calcareous sandstone, etc.; Kalelioğlu 1972). The prevailing type of soil is Terra Rossa, quantitatively followed by decalcified brown forest soils. In addition, there are red-brown soils, alluvial soils, bare rocks and screes (Anonymous 1972).




Fig. 2: Ombrothermic diagram of Gaziantep (for sources, see text).

Climatically, Gaziantep province grades from the Mediterranean region eastwards into the more continental Southeast Anatolian region. Summers are warm and dry, winters are cold and rainy. Precipitation follows the Mediterranean winter rain regime. The Emberger

precipitation-temperature coefficient (Q) is 55.9 (Akman 1990). Annual mean temperature is 14.4 °C. Maximum mean temperature is 34.5 observed in August. The minimum mean temperature is -1.2 oC observed in January (Table 1). Annual rainfall is about 578.8 mm (Table 2), and the ranking of the seasonal precipitation amount from high to low is respectively like as Winter, Spring, Autumn and Summer (Anonymous 1999). The ombrothermic diagram shows a dry and a rainy period (Fig. 2).

Table 1. Temperature values in Gaziantep Station (°C).

Temperature	Year	1	2	3	4	5	6	7	8	9	10	11	12	Annual
Mean Temperature	46	2,1	3,7	7,3	12,6	18,3	23,7	27,1	27	22,4	15,5	9,2	4,4	14,4
Mean Maximum temperature	46	6,8	8,7	13,1	19	25,1	30,7	34,5	35	30,6	23,9	16,2	9,2	21
Mean maximum Temperature	46	-1,2	-0,3	2,2	6,6	11,3	16,5	20,4	20	15,3	8,9	4	0,5	8,7

Table 2. Mean precipitation values in Gaziantep station (mm).

Station	Year	1	2	3	4	5	6	7	8	9	10	11	12	Annual
Sof Mountain (Gaziantep)	46	114	80,9	79,4	58	32	6,8	1,5	2	3,4	33,3	63,9	104	578,8

Material and Methods

The material of the investigation are plant specimens collected by the authors between 1999 and 2002 in the Sof mountain. The herbarium specimens are deposited in the Herbarium of the Department of Biology of the University of Gaziantep. Plant specimens were diagnosed by using Flora of Turkey and its supplements (Davis 1965-1985; Davis & al. 1988; Güner & al. 2000), Flora of Syria, Palestine and Sinai (Post 1896 and 1932-1933) and Guidebook of Botanic (Baytop 1998).

The sequence of families, genera and species in the floristic catalogue (see Appendix) is in alphabetical order, within the four major units of classification, viz. Pteridophyta, Gymnospermae, Dicotyledones and Monocotyledones. Nomenclature and circumscription of the adopted plant families and genera follows Davis (1965-1985), the same applies to the infrageneric level, with minor exceptions in *Anthyllis* and *Teucrium*. Citation of authors' names and their abbreviations follow Brummitt & Powell (1992). After the name of each species, localities, habitats, altitudes, collection dates, collectors and collection numbers, and (optional) the phytogeographic element were stated.

Results and discussion

In this study, 420 specific and infraspecific taxa in 231 genera and 65 families of flowering plants and ferns were determined. Three are Pteridophyta, and 417 of them are Spermatophyta. The allocation of taxa according to phytogeographical regions are as follows: Irano-Turanian 122 (29%), Mediterranean 72 (17%), Euro-Siberian 11 (3%) and pluriregional 215 (51%).

The families with the highest number of species are *Fabaceae* 47 (11.3%), *Lamiaceae*

42 (10.1%), *Asteraceae* 39 (9.3%), *Brassicaceae* 26 (6.2%) and *Graminaceae* 22 (5.3%). The dominance of *Fabaceae* is due to the large extent of cultivated habitats in the area. The genera with the highest number of species are *Vicia* and *Salvia* with 11 (4.8%) each; *Astragalus*, *Trifolium* and *Euphorbia* with 8 (3.4%) each, *Centaurea* and *Hypericum* with 7 (3%) each. According to the IUCN (1994) Red Data Book categories (Ekim & al. 2000), 17 taxa are at lower risk (least concern), 6 taxa are at lower risk (near threatened), 2 taxa are at lower risk (conservation dependent), 5 taxa are vulnerable, 1 taxon is endangered, 2 taxa are critically endangered and 1 taxon is data deficient.

According to Davis (1965-1985), Davis & al. (1988), Güner & al. (2000), 36 (=9%) of the plant taxa listed in the Appendix are endemic to Turkey. The comparative rate of endemism in the study area and its surrounding is given in Table 3.

As depicted in Table 3, the rate of endemism on Sof mountain was low as compared to other neighbouring mountain systems and to the general rate of endemism for the whole of Turkey at 33%. The main reason was probably the higher altitude of the mountain when compared to the other mountain systems. Endemic taxa concentrate at high elevations in the region where increasing moisture and microclimatic diversity allow a variety of additional habitats and niches where endemics can develop or persist, respectively.

The majority of the plant species collected belongs to the Irano-Turanian phytogeographical element as expected from the geographical situation of the investigated area. In table 4 our results are compared to neighbouring areas with respect to the relevant spectra of phytogeographical elements.

As seen from Table 4, Irano-Turanian elements were generally dominant except for the Upper Ceyhan Valley where percentage of Mediterranean elements was high because of the relatively low altitude and the local vicinity of the Mediterranean Sea.

As shown in Table 5, in four compared areas, viz. the Upper Ceyhan Valley, Engizek and Koruyaz mountains and Ceylanpinar, the family of *Asteraceae* was the richest in species while on Sof mountain the family of *Fabaceae* takes the first place in flora statistics. *Asteraceae* and *Fabaceae* were the richest in species also with respect to the whole of Turkey. A changing statistical "ranking" of both families may depend on environmental conditions (climate, structures of soil and vegetation, etc.) of the area under consideration rather than on its phytogeographical position.

As seen from table 6, plant genera statistics were compared. Our investigation area was most similar to the nearby Upper Ceyhan Valley where *Vicia*, *Salvia* and *Trifolium* were the richest species. On the contrary, on the mountains of Koruyaz, Engizek, Ahir, Berit,

Binboğa, Öksüz and in Ceylanpinar the genus *Astragalus* takes statistically the first place. The reason of this can easily be explained with the fact that these high mountains largely harbour mountain steppes and oreoxerophytic vegetation with thorn-cushion communities adapted to harsh continental climatic conditions where *Astragalus* has a center of speciation.

The great majority of plants collected from our area consist of plant species with a marked xerophilous character. One of them, *Astragalus aintabicus* Boiss., was given as a narrow endemic to the Gaziantep area (Davis, Fl. Turkey 3: 154. 1970). In the meantime this taxon has become known to occur also as far west as İçel province (Turkey C4; see Güner & al. 2000: 84). Hence the species is best considered a less narrow endemic of S Anatolia.

Table 3. The comparison of the rate of endemism between the study area and adjacent areas (for sources, see text).

Area / elevation / reference	Rate of Endemism
Sof Mountain, 1496 m (Özuslu 2003)	9,0%
Upper Ceyhan Valley, 1150 m (Kara 1995)	6,6%
Engizek Mountain, 2800 m (Duman 1990)	15,6%
Ahýr, Berit, Binboða and Öksüz Mts, 3000 m (Duman & Aytaç 1994)	28,3%
Berit Mountain (Yıldız 1984)	16,1%
Nemrut Mountain, 2008 m (Tel 2001)	18,6%
Koruyaz Mountain, 2035 m (Ekici 1994)	19,7%
Çimen Mountain, 2259 m (Varol 1997)	12,3%

Table 4. The comparison of the phytogeographical spectrum of the present study area and of selected adjacent areas (for references, see Table 3).

Study Area	Irano-Turanian	Mediterranean	Euro-Siberian	Pluriregional, or not allocated
Sof Mountain	29 %	17 %	3 %	37 %
Upper Ceyhan Valley	17,4 %	23,8 %	3,4 %	55,2 %
Engizek Mountain	35,5 %	13,6 %	4,9 %	46 %
Ahýr, Berit, Binboða and Öksüz Mts	38 %	11,5 %	1,5 %	38,5 %
Berit Mountain	23,4 %	14,5 %	4,5 %	48,4 %
Koruyaz Mountain	32,4 %	10,5 %	6,4 %	46,7 %
Çimen Mountain	16 %	14,5 %	5 %	53 %
Ceylanpýnar	29,9 %	9,3 %	8 %	59,2 %

Table 5. The comparison of selected plant family statistics between this study area and of adjacent areas (for references, see Table 3).

Family	Sof Mountain	Upper Ceyhan Valley	Engizek Mountain	Ahýr, Berit, Binboða and Öksüz Mts	Berit Mountain	Nemrut Mountain	Koruyaz Mountain	Çimen Mountain	Ceylanpýnar
<i>Fabaceae</i>	47	59	124	115	130	18	69	58	60
<i>Lamiaceae</i>	42	19	54	64	73	21	59	42	-
<i>Asteraceae</i>	39	51	110	129	144	34	62	61	49
<i>Brassicaceae</i>	26	24	69	77	77	19	23	34	22
<i>Graminaceae</i>	22	30	59	61	60	24	15	36	45

Table 6. The comparison of selected plant genera statistics of the study area and of adjacent areas (for references, see Table 3).

Genus	Sof Mountain	Upper Ceyhan Valley	Engizek Mountain	Ahur, Berit, Binboğa and Öksüz Mountains	Berit Mountain	Nemrut Mountain	Koruyaz Mountain	Çimen Mountain	Ceylan pınar
<i>Vicia</i>	11	9	11	-	12	2	4	9	-
<i>Salvia</i>	11	5	7	8	18	4	13	3	-
<i>Astragalus</i>	8	4	47	37	45	9	25	8	13
<i>Trifolium</i>	8	10	15	4	15	-	8	20	10
<i>Euphorbia</i>	8	8	13	7	16	3	3	4	10
<i>Hypericum</i>	8	1	5	8	3	3	2	4	-
<i>Centaurea</i>	7	5	11	13	21	6	7	5	-

Acknowledgments

We have to thank for Prof. Dr. Adem. Tatlı, Prof. Dr. Mehmet Koyuncu and Prof. Dr. Adil Güner, for their kindly help for determination of the taxons listed in this manuscript.

References

- Akman, Y. 1990: İklim ve Bıyoiklim Palme Yayınları. — Ankara.
- Anonymous 1972: Gaziantep İli Toprak Envanter Raporu. Köy İşleri Bakanlığı Topraksu Genel Müdürlüğü. Yayın No. 162. — Ankara.
- 1973: Cumhuriyetin 50. Yılında Gaziantep. Gaziantep Valiliği Yayınları. — Gaziantep.
- 1999: Hava Durumu Kayıtları. Gaziantep Meteoroloji Müdürlüğü. — Gaziantep.
- Baytop, A. 1996: Fanny Andrews Shepard (1856 - 1920). Her Turkish Plant collection and Her Contribution to Flora. — Turkish J. Bot. **20**: 1-7.
- 1998: Botanik Kılavuzu. İstanbul Üniversitesi Yayın No. 4058. — İstanbul.
- Baytop, T. 2000: Anadolu Dağlarında 50 yıl. — İstanbul.
- Brummitt & Powell, 1992: Authors of plant names. A list of authors of scientific names of plants, with recommended standard forms of their names, including abbreviations. — Kew.
- Davis, P. H. (ed.) 1965-1985: Flora of Turkey and the East Aegean Islands **1-9**. — Edinburgh.
- , Mill, R. R. & Tan, K. 1988: Flora of Turkey and the East Aegean Islands, **10 (Suppl.)**. — Edinburgh.
- Ekim, T., Koyuncu, M, Vural, M, Duman, H., Aytaç, Z., Adıgüzel, N. 2000: Türkiye Bitkileri Kırmızı Kitabı (Red Data Book of Turkish Plants). — Türkiye Tabiatını Koruma Derneği Yayınları. — Ankara.
- Güner, A., Özhatay, N., Ekim, T., Başer, K. H. C. 2000: Flora of Turkey and The East Aegean Islands **11 (Suppl. 2)**. — Edinburgh.
- Kalelioğlu, E. 1972: Gaziantep Yöresinin Fiziki Coğrafyası. — Ankara.
- Index Kewensis 1993: Index Kewensis plantarum phanerogamarum. [CD-ROM]. — Oxford.

- Post, G. E. 1896: Flora of Syria, Palestine and Sinai, from the Taurus to Ra.s Muhammad and from the Mediterranean sea to the Syrian Desert . — Beirut.
- 1932-1933: Flora of Syria, Palestine and Sinai. — Beirut.
- Solmaz M & Yetkin H. 1969: Gaziantep Çevre İncelemesi. Gaziantep Kültür Derneği Kitap ve Broşür Yayınlari. Sayı: 53. Yeni Matbaa.— Gaziantep.

Addresses of the authors:

E. Özslui,
İl Çevre ve Orman Müdürlüğü, Yeni Vilayet Binası, 27000,
Gaziantep, Turkey.
E. İskender, M. Ozaslan* & Y. Zeynelow,
Department of Biology, University of Gaziantep, 27310, Gaziantep, Turkey.
*ozaslanmd@gantep.edu.tr

Appendix:

Floristic Catalogue

Abbreviations and symbols used:

End.: Endemic

Eur-sib.: Euro-Siberian element

E.I.: Elman İskender (collector's name)

E.Ö.: Ergün Özuslu (collector's name)

Ir-tur.: Irano-Turanian element

Med.: Mediterranean element

mm: millimeter

m: meter

Y.Z.: Yusuf Zeynalov (collector's name)

General remark:

"Turkey C6, Gaziantep, Sof Mountain", as the general area of collection, applies to all entries listed here after.

PTERIDOPHYTA

ADIANTACEAE

Adiantum capillus-veneris L.

Hills of Yeşilce village, in grove of oak trees, on rocks, 900-1000m, 06.05.2000, E.Ö. 1178, widespread.

ASPLENIACEAE

Asplenium trichomanes L.

Hills of Sofalıcı village, on rocks, 1000-1100m, 07.11.2001, E.İ., E.Ö. 1368.

Ceterach officinarum DC.

Sof mountain, roadside, on rocks, 1200-1300m, 04.05.2001, Y.Z., E.Ö. 1334.

GYMNOSPERMAE

CUPRESSACEAE

Juniperus oxycedrus L. subsp. *oxycedrus*

1 km from Sofalıcı village, waste places, 1200-1300m, widespread, 23.04.2000, E.Ö. 1043.

PINACEAE

Pinus brutia Ten.

Sofalıcı village, slope of hill, 1000-1100m, 06.05.2001, Y. Z., E.Ö. 1358.

ANGIOSPERMAE

DICOTYLEDONES

ACANTHACEAE

Acanthus dioscoridis L. var. *dioscoridis*

Acaroba village, fieldside, 1000-1100m, 19.04.2000, E.Ö. 1039.

Acanthus hirsutus Boiss.

Yeşilce village, fieldside, in grove of oak trees, 1000-1100m, 25.06.2000, E.Ö. 1320.

ACERACEAE

Acer monspessulanum subsp. *microphyllum* (Boiss.) Bornm.

Near Sofalıcı village, hills, in grove of oak trees, 1000-1100m, 07.11.2001, E.Ö., E.İ., 1369.

ANACARDIACEAE

Cotinus coggyria Scop.

Işıklı village, Kuş kayası, roadside, 1000-1100 m, 06.06.2002, Y.Z., E.Ö. 1375.

Pistacia palaestina Boiss.

Işıklı village, in grove of oak trees, 1000-1100 m, 04.05.2001, Y.Z., E.Ö. 1425. - Med.

Pistacia terebinthus L. subsp. *terebinthus*

1 km to Işıklı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1335. - Med.

Pistacia vera L.

Işıkçı village, in a field, 1000-1100m, 03.08.2000, E.Ö. 1323. - Ir-tur.
Rhus coriaria L.

Işıkçı village, roadside, 1000-1100m, 15.06.2000, E.Ö. 1302.

APIACEAE

Bunium microcarpum (Boiss.) Freyn subsp. *microcarpum*

Around Yeşilce village, in field, 1000-1100m, 26.04.2000, E.Ö. 1073. - Med.

Bupleurum croceum Fenzl

1 km from Işıkçı village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1175. - Ir-tur.

Bupleurum lophocarpum Boiss. & Balansa

Around Yeşilce village, fieldside, 900-1000m, 06.05.2000, E.Ö. 1246. - Med.

Carum carvi L.

Işıkçı village, roadside, 1000-1100m, 01.05.2000, E.Ö. 1093.

Conium maculatum L.

Işıkçı village, roadside, 1000-1100m, 17.05.2000, E.Ö. 1286.

Daucus carota L.

Around Yeşilce village, fieldside, 900-1000m, 17.05.2000, E.Ö. 1287.

Eryngium falcatum Delarbre

Around Acaroba village, in grove of oak trees, 900-1000m, 05.06.2000, E.Ö. 1301. - Med.

Ferula haussknechtii Rech. f.

Around Yeşilce village, hills, in grove of oak trees, 1000-1100m, 01.05.2000, E.Ö. 1094. - Ir-tur.

Lecokia cretica (Lam.) DC.

Işıkçı village, roadside, 1100-1200m, 01.05.2000, E.Ö. 1095.

Prangos peucedanifolia Fenzl

Işıkçı village, Kuş kayası area, 1000m, 06.06.2002, E.İ., T. Arabacı 1384.

Scandix iberica M. Bieb.

Yeşilce village, fieldside, 1000-1100m, widespread, 06.05.2000, E.Ö. 1136.

Scandix pecten-veneris L.

Around Işıkçı village, fieldside, 1000-1100m, widespread, 06.05.2000, E.Ö. 1176.

Torilis leptophylla (L.) Rchb.f.

Işıkçı village, Kuş kayası area, roadside, 1000-1100m, 06.06.2002, E.İ., E.Ö. 1418.

Torilis ucranica Spreng.

Yeşilce village, fieldside, 1000-1100m, 17.05.2000, E.Ö. 1288.

APOCYNACEAE

Vinca herbacea Waldst. & Kit

1 km to Işıkçı village, in grove of oak trees, 1000-1100m, 18.04.2000, E.Ö. 1033.

ARALIACEAE

Hedera helix L.

Işıkçı village, roadside, stony places, 1100-1200m, 18.04.2000, E.Ö. 1034.

*ARISTOLOCHIACEAE**Aristolochia maurorum* L.

Yeşilce village, waste places, 900-1000m, 06.05.2000, E.Ö. 1109. - Ir-tur.

*ASCLEPIADACEAE**Vincetoxicum canescens* (Willd.) Decne.

İşiklı village, waste places, 1100-1200m, 06.05.2000, E.Ö. 1110.

*ASTERACEAE**Anthemis arenicola* Boiss. var. *arenicola*

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1181. - Med.

Anthemis coelopoda var. *longiloba* Grierson

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1139.

Anthemis haussknechtii Boiss. & Reut.

Yeşilce village, fieldside, 1000-1100m, 17.05.2000, E.Ö. 1256.

Anthemis tinctoria L. var. *tinctoria*

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1182.

Carduus nutans L.

Sofalıcı village, roadside, 1100-1200m, 15.04.2000, E.Ö. 1017.

Carduus pycnocephalus subsp. *breviphyllarius* Davis

Yeşilce village, 900-1000m, 04.05.2001, Y.Z., E.Ö. 1340. - Ir-tur.

Centaurea cherianthifolia Willd. var. *cherianthifolia*

Sof mountain, stony places, 1450m, 06.06.2002, E.Ö. 1383. - Eur-sib.

Centaurea haussknechtii Boiss.

Dimışkılı village, in grove of oak trees, 1100-1200m, 12.07.2000, E.Ö. 1321.

Centaurea rigida Banks & Sol.

Yesilce village, slope of hill, 900-1000m, 06.05.2000, E.Ö. 1140. - Ir-tur.

Centaurea tomentella Hand.-Mazz.

İşiklı village, in grove of oak trees, 900-1000m, 23.04.2000, E.İ., E.Ö. 1047. - Ir-tur.

Centaurea triumfetti All.

Acaroba village, in grove of oak trees, 900-1000m, widespread, 06.05.2000, E.İ., E.Ö. 1141.

Centaurea urvillei DC. subsp. *urvillei*

İşiklı village, roadside, 1000-1100m, 06.06.2002, E.Ö. 1378. - Med.

Centaurea virgata Lam

İşiklı village, waste places, 1100-1200m, widespread, 06.05.2000, E.Ö. 1142.

Chardinia orientalis (L.) Kuntze

Yeşilce village, roadside, 900-1000m, 15.04.2000, E.Ö. 1018. - Ir-tur.

Chondrilla juncea L. var. *juncea*

Sofalıcı village, slope of hills, in grove of oak trees, 1000-1100m, 04.05.2000, E.Ö. 1101

Cichorium intybus L.

Yeşilce village, slope of hill, in grove of oak trees, 1000-1100m, 14.05.2000, E.Ö. 1253.

Cirsium pubigerum subsp. *spinulosum* Petrak

Işıkçı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1341.

Crepis alpina L.

Yeşilce village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1143.

Crepis kotschyana (Boiss.) Boiss.

Sof mountain, roadside, 1100-1200m, 15. 06.2000, E.Ö. 1303. - Ir-tur.

Crepis sancta L.

Sofalıcı village, waste places, 1000-1100m, widespread, 15.06.2000, E.Ö. 1304.

Crupina crupinastrum (Moris) Vis.

Işıkçı village, roadside, 1100-1200m, widespread, 06.05.2000, E.Ö. 1183.

Doronicum orientale Hoffm.

Işıkçı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1342.

Echinops orientalis Trautv.

Yeşilce village, roadside, 900-1000m, 06.05.2000, E.Ö. 1144. - Ir-tur.

Gundelia tournefortii var. *armata* Freyn & Sint.

Sof mountain, stony places, 1200-1300m, 14.05.2000, E.Ö. 1254. - Ir-tur.

Helichrysum plicatum DC. subsp. *plicatum*

Işıkçı village, place called Kuş kayası, slope of hill, 1000-1100m, 06.06.2002, E.İ., E.Ö. 1379.

Jurinea ramulosa Boiss. & Hausskn.

Dimşikli village, roadside, 1100-1200, 17.05.2000, E.Ö. 1257. - Ir-tur.

Mantisalca salmantica (L.) Briq. & Cavill.

Sof mountain, stony places, 1100-1200, 05.06.2000, E.Ö. 1299. - Med.

Scorzonera cana var. *radicosa* (Boiss.) D.F. Chamb.

Işıkçı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1184.

Senecio vernalis Waldst. & Kit.

Işıkçı village, fieldside, 1100-1200m, widespread, 06.05.2000, E.Ö. 1185.

Sonchus asper subsp. *glaucescens* (Jord.) Ball

Işıkçı village, roadside, 1000-1100m, widespread, 06.05.2000, E.Ö. 1145.

Tanacetum argenteum (Lam.) Willd. subsp. *argenteum*

Sof mountain, stony places, 1200-1300m, 12.07.2000, E.Ö. 1322. - Ir-tur.

Taraxacum syriacum Boiss.

Sofalıcı village, in grove of oak trees, 1000-1100m, 17.05.2000, E.Ö. 1258. - Ir-tur.

Tragopogon balcanicus Velen.

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1134. - Med.

Tragopogon pratensis L.

Işıkçı village, in field, 1000-1100m, 06.05.2000, E.Ö. 1247. - Eur-sib.

Tragopogon reticulatus Boiss. & A. Huet

Yeşilce village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1133.

Tripleurospermum oreades (Boiss.) Rech.f.

Yeşilce village, in field, 1000-1100m, 12.07.2001, E.İ., E.Ö. 1361.

Xanthium strumarium subsp. *cavanillesii* (Schouw) D. Löve & Dans.

Işıkçı village, in field, 900-1000m, 12.07.2001, E.İ., E.Ö. 1362.

BERBERIDACEAE

Bongardia chrysogonum (L.) Spach

Işıklı village, fieldside, 1100-1200m, 06.05.2000, E.Ö. 1111. - Ir-tur.

Leontice leontopetalum subsp. *ewersmannii* (Bunge) Coode

Yeşilce village, fieldside, 900-1000m, 23.04.2000, E.Ö. 1046.

BRASSICACEAE

Aethionema arabicum (L.) DC.

Yeşilce village, roadside, 900-1000m, widespread., 17.05.2000, E.Ö. 1263.

Aethionema stapfii Vierh.

Sof mountain, roadside, 1200-1300m, 06.05.2000, E.Ö. 1187. - Ir-tur.

Arabis aucheri Boiss.

Yeşilce village, on rocks, 900-1000m, 04.05.2000, E.Ö. 1188.

Arabis brachycarpa Rupr.

Işıklı village, in field, 1000-1100m, 06.05.2000, E.Ö. 1189. - Eur-sib.

Camelina hispida Boiss.

Işıklı village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1191.

Capsella bursa-pastoris (L.) Medik.

Yeşilce village, roadside, 900-1000m, widespread, 19.06.2000, E.Ö. 1309.

Cardaria draba (L.) Desv.

Sofalıcı village, roadside, 1000-1100m, widespread, 26.04.2000, E.Ö. 1061.

Clypeola jonthlaspi L.

Işıklı village, fieldside, 1000-1100m, widespread, 06.05.2000, E.Ö. 1190.

Crambe orientalis L. var. *orientalis*

Yeşilce village, roadside, 1000-1100m, widespread, 06.05.2000, E.Ö. 1193

Crambe tataria Sebeök var. *tataria*

Işıklı village, in grove of oak trees, stony places, 1000-1100m, 15.04.2000, E.Ö. 1019.

Erysimum goniocaulon Boiss.

Yeşilce village , waste places, 900-1000m, 15.04.2000, E.Ö. 1020.

Erysimum hamosum Post

Dimışkili village, stony places, 1100-1200m, 15.04.2000, E.Ö. 1021. - Ir-tur.

Erysimum repandum L.

Yeşilce village, waste places, 900-1000m, widespread, 06.05.2000, E.Ö. 1192.

Erysimum smyrnaeum Boiss. & Balansa

Işıklı village, roadside, 1000-1100m, widespread, 06.05.2000, E.Ö. 1194.

Fibigia eriocarpa (DC.) Boiss.

Işıklı village, stony places, 1100-1200m, widespread, 06.05.2000, E.Ö. 1195.

Hesperis aintabica Post

Işıklı village, fieldside, 1000-1100m, 01.05.2000, E.Ö. 1076.

Hesperis pulmonariooides Boiss.

Yeşilce village, fieldside, 1000-1100m, 14.04.2001, Y.Z., E.Ö. 1332.

Isatis tinctoria subsp. *corymbosa* (Boiss.) P.H. Davis

Yeşilce village, roadside, 1000-1100m, 01.05.2000, E.Ö. 1077.

Matthiola longipetala subsp. *bicornis* (Sm.) P.W. Ball

Işıklı village, roadside, 1000-1100m, widespread, 17.05.2000, E.Ö. 1417.

Neslia apiculata Fisch.

Işıkçı village, stony places, 1100-1200m, 06.05.2000, E.Ö. 1197.

Sinapis alba L.

Yeşilce village, roadside, 900-1000m, 15.04.2000, E.Ö. 1022.

Sinapis arvensis L.

Işıkçı village, roadside, 1000-1100m, 23.04.2000, E.Ö. 1048.

Sisymbrium altissimum L.

Işıkçı village, roadside, 1100-1200m, widespread, 06.05.2000, E.Ö. 1196.

Sisymbrium loeselii L.

Yeşilce village, fieldside, 1000-1100m, widespread, 15.04.2000, E.Ö. 1023.

Sterigmostemum sulphureum (Banks & Sol.) Bornm. *subsp. sulphureum*

Işıkçı village, roadside, 1000-1100m, 26.04.2000, E.Ö. 1062. - Ir-tur.

Thlaspi perfoliatum L.

Işıkçı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1146. *BORAGINACEAE*

Alkanna hirsutissima (Bertol.) DC.

Işıkçı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1336. - Ir-tur.

Anchusa azurea Mill. var. *azurea*

Yeşilce village, roadside, 900-1000m, 26.04.2000, E.Ö. 1074.

Anchusa strigosa Labill.

Işıkçı village, roadside, 26.04.2000, 1100-1200m, E.Ö. 1096.

Echium italicum L.

Yeşilce village, waste places, 1100-1200m, 06.05.2000, E.Ö. 1132. - Med.

Heliotropium haussknechtii Bunge

Sofalıcı village, in grove of oak trees, 1000-1100m. 06.05.2000., E.Ö. 1112. - Med.

Heliotropium myosotoides Banks & Sol.

Işıkçı village, in grove of oak trees, 1000-1100 m, 04.05. 2001., Y.Z., E.Ö. 1337. - Ir-tur.

Heliotropium supinum L.

Sof mountain, roadside, stony places, 1100-1200m, 19.06.2000, E.Ö. 1306.

Moltkia coerulea (Willd.) Lehm.

Sofalıcı village, waste places, 1000-1100m, 04.05.2000, E.Ö. 1097. - Ir-tur.

Onosma albo-roseum Fisch. & C.A. Mey. *subsp. albo-roseum*

Işıkçı village, on rocks, 1000-1100m, 18.04.2000, E.Ö. 1035. - Ir-tur.

Onosma bulbotrichum DC.

Sof mountain, roadside, stony places, 1100-1200m, 06.05.2000, E.Ö. 1113. - Ir-tur.

Onosma giganteum Lam.

Yeşilce village, fieldside, 900-1000m, 04.05.2000, E.Ö. 1098. - Med.

Onosma macrophyllum var. *angustifolium* Bormm.

Işıkçı village, roadside, 1000-1000m, 04.05.2000, E.Ö. 1099. - Ir-tur.

Onosma sericeum Willd.

Yeşilce village, in grove of oak trees, 04.05.2000, E.Ö. 1100. - Ir-tur.

Onosma sieheanum Hayek

Sofalıcı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1114. - Ir-tur.

Paracaryum sintenisii Bornm.

Işıkçı village, Kuş kayası, slope of hill, 1000-1100m, 06.06.2002, E.I., E.Ö. 1403. - Ir-tur.

Solenanthus stamineus (Desf.) Wettst.

Sof mountain, roadside, stony places, 1100-1200m, 18.04.2000, E.Ö. 1036.

Symphytum aintabicum Hub.-Mor. & Wickens

Işıklı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1338. - Med.

CAMpanulaceae

Asyneuma rigidum (Willd.) Grossh

Yeşilce village, waste places, 900-1000m, 17.05.2000, E.Ö. 1255. - Ir-tur.

Campanula glomerata subsp. *hispida* (Witasek) Hayek

Işıklı village, fieldside, 1000-1100m, 13.05.2000, E.Ö. 1251. - Eur-sib.

Campanula involucrata A. DC.

Yeşilce village, fieldside, 900-1000m, widespread, 06.05.2000, E.Ö. 1115.

CAPrifoliaceae

Lonicera caprifolium L.

Sof mountain, stony places, 1100-1200m, 06.05.2000, E.Ö. 1116

Lonicera etrusca Santi var. *etrusca*

Işıklı village, place called Kuş kayası, roadside, in grove of oak trees, 1000-1100m, 06.06.2002, E.İ., E.Ö. 1376. - Med.

Lonicera nummulariifolia Jaub. & Spach. subsp. *nummulariifolia*

Işıklı village, stony places, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1339.

CARYOPHYLLACEAE

Agrostemma githago L.

Işıklı village, fieldside, 1000-1100m 06.05.2000, E.Ö. 1117.

Holosteum umbellatum L.

Yeşilce village, waste places, 900-1000m, 06.05.2000, E.Ö. 1118.

Saponaria prostrata Willd. subsp. *prostrata*

Yeşilce village, roadside, 900-1000m, 01.05.2000, E.Ö. 1308. - Ir-tur.

Silene alba subsp. *eriocalycina* (Boiss.) Walters

Yeşilce village, fieldside, 900-1000m, 06.05.2000, E.İ., E.Ö. 1137.

Silene chaetodonta Boiss.

Yeşilce village, 900-1000m, 06.05.2000, E.Ö. 1138. - Ir-tur.

Silene conoidea L.

Yeşilce village, in field, 1000-1100m, 17.05.2000, E.Ö. 1291.

Silene longipetala Vent.

Yeşilce village, fieldside, 900-1000m, 06.05.2000, E.Ö. 1179.

Silene supina subsp. *pruinosa* (Boiss.) Chowdhury

Işıklı village, place called Kuş kayası, stony places, 900-1000m, 06.06.2002, E.Ö. 1377.

Telephium oligospermum Boiss.

Işıklı village, in grove of oak trees, 1000-1100m, 19.06.2000, E.Ö. 1307. - Ir-tur.

Vaccaria pyramidata var. *oxyodontia* (Boiss.) Zoh.

Işıklı village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1180. - Ir-tur.

CLUSIACEAE

Hypericum amblysepalum Hochst.

Yeşilce village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1345.

Hypericum hyssopifolium subsp. *elongatum* (Ledeb.) Woronow

Işıklı village, in grove of oak trees, 1000-1100m, 17.05.2000, E.Ö. 1276. - Ir-tur.

Hypericum lydium Boiss.

Işıklı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1119.

Hypericum orientale L.

Işıklı village, roadside, 1000-1100m, 17.05.2000, E.Ö. 1277.

Hypericum perforatum L.

Sofalıcı village, in grove of oak trees, 900-100m, 06.06.2002, E.İ., E.Ö. 1385.

Hypericum retusum Aucher

Yeşilce village, stony places, 900-1000m, 06.05.2000, E.Ö. 1123. - Ir-tur.

Hypericum venustum Fenzl

Sofalıcı village, in grove of oak trees, 900-100m, 06.06.2002, E.İ., E.Ö. 1386.

Hypericum russegeri (Fenzl) R. Keller

Yeşilce village, fieldside, 900-1000m, 13.06.2001, E.İ., E.Ö. 1419. - Med.

CONVOLVULACEAE

Convolvulus althaeoides L.

Acaroba village, in grove of oak trees, 900-1000m, 17.05.2000, E.Ö. 1259. - Med.

Convolvulus aucheri Choisy

Yeşilce village, roadside, 900-1000m, 17.05.2000, E.Ö. 1260. - Med.

Convolvulus arvensis L.

Yeşilce village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1186.

Convolvulus betonicifolius Mill. subsp. *betonicifolius*

Işıklı village, roadside, 1100-1200m, widespread, 17.05.2000, E.Ö. 1261.

Convolvulus siculus L. var. *siculus*

Yeşilce village, in field, 1000-1100m, 17.05.2000, E.Ö. 1262. - Med.

CUCURBITACEAE

Ecballium elaterium (L.) A. Rich.

Yeşilce village, roadside, 900-1000m, 25.07.2001, E.İ., E.Ö. 1365. - Med.

CUSCUTACEAE

Cuscuta planiflora Ten.

Sof mountain, roadside, 1100-1200m, 06.06.2002, E.İ., E.Ö. 1384.

DIPSACACEAE

Cephalaria syriaca (L.) Schrad.

Sof mountain, stony places, roadside, 1100-1200m, 12.07.2001, E.İ., E.Ö. 1363.

Scabiosa argentea L.

Yeşilce village, fieldside, 1000-1100m, widespread, 06.05.2000, E.Ö. 1198.

Scabiosa micrantha Desf.

Yeşilce village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1147.

*ELAEAGNACEAE**Elaeagnus angustifolia* L.

Sofalıcı village, near a spring, 1000-1100m, widespread, 04.05.2000, E.Ö. 1102.

*EUPHORBIACEAE**Euphorbia aleppica* L.

Işıklı village, Kuş kayası, stony places, 900-1000m, widespread, 06.06.2002, E.İ., E.Ö. 1380.

Euphorbia anacampseros var. *t molea* M.S. Khan

Yeşilce village, in grove of oak trees, 900-1000m, 06.05.2000, E.İ., E.Ö. 1249. - Med.

Euphorbia chamaesyce L.

Yeşilce village, waste places, 900-1000m, widespread, 06.05.2000, E.Ö. 1200.

Euphorbia eriophora Boiss.

Işıklı village, in field, 1000-1100m, 06.05.2000, E.Ö. 1202. - Ir-tur.

Euphorbia macroclada Boiss.

Yeşilce village, roadside, 900-1000m, 06.05.2000, E.Ö. 1199. - Ir-tur.

Euphorbia orientalis L.

Işıklı village, in grove of oak trees, stony places, 1000-1100m, 01.05.2000, E.Ö. 1078. - Ir-tur.

Euphorbia phymatosperma Boiss. & Gaill.

Dimışkılı village, slope of hill, 900-100m, widespread, 06.06.2002, E.Ö. 1381.

Euphorbia szovitsii Fisch. & Mey.

Sofalıcı village, waste places, 1100-1200m, Ir.- Tur. Elem, 06.05.2000, E.Ö. 1203.

*FAGACEAE**Quercus brantii* Lindl.

Yeşilce village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1217. - Ir-tur.

Quercus coccifera L.

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1216. - Med.

Quercus infectoria subsp. *boissieri* (Reut.) O. Schwarz

Işıklı village, in grove of oak trees, 1000-1100m, 17.11.2001, E.İ., E.Ö. 1370.

Quercus ithaburensis subsp. *macrolepis* (Kotschy) Hedge & Yalt.

Işıklı village, in grove of oak trees, 1000-1100m, 06.05.2001, Y.Z., E.Ö. 1359. - Med.

Quercus libani Olivier

Işıklı village, in grove of oak trees, 1000-1100m, 04.05.2000, E.Ö. 1406. - Med.

*GERANIACEAE**Erodium botrys* (Cav.) Bertol.

Yeşilce village, fieldside, 900-1000m, 06.05.2000, E.Ö. 1218. - Med.

Erodium cicutarium (L.) L'Hér. subsp. *cicutarium*

Acaroba village, fieldside, 1000-1100m, 18.04.2000, E.Ö. 1031.

Geranium pyrenaicum Burm.f.

Yeşilce village, fieldside, 1100-1200m, 06.05.2000, E.Ö. 1219.

Geranium rotundifolium L.

Işıkçı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1220.

Geranium tuberosum L. subsp. *tuberosum*

Yeşilce village, in grove of oak trees, 1000-1100m, 15.04.2000, E.Ö. 1024.

Pelargonium endlicherianum Fenzl

Dimışkılı village, stony places, 1000-1100m, 12.07.2001, E.İ., F. Satılı 1002.

*GLOBULARIACEAE**Globularia trichosantha* Fisch. & C.A. Mey.

Yeşilce village, stony places, 1100-1200m, widespread, 06.05.2000, E.Ö. 1221.

*ILLECEBRACEAE**Paronychia kurdica* subsp. *haussknechtii* Chaudhri

Sof of mountain, stony places, 1400-1450m, 06.05.2000, E.Ö. 1151.

*LAMIACEAE**Ajuga chamaepitys* subsp. *laevigata* (Banks & Sol.) P. H. Davis

Dimışkılı village, on rocks, 1100-1200m, 23.04.2000, E.Ö. 1050. - Ir-tur.

Ballota nigra L. subsp. *nigra*

Işıkçı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1346. - Eur-sib.

Ballota saxatilis C. Presl subsp. *saxatilis*

Dimışkılı village, stony places, 1100-1200m, 06.05.2000, E.Ö. 1122. - Med.

Eremostachys laciniata (L.) Bunge

Dimışkılı village, roadside, stony area, 1100-1200m, 06.06.2002, E.İ., E.Ö. 1387. - Ir-tur.

Eremostachys moluccelloides Bunge

Işıkçı village, Kuş kayası, stony area, 900-100m, 06.06.2002, E.İ., E.Ö. 1388. - Ir-tur.

Lalemantia canescens (L.) Fisch. & C.A. Mey.

Işıkçı village, in field, 1000-1100m, 13.05.2000, E.Ö. 1252. - Ir-tur.

Lamium amplexicaule L.

Işıkçı village, in field, 1000-1100m, widespread, 07.04.2000, E.İ., E.Ö. 1015.

Lamium cariense R.R. Mill

Sofalıcı village, near a spring, stony area, 900-1000m, 19.06.2000, E.Ö. 1310. - Med.

Lamium garganicum subsp. *reniforme* (Benth.) R.R. Mill

Işıkçı village, roadside, stony place, 900-1000m, 06.06.2002, E.Ö. 1389.

Marrubium parviflorum Fisch. & C.A. Mey. subsp. *parviflorum*

Işıkçı village, fieldside, 1100-1200m, 06. 05. 2000, E.Ö. 1120. - Ir-tur.

Mentha pulegium L.

Sofalıcı village, near a natural spring, 900-1000m, 06. 05. 2000, E.Ö. 1152.

Micromeria myrtifolia Boiss. & Hohen.

Yeşilce village, fieldside, 1100m, 06.05.2000, E.Ö. 1222. - Med.

Moluccella laevis L.

Around Yeşilce village, in field, 900-1000m, 16.06.2000, E.Ö. 1305. - Ir-tur.

Nepeta italicica L.

Dimışkılı village, stony places, 1300-1400m, widespread, 12.07.2001, E.İ., E.Ö. 1364.

Nepeta nuda subsp. *albiflora* (Boiss.) Gams

Around Yeşilce village, 900-1000m, 06.06.2002, E.İ., E.Ö. 1390.

Phlomis armeniaca Willd.

Dimışkılı village, stony places, 1100-1200m, 26.04.2000, E.Ö. 1067. - Ir-tur.

Phlomis pungens var. *hirta* Velen.

Dimışkılı village, roadside, stony place, 1000-1100m, 06.05.2000, E.Ö. 1153.

Salvia bracteata Banks & Sol.

Yeşilce village, fieldside, 1100-1200m, widespread, 06.05.2001, E.İ., E.Ö. 1360.

Salvia ceratophylla L.

Işıklı village, place called Kuş kayası, stony area, 1000-1100m, 06.05.2001, E.Ö. 1391. - Ir-tur.

Salvia multicaulis Vahl

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1223. - Ir-tur.

Salvia palaestina Benth

Yeşilce village, fieldside, 1000-1100m, 23.04.2000, E.Ö. 1051. - Ir-tur.

Salvia pisidica Benth.

Dimışkılı village, stony places, 1200-1300m, 06.05.2000, E.Ö. 1154. - Ir-tur.

Salvia russellii Benth.

Yeşilce village, in field, 900-1000m, 06.05.2000, E.Ö. 1121. - Ir-tur.

Salvia spinosa L.

Sofalıcı village, roadside, 1100-1200m, 06.06.2002, E.İ., E.Ö., 1392. - Ir-tur.

Salvia suffruticosa Benth.

Acaroba village, stony places, 1000-1100m, 17. 05. 2000, E.Ö. 1278. - Ir-tur.

Salvia syriaca L.

Yeşilce village, in field, 1000-1100m, 23.04.2000, E.Ö. 1052. - Ir-tur.

Salvia tomentosa Mill.

Işıklı village, roadside, 1000m, 01.05.2000, E.Ö. 1083. - Med.

Salvia verticillata L.

2 km north of Işıklı village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1224. - Ir-tur.

Scutellaria orientalis subsp. *alpina* (Boiss.) O. Schwarz var. *alpina*

Dimışkılı village, Big Sof hill, stony places, 1450m, 06.06.2002, E.İ., E.Ö. 1393.

Scutellaria rubicunda subsp. *subvelutina* (Rech. f.) J.R. Edm.

Işıklı village, Kuş kayası area, 1100- 1200m, slope of hill, 900-1000m, 06.06.2002, E.İ., E.Ö. 1394. - Med.

Sideritis condensata Benth.

Işıklı village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1225. - Med.

Sideritis libanotica subsp. *microchlamys* (Hand.-Mazz.) Hub.-Mor.

Dimışkılı village, stony places, 1300-1400m, 06.05.2000, E.Ö. 1155. - Ir-tur.

Sideritis montana L. subsp. *montana*

Yeşilce village, in grove of oak trees, 1000-1100m, 23.04.2000, E.Ö. 1053. - Med.

Stachys cretica subsp. *vacillans* Rech. f.

Dimışkılı village, fieldside, 1000-1100m, 17.05.2000, E.İ., E.Ö. 1279. - Med.

Stachys pumila Banks & Sol.

Dimışkılı village, Big Sof hill, stony area, 1200-1300m, 12.07.2001, E.Ö. 1372. - Med.

Teucrium capitatum L.

Işıklı village, fieldside, 1000-1100m, widespread, 06.05.2000, E.İ., E.Ö. 1226.

Teucrium multicaule Benth.

Işıklı village, roadside, 1100-1200m, 04.05.2001, Y.Z., E.Ö. 1347. - Ir-tur.

Teucrium orientale L.

Yeşilce village, in grove of oak trees, 1000-1100m, 04.06.2000, E.Ö. 1298. - Ir-tur.

Thymbra spicata L. var. *spicata*

Hills of Yeşilce village, fieldside, 900-1000m, 06.05.2000, E.Ö. 1272. - Med.

Wiedemannia orientalis Fisch. & C.A. Mey.

Işıklı village, waste place, 900-1000m, 23.04.2000, E.Ö. 1054. - Ir-tur.

Ziziphora capitata L.

Dimışkılı village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1228. - Ir-tur.

Ziziphora tenuior L.

Yeşilce village, waste places, 900-1000m, 06.08.2000, E.Ö. 1324. - Ir-tur.

LEGUMINOSAE

Anthyllis vulneraria subsp. *rubriflora*

Yeşilce village, in grove of oak trees, 950-1100m, 20.04.2000, E.Ö. 1042. - Med.

Astragalus aintabicus Boiss.

Işıklı village, roadside, 1100-1200m, 04.05.2001, Y.Z., E.Ö. 1343.

Astragalus cephalotes Banks & Sol.

Işıklı village, in grove of oak trees, 1100-1200m, 04.05.2001, Y.Z. E.Ö. 1344.

Astragalus declinatus Willd.

Yeşilce village, in grove of oak trees, 1000-1100m, 06.05.2000, E.Ö. 1148. - Ir-tur

Astragalus densifolius Lam.

Acaroba village, in grove of oak trees, 950-1100m, 23.04.2000, E.Ö. 1049.

Astragalus diphterites Fenzl var. *diphterites*

Sofalıcı village, 1000-1100m, 06.05.2000, E.Ö. 1201. - Ir-tur.

Astragalus lydius Boiss.

2 km W of Işıklı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1204. - Ir-tur.

Astragalus macrocephalus subsp. *finitimus* (Bunge) D.F. Chamb.

Yeşilce village, slope of hill, 1000-1100m, 20.04.2000, E.Ö. 1040. - Ir-tur.

Astragalus suberosus subsp. *ancylaeus* (Boiss.) V.A. Matthews

Yeşilce village, in grove of oak trees, 1000-1100m, 01.05.2000, E.Ö. 1079.

Cicer arietinum L.

Sof mountain, in field, 900-1000m, 17.05.2000, E.Ö. 1265.

Cicer pinnatifidum Jaub. & Spach

Dimışkılı village, stony places, 1200-1300m, 17.05.2000, E.Ö. 1266.

Coronilla orientalis Mill.

Yeşilce village, in grove of oak trees, 1000-1100m, 06.05.2000, E.Ö. 1205.

Dorycnium pentaphyllum subsp. *haussknechtii* (Boiss.) Boiss.

Yeşilce village, fieldside, 950-1100m, 25.04.2000, E.Ö. 1060. - Ir-tur.

Hedysarum kotschyi Boiss.

Dimışkılı village, stony places, 1200-1300m, 06.06.2002, E.I., E.Ö. 1382. - Ir-tur.
Lathyrus elongatus (Bornm.) Širj.

Işıklı village, in field, 1000-1100m, 17.05.2000, E.Ö. 1267.
Lathyrus sativus L.

Işıklı village, in grove of oak trees, 1000-1100m, widespread, 26.04.2000, E.Ö. 1063.
Lens nigricans (M. Bieb.) Godr.

Işıklı village, roadside, 1100-1200m, 17.05.2001, Y.Z., E.Ö. 1367. - Med.
Lens orientalis (Boiss.) Hand.-Mazz.

Yeşilce village, roadside, 900-1000m, 17.05.2000, E.Ö. 1268.

Lotus gebelia Vent. var. *gebelia*

Yeşilce village, field side, 900-1000m, 25.04.2000, E.Ö. 1059.

Lotus gebelia var. *hirsutissimus* (Ledeb.) Dinsm.

Işıklı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1149.

Medicago orbicularis (L.) Bartal.

Işıklı village, waste places, 1100m, 06.05.2000, E.Ö. 1206.

Medicago radiata L.

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1209. - Ir-tur.

Onobrychis cornuta (L.) Desv.

Işıklı village, roadside, 900-1000m, 06.05.2000, E.Ö. 1207. - Ir-tur.

Onobrychis galegifolia Boiss.

Yeşilce village, roadside, 900-1000m, 06.05.2000, E.Ö. 1208. - Ir-tur.

Onobrychis gracilis Besser

Işıklı village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1150.

Pisum sativum subsp. *elatius* var. *pumila* Meikle

Işıklı village, roadside, stony places, 1000-1100m, 17.05.2000, E.Ö. 1269. - Med.

Psoralea jaubertiana Fenzl

Dimışkılı village, stony places, 1100-1200m, 07.04.2000, E.Ö. 1016. - Ir-tur.

Trifolium caudatum Boiss.

Yeşilce village, waste places, 900-1000m, 06.05.2000, E.Ö. 1210.

Trifolium grandiflorum Schreb.

Sofalıcı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1212. - Med.

Trifolium haussknechtii var. *candollei* (Post) M. Hossain

Yeşilce village, roadside, 900-1000m, 17.05.2000, E.Ö. 1270. - Ir-tur.

Trifolium pauciflorum d'Urv.

North slope of hill, 1000m, 01.05.2000, E.Ö. 1080. - Med.

Trifolium pratense L. subsp. *pratense*

Acaroba village, fieldside, 900-1000m, 17.05.2000, E.Ö. 1271.

Trifolium purpureum Loisel.

Işıklı village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1126.

Trifolium repens L. var. *repens*

Yeşilce village, waste places, 900-1000m, 06.05.2000, E.Ö. 1211.

Trifolium stellatum L. var. *stellatum*

Dimışkılı village, fieldside, 1000-1100m, 01.05.2000, E.Ö. 1081.

Trigonella coelesyriaca Boiss.

Yeşilce village, roadside, 900-1000m, 17.05.2000, E.Ö. 1272. - Ir-tur.

Vicia alpestris Steven

Işıklı village, waste places, 1000-1100m, 17.05.2000, E.Ö. 1273.

Vicia assyriaca Boiss.

Işıklı village, roadside, 1000-1100m, 26.04.2001, E.İ., E.Ö. 1333. - Ir-tur.

Vicia cracca subsp. *stenophylla* Velen.

Işıklı village, fieldside, 1100-1200m, widespread, 06.05.2000, E.Ö. 1124.

Vicia cuspidata Boiss.

Işıklı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1213. - Med.

Vicia faba L.

Işıklı village, fieldside, 1100-1200m, 06.05.2000, E.Ö. 1125.

Vicia grandiflora Scop. var. *grandiflora*

Yeşilce village, waste places, 900-1000m, 06.05.2000, E.Ö. 1214. - Med.

Vicia michauxii Spreng. var. *michauxii*

Işıklı village, fieldside, 1000-1100m, 26.04.2000, E.Ö. 1064.

Vicia narbonensis L.

Işıklı village, roadside, 1000-1100m, widespread, 17.05.2000, E.Ö. 1274.

Vicia pannonica Crantz var. *pannonica*

Yeşilce village, fieldside, 1000m, 06.05.2000, E.Ö. 1215.

Vicia peregrina L.

Işıklı village, roadside, 1000-1100m, widespread, 17.05.2000, E.Ö. 1275.

Vicia sativa L. var. *segetalis* (Thuill.) DC.

Dimışkılı village, fieldside, 1100-1200m, 01.05.2000, E.Ö. 1082.

*LINACEAE**Linum aretioides* Boiss.

Yeşilce village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1158.

Linum cariense Boiss.

Işıklı village, roadside, 1100-1200m, 06.05.2000, E.Ö. 1415. - Ir-tur.

Linum catharticum L.

Yeşilce village, waste places, 900-1000m, 15.04.2000, E.Ö. 1026. - Eur-sib.

Linum mucronatum subsp. *orientale* (Boiss.) P.H. Davis

Sof mountain, roadside, slope area, 1200-1300m, 01.05.2000, E.Ö. 1087.

*MALVACEAE**Alcea digitata* (Boiss.) Alef.

Around Yeşilce village, roadside, 1100-1200m, 06.05.2000, E.Ö. 1230. - Ir-tur.

Alcea pallida Waldst. & Kit.

Yeşilce village, roadside, 900-1000m, 06.05.2000, E.Ö. 1157.

Malva sylvestris L.

Işıklı village, roadside, 1100-1200m, 06.05.2000, E.Ö. 1156.

*MORACEAE**Ficus carica* subsp. *rupestris* (Boiss.) Browicz

Sof mountain, at the slopes, 1100-1200m, 17.06.2000, E.Ö. 1311. - Ir-tur.

*MORINACEAE**Morina persica* L.

Işıklı village, Kuş kayası area, roadside, waste places, 900-1000m, 06.06.2002, E.İ., E.Ö. 1408. - Ir-tur.

*OLEACEAE**Fraxinus angustifolia* subsp. *syriaca* (Boiss.) Yalt.

Yeşilce village, in grove of oak trees, 1000-1100m, 06.05.2000, E.Ö. 1231. - Ir-tur.

Jasminum fruticans L.

Işıklı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1161. - Med.

Olea europaea L. var. *europaea*

Yeşilce village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1232. - Med.

*OROBANCHACEAE**Orobanche alba* Willd.

Yeşilce village, fieldside, 900-1000m, 06.05.2000, E.Ö. 1233.

Orobanche anatolica Boiss. & Reut.

Işıklı village, Kuş kayası area, slope places, 900-1000m, 06.06.2002, E.İ., E.Ö. 1409.

Orobanche caryophyllacea Sm.

Işıklı village, in Lentil field, 1000-1100m, 17. 05. 2000, E.Ö. 1281.

Phelypaea coccinea (M. Bieb.) Poir.

Around Sofalıcı village, waste places, 1000-1100m, 06.05.2000, E.Ö. 1162. - Ir-tur.

*PAPAVERACEAE**Corydalis henrikii* Lidén

Hills of Yeşilce village, on stone, 900-1000m, 22.03.2000, E.Ö. 1008.

Fumaria asepala Boiss.

Hills of Yeşilce village, fieldside, 900-1000m, 06.05.2000, E.Ö. 1163. - Ir-tur.

Hypecoum imberbe Sm.

Yeşilce village, fieldside, 900-1000m, widespread, 01.05.2000, E.Ö. 1088.

Papaver orientale L.

Işıklı village, in field, 1000-1100m, 06.05.2000, E.Ö. 1234.

Papaver paucifoliatum (Trautv.) Fedde

Sofalıcı village, roadside, 1000-1100m, 01.05.2000, E.Ö. 1089. - Ir-tur.

Papaver rhoeas L.

Sofalıcı village, roadside, waste places, 1000-1100m, widespread, 01.05.2000, E.Ö. 1090.

*PLANTAGINACEAE**Plantago lanceolata* L.

Işıklı village, roadside, 1000-1100m, 04.05.2000, E.Ö. 1103.

*PLUMBAGINACEAE**Acantholimon venustum* Boiss. var. *venustum*

Işıklı village, roadside, 1000-1100m, 17.11.2001, E.İ., E.Ö. 1373. - Ir-tur.

POLYGONACEAE

Atraphaxis billardieri Jaub. & Spach var. *billardieri*

Dimışkılı village, stony places, 1200-1300m, 17.05.2000, E.Ö. 1410. - Ir-tur.

Rumex chalepensis Mill.

Işıklı village, roadside, 1000-1100m, 05.06.2000, E.Ö. 1300.

PRIMULACEAE

Anagallis arvensis L. var. *arvensis*

Işıklı village, field side, 900-1000m, 26.05.2000, E.Ö. 1295.

PUNICACEAE

Punica granatum L.

Yeşilce village, in field, 900-1000m, 06.06.2000, E.Ö. 1131.

RANUNCULACEAE

Adonis aestivalis L. subsp. *aestivalis*

Acaroba village, in grove of oak trees, 900-1000m, widespread, 15.04.2000, E.Ö. 1027.

Adonis flammea Jacq.

Around Sofalıcı village, waste places, steppe, 1200-1300m, widespread, 06.05.2000, E.Ö. 1169.

Anemone blanda Schott & Kotschy

Around Acaroba village, in grove of oak trees, 900-1000m, 15.04.2000, E.Ö. 1028.

Ceratocephalus falcatus (L.) Pers.

Hills of Yeşilce village, stony places, 1000-1100m, widespread, 20.04.2000, E.Ö. 1041.

Consolida oliveriana (DC.) Schrödinger

1 km to Işıklı village, roadside stony area, 1000-1100m, 06.05.2000, E.Ö. 1238. - Ir-tur.

Consolida orientalis (Gay) Schrödinger

1 km to Işıklı village, roadside, stony area, 900-1000m, widespread, 06.05.2000, E.Ö. 1168.

Helleborus vesicarius Aucher

Around Yeşilce village, stony places, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1411. - Med.

Nigella arvensis var. *caudata* Boiss.

Hills of Yeşilce village, stony places, 900m, 06.05.2000, E.Ö. 1130.

Ranunculus argyreus Boiss.

Acaroba village, in grove of oak trees, 900-1000m, 15.04.2000, E.Ö. 1029.

Ranunculus asiaticus L.

1 km to Işıklı village, in grove of oak trees, 1000-1100m, 06.05.2000, E.Ö. 1240.

Ranunculus arvensis L.

Acaroba village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1239.

Ranunculus ficaria subsp. *ficariiformis* (F.W. Schultz) Rouy & Foucaud

1 km to Yeşilce village, waste places, 900-1000m, 15.04.2000, E.Ö. 1030.

Ranunculus isthmicus subsp. *stepporum* P.H. Davis

Yeşilce village, waste places, 900-1000m, 15.04.2000, E.Ö. 1412.

RESEDACEAE

Reseda lutea L.

Dimışkili village, field side, 1200-1300m, widespread, 17.05.2000, E.Ö. 1282.

RHAMNACEAE

Paliurus spina-christi Mill.

1 km to Işıklı village, roadside, 1000-1100m, 04.05.2000, E.Ö. 1105.

Rhamnus alaternus L.

1 km to Işıklı village, in grove of oak trees, 1000-1100m 26.05.2000, E.Ö. 1296.

Rhamnus microcarpus Boiss.

Işıklı village, fieldside, 1100-1200m, 26.10.2000, E.Ö. 1326. - Eur-sib.

Rhamnus oleoides subsp. *graecus* (Boiss. & Reut.) Holmboe

Sof mountain, stony places, 1300-1400m, 26.10.2000, E.Ö. 1327. - Med.

Rhamnus pallasii Fisch. & C.A. Mey.

Around Yeşilce village, in grove of oak trees, 1000-1100m, 06.05.2000, E.Ö. 1129.

Rhamnus punctatus Boiss. var. *punctatus*

1 km to Işıklı village, fieldside, 1000-1100m, 04.05.2000, E.Ö. 1106.

ROSACEAE

Amygdalus arabica Oliv.

Acaroba village, roadside, 900-1000m, 03.04.2000, E.Ö. 1014. - Ir-tur.

Amygdalus communis L.

Dimışkili village, in field, 1300-1400m, widespread, 15.04.2000, E.Ö. 1413.

Amygdalus lycioides Spach var. *lycioides*

1 km to Işıklı village, in grove of oak trees, 1100-1200m, 23.04.2000, E.Ö. 1055.

Amygdalus orientalis Mill.

1 km to Işıklı village, in field, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1348. - Ir-tur.

Amygdalus vulgaris Lam.

Işıklı village, in field, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1349.

Cerasus mahaleb (L.) Mill.

1 km to Işıklı village, in grove of oak trees, 1000-1100m, widespread, 06.05.2000, E.Ö. 1170.

Cerasus microcarpa (C.A. Mey.) Boiss. subsp. *microcarpa*

1 km to Işıklı village, roadside, stony places, 1000-1100m, 24.04.2000, E.Ö. 1057. - Ir-tur.

Cerasus microcarpa subsp. *tortuosa* (Boiss. & Hausskn.) Browicz

Işıklı village, stony places, 1100-1200m, 26.04.2000, Y.Z., E.Ö. 1071. - Ir-tur.

Cotoneaster morulus Pojark.

Dimışkili village, stony places, 1400 m, 26.10.2000, E.Ö. 1328.

Cotoneaster nummularia Fisch. & C.A. Mey.

Yeşilce village, roadside, stony places, 1000- 1100m, 04.05.2001, Y.Z., E.Ö. 1350.

Crataegus microphylla K. Koch

Sofalıcı village, waste places, 1100-1200m, 26.10.2000, E.Ö. 1329. - Eur-sib.

Crataegus monogyna Jacq. subsp. *monogyna*

Around Işıklı village, in grove of oak trees, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1351.

Crataegus orientalis M. Bieb.

Around Işıklı village, roadside, 1000-1100 m, widespread, 26.10. 2000, E.Ö. 1177.

Crataegus sinaica Boiss.

Dimışkılı village, stony places, 1400-1500m, 26.10.2000, E.Ö. 1330. - Ir-tur.

Malus sylvestris Mill.

Işıklı village, in field, 1000-1100m, 30.04.2000, E.Ö. 1075.

Potentilla reptans L.

Yeşilce village, in grove of oak treesi, 1000-1100m, widespread, 17.05.2000, E.Ö. 1283.

Prunus divaricata Ledeb. subsp. *divaricata*

1 km to Işıklı village, roadside, 1000-1100m, widespread, 04.05.2001, Y.Z., E.Ö. 1352.

Pyrus syriaca Boiss. var. *syriaca*

Işıklı village, roadside, 1000-1100m, 30.03.2000, E.Ö. 1013.

Rosa canina L.

Işıklı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1357.

Rosa foetida Herrm.

Işıklı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1356. - Ir-tur.

Rubus sanctus Schreb.

Işıklı village, roadside, 1000-1100m, 04.05.2001, Y.Z., E.Ö. 1355. - Med.

Sanguisorba minor subsp. *magnolii* (Spach) Briq.

Around Sofalıcı village, roadside, 1000-1100m, 26.04.2000, E.Ö. 1072.

Spiraea hypericifolia L.

1 km to Işıklı village, fieldside, 900-1000m, 04.05.2001, Y.Z., E.Ö. 1354.

RUBIACEAE

Asperula arvensis L.

Işıklı village, in field, 900-1000m, 19.06.2000, E.Ö. 1318. - Med.

Cruciata articulata (L.) Ehrend.

Acaroba village, in grove of oak trees, 1000-1100m, 19.06.2000, E.Ö. 1314. - Ir-tur.

Cruciata taurica (Willd.) Ehrend.

1 km to Işıklı village, roadside, 1000-1100m, 17.05.2000, E.Ö. 1284. - Ir-tur.

Galium tricornutum Dandy

Dimışkılı village, roadside, waste places, 1100-1200m, 06.06.2002, E.İ., E.Ö. 1399. - Med.

Galium spurium L.

1 km after Sofalıcı village, stony places, 1000- 1100m, 18.04.2000, E.Ö. 1038. - Eur-sib.

Galium scabrifolium (Boiss.) Hausskn.

2 km after Sofalıcı village, roadside, in grove of oak trees, 1000-1100m, 06.06.2002, E.Ö. 1400. - Med.

Galium verum L.

Yeşilce village, fieldside, 900-1000m, 19.06.2000, E.Ö. 1315. - Eur-sib.

Rubia tinctorum L.

Işıklı village, in grove of oak trees, 1000-1100m, 17.05.2000, E.Ö. 1285. - Ir-tur.

SALICACEAE

Salix pedicellata Desf.

Sofalıcı village, near spring water, stony place, 1000-1100m, 04.05.2000, E.Ö. 1107.
- Med.

Salix triandra L.

Sofalıcı village, 900-1000m, 06.06.2002, E.İ., E.Ö. 1401. - Ir-tur.

SAXIFRAGACEAE

Saxifraga hederacea var. *libanotica* (Bornm) V.A. Matthews

Işıklı village, on stone, 1000-1100m, 06.05.2000, E.Ö. 1241.

Saxifraga tridactylies L.

1 km after Sofalıcı village, on stone, 1000-1100m, 17.11.2001, E.İ., E.Ö. 1371.

SCROPHULARIACEAE

Linaria chalepensis (L.) Mill. var. *chalepensis*

Hills of Sofalıcı village, in grove of oak trees, 1100-1200m, 06.05.2000, E.Ö. 1413. -
Med.

Linaria grandiflora Desf.

Yeşilce village, fieldside, 1100-1200m, 06.05.2000, E.Ö. 1242. - Ir-tur.

Scrophularia canina subsp. *bicolor* (Sm.) Greuter

Dimışkılı village, stony places, 1200-1300m, 06.05.2000, E.Ö. 1147. - Med.

Scrophularia libanotica Boiss. subsp. *libanotica*

Işıklı village, roadside, on stone, 1000-1100m, 06.05.2000, E.Ö. 1173. - Med.

Scrophularia orientalis L.

Hills of Yeşilce village, fieldside, 1000-1100m, 06.05.2000, E.Ö. 1243. - Ir-tur.

Scrophularia xanthoglossa Boiss.

1 km from Sofalıcı village, in grove of oak trees, 1100-1200m, 06.05.2000, E.Ö. 1244. - Ir-tur.

Verbascum germaniae Hausskn.

Dimışkılı village, stony places, 1450m, 06.06.2002, E.İ., E.Ö. 1402. - Med.

Verbascum infidellum Boiss. & Hausskn.

1 km from Sofalıcı village, waste places, 1100-1200m, 19.06.2000, E.Ö. 1316. -
Med.

Verbascum lasianthum Benth.

1 km from Sofalıcı village, waste places, 1000-12100m, widespread, 19.06.2000,
E.Ö. 1317.

Veronica hederifolia L.

Around Dimışkılı village, waste places, 1200-1300m, widespread, 16.05.2000, E.Ö.
1297.

Veronica triphyllus L.

Dimışkili village, roadside, stony place, 1200-1300m, widespread, 06.05.2000, E.Ö. 1171.

SOLANACEAE

Hyocymus aureus L.

Işıklı village, waste places, 1100-1200m, 06.05.2000, E.Ö. 1245. - Med.

Hyocymus reticulatus L.

Sofalıcı village, waste places, 1100-1200m, 06.05.2000, E.Ö. 1172. - Ir-tur.

TAMARICACEAE

Tamarix smyrnensis Bunge

Sofalıcı village, by a spring, stony place, 900-1000m, 20.05.2001, Y.Z., E.Ö. 1366.

ULMACEAE

Celtis tournefortii Lam.

Yeşilce village, roadside, 900-1000m, 25.06.2000, E.Ö. 1319.

URTICACEAE

Parietaria lusitanica L.

After Işıklı village, roadside, stony places, 1000-1100m, 17.05.2000, E.Ö. 1289. - Med.

VALERIANACEAE

Valeriana dioica L

Dimışkili village, stony places, 1100-1200m, 04.05.2001, Y.Z., E.Ö. 1353. - Eur-sib.

Valeriana officinalis L.

Hills of Yeşilce village, stony place, 900-1000m, 06.05.2000, E.Ö. 1135.

VIOLACEAE

Viola tricolor L.

Yeşilce village, in grove of oak trees, 900-1000m, 25.04.2000, E.Ö. 1058.

ZYGOPHYLLACEAE

Peganum harmala L.

Yeşilce village, roadside, 900-1000m, 17.05.2000, E.Ö. 1290.

MONOCOTYLEDONES

AMARYLLIDACEAE

Galanthus fosteri Baker

Sofalıcı village, stony places, 1100-1200 m, 17.02.2002, E.İ., E.Ö. 1374. - Med.

Ixiolirion tataricum subsp. *montanum* (Labill.) Takht.

Işıklı village, roadside, 1100-1200 m, 06. 05. 2000, E.Ö. 1108. - Ir-tur.

*ARACEAE**Arum balansanum* R.R. Mill

Acaroba village, in grove of oak trees, 900-1000m, 23.04.2000, E.Ö. 1044. - Med.

Arum conophalloides Schott var. *conophalloides*

Yeşilce village, fieldside, 900-1000m, 23.04.2000, E.Ö. 1045.

*GRAMINEAE**Aegilops cylindrica* Host

1 km from Işıklı village, roadside, 1000-1100m, 06.06.2002, E.İ., E.Ö. 1395. - Ir-tur.

Aegilops triuncialis L. subsp. *triuncialis*

Around Yeşilce village, slope places, 900-1000m, widespread, 06.05.2000, E.Ö. 1235.

Aegilops umbellulata Zhuk. subsp. *umbellulata*

2 km from Sofalıcı village, waste place, 1200-1300m, 06.05.2000 E.Ö. 1164. - Ir-tur.

Avena barbata Link subsp. *barbata*

Around Yeşilce village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1165. - Med.

Avena eriantha Durieu

Işıklı village, roadside, 1000-1100m, 04.05.2000, E.Ö. 1104.

Briza humilis M. Bieb.

1 km from Işıklı village, roadside, 1000-1100m, 06.06.2002, E.İ., E.Ö. 1397.

Bromus japonicus Thunb. subsp. *japonicus*

Around Acaroba village, roadside, 900-1000m, widespread, 06.05.2000, E.Ö. 1236.

Bromus scoparius L.

Işıklı village, roadside, 100-1100m, 06.06.2002, E.Ö. 1398.

Chrysopogon gryllus (L.) Trin subsp. *gryllus*

Around Yeşilce village, fieldside, 900-1000m, widespread, 26.05.2000, E.Ö. 1294.

Dactylis glomerata subsp. *hispanica* (Roth) Nyman

1 km from Işıklı village, roadside, 1000-1100m, 06.05.2000, E.Ö. 1128.

Elymus hispidus (Opiz) Melderis subsp. *hispidus*

Around Yeşilce village, in grove of oak trees, 900-1000m, 06.05.2000, E.Ö. 1166.

Festuca pratensis Huds.

Around Acaroba village, stony places, 900-1000m, 06.05.2000, E.Ö. 1127.

Glyceria maxima (Hartm.) Holmb.

Around Yeşilce village, roadside, 1000-1100m, 18.05.2000, E.Ö. 1292.

Hordeum distichon L.

Yeşilce village, fieldside, 900-1000m, 18.06.2000, E.Ö. 1312.

Hordeum bulbosum L.

1 km to Işıklı village, roadside, 1100-1200m, widespread, 18.05.2000, E.Ö. 1293.

Koeleria cristata (L.) Pers.

1 km to Işıklı village, roadside, 1100-1200m, widespread, 18.04.2000, E.Ö. 1037.

Loliolum subulatum (Banks & Sol.) Eig

Around Sofalıcı village, waste places, 1100-1200m, 18.06.2000, E.Ö. 1313. - Ir-tur.

Melica persica subsp. *jacquemontii* (Jacquem.) P.H. Davis

1 km to Işıklı village, roadside, 1000-1100m, 01.05.2000, E.Ö. 1091. - Ir-tur.

Phleum bertolonii DC.

1 km from Sofalıcı village, waste places, 1000-1100m, 06.05.2000, E.Ö. 1167.

Phleum pratense L.

Sofalıcı village, roadside, waste places, 1100-1200m, 06.05.2000, E.Ö. 1237. - Eur-sib.

Poa bulbosa L.

Yeşilce village, fieldside, 1000-1100m, 24.04.2000, E.Ö. 1056.

Stipa ehrenbergiana Trin. & Rupr.

Around Yeşilce village, fieldside, 900-1000m, 01.05.2000, E.Ö. 1092. - Ir-tur.

IRIDACEAE

Crocus biflorus subsp. *pseudonubigena* B. Mathew

Yeşilce village, in grove of oak trees, stony places, 1000 - 1100 m, 28.10.1999, E.Ö. 1001. - Ir-tur.

Crocus cancellatus Herb. subsp. *cancellatus*

Sofalıcı village, stony places, 1200- 1300m, 11.11.2000, E.Ö. 1331. - Med.

Gladiolus atroviolaceus Boiss.

Yeşilce village, in grove of oak trees, 1000-1100m, 26. 04. 2000, E.Ö. 1065. - Ir-tur

Gynandriris sisyrinchium (L.) Parl.

Yeşilce village, waste places, 1000-1100 m, 26. 04. 2000, E.Ö. 1066.

Iris persica L.

Yeşilce village, in grove of oak trees, 1000-1100m, 13. 03. 2000, E.Ö. 1005. - Ir-tur.

Iris reticulata M. Bieb.

Hills of Yeşilce village, in grove of oak trees, 1100-1200m, 14.03. 2000, E.Ö. 1006. - Ir-tur.

Iris histrio var. *aintabensis* G.P. Baker

Hills of Yeşilce village, in grove of oak trees, 1100-1200m, 14. 03. 2000, E.Ö. 1405. - Ir-tur.

Iris sari Baker

İşkili village, roadside, 1100-1200m, 18. 04. 2000, E.Ö. 1032. - Ir-tur.

LILIACEAE

Allium noeannum Regel

Yeşilce village, slopes, 1000-1100m, 01. 05. 2000, E.Ö. 1084. - Ir-tur.

Allium orientale Boiss.

Yeşilce village, waste places, 1000-1100m, 15.04.2000, E.Ö. 1025. - Ir-tur.

Allium scorodoprasum subsp. *rotundum* (L.) Stearn

Yeşilce village, waste places, 1000-1100m, 26.04.2000, E.Ö. 1068. - Med.

Asphodeline baytopae Tuzlaci

İşkili village, in grove of oak trees, 1000- 1100m, 06. 05. 2000, E.Ö. 1159. - Med.

Asphodeline taurica (Pall.) Kunth

Yeşilce village, in grove of oak trees, 1000-1100m, 06. 05. 2000, E.Ö. 1407. - Med.

Colchicum szovitsii Fisch. & C.A. Mey.

Yeşilce village, in grove of oak trees, 1100-1200m, 18.10.2000, E.Ö. 1325. - Ir-tur.

Colchicum troodi Kotschy

İşkili village, roadside, 1000-1100m, 05.10.2002, E.İ., B. Çakır 1419. - Med.

Gagea fibrosa (Desf.) Schult. & Schult. f.

Yeşilce village, field side, 900-1000m, 26.03.2000, E.Ö. 1009.

Gagea peduncularis (J. Presl & C. Presl) Pascher

İşkili village, field side, 1000-1100m, 29.03.2000, E.Ö. 1010. - Med.

Hyacinthella nervosa (Bertol.) Chouard

Acaroba village, in grove of oak trees, 1000-1100m, 06. 03. 2000, E.Ö. 1003. - Ir-tur.

Hyacinthus orientalis L. subsp. *orientalis*

Around Acaroba village, waste places, 1100-1200m, 14.03. 2000, E.Ö. 1007. - Med.

Muscari comosum (L.) Mill.

Around Yeşilce village, hills, in grove of oak trees, 1000-1100 m, 26. 04. 2000, E.Ö. 1069. - Med.

Muscari longipes Boiss.

Yeşilce village, in grove of oak trees, 900-1000m, 29.03.2000, E.Ö. 1011. - Ir-tur.

Muscari neglectum Ten.

Around Yeşilce village, hills, in grove of oak trees, 1000-1100m, widespread, 29. 03. 2000, E.Ö. 1012.

Ornithogalum alpinum Stapf

Yeşilce village, waste places, 900-1000m, 01.05.2000, E.Ö. 1085. - Med.

Ornithogalum narbonense L.

Sof mountain, roadside, slope places, 1200-1300m, widespread, 06. 05.2000, E.Ö. 1250.

Ornithogalum platyphyllum Boiss.

Yeşilce village, field side, 900-1000m, 01.05.2000, E.Ö. 1086. - Ir-tur.

Ornithogalum umbellatum L.

İşkili village, waste places, 1000-1100m, 06.05.2000, E.Ö. 1229.

Scilla melaina Speta

1 km from İşkili village, on rocks, 1000- 1100m, 09. 03. 2000, E.Ö. 1004. - Med.

Tulipa sintenisii Baker

Sofalıcı village, roadside, 1100 - 1200m, 26. 04. 2000, E.Ö. 1070. - Ir-tur.

ORCHIDACEAE

Himantoglossum affine (Boiss.) Schltr.

İşkili village, in grove of oak trees, 1000-1100m, 17.05.2000, E.Ö. 1414. - Med.

Orchis anatolica Boiss.

Around Yeşilce village, in grove of oak trees, 1000-1100 m, 17. 05. 2000, E.Ö. 1280. - Med.

Orchis collina Banks & Sol.

Yeşilce village, in grove of oak trees, 1000-1100m, 06. 05. 2000, E.Ö. 1160. - Med.

