

Hans Walter Lack & Thomas Raus


### **Hildemar Scholz (1928 – 2012)**

Hildemar Scholz, aged 84, passed away on 5 June 2012 as a consequence of a bad fall he had suffered at home a few weeks earlier. He was a world authority on grasses, the adventive flora of Europe, and rust fungi from central Europe. From 1964 until his retirement in 1993 he was a member of staff of the Botanic Garden and Botanical Museum Berlin-Dahlem, rising from scientific collaborator to one of the directors at this institution. Hildemar was a born plant-collector active all over Europe, in North and West Africa with a special interest in grasses and the rust fungi parasitizing them.

Born on 27 May 1928 in Berlin into a family of protestant clergymen Hildemar Scholz remained both in language and manners very much a Berliner, in the true and best sense of the word, and never ever considered leaving his home town, even during the many difficult years this city encountered in the last century. Having belatedly finished his school training because of the Second World War in 1947, he tried to get enrolled at Berlin University, subsequently renamed Humboldt University, in the Soviet sector of the city, but was rejected – probably because his father was a clergyman. Hildemar had more success at the newly founded Free University in the American sector of Berlin, where he got admitted in 1949 and chose biology as his subject. The next year he met his fellow biology student Ilse Reimers, daughter of the bryologist Hermann Reimers, then Kustos (Curator) at the Botanic Garden and Botanical Museum Berlin-Dahlem. The resulting marriage became a prominent element in Hildemar's life, in particular since the couple shared so many botanical interests.

In the late forties and early fifties Berlin still lay in ruins with substantial parts of the city centre completely destroyed. The adventive flora first colonizing these heavily disturbed areas in Berlin became the subject of Hildemar's thesis which he submitted to the Free University receiving his doctorate in 1956. After graduation he worked for the following eight years as research assistant at the Institute for Systematic Botany and Plant Geography of the Free University. During these years Hildemar joined a team of geomorphologists, worked with them for six months in a field station in Chad and came back to Berlin with a rich plant collection to be determined and published. This stay ignited in Hildemar a special interest in the flora of the drier parts of Africa leading to an expedition in 1970 to Libya and being instrumental when several years later he became involved in the Togo project, resulting in the *Flora analytique du Togo* for which he acted as one of the co-editors.

In 1964 he became a member of staff of the Botanic Garden and Botanical Museum Berlin-Dahlem, then an institution directly reporting to the science administration of



Hildemar Scholz, Berlin 2008 (photo: C. Müller).

the Land Berlin and not to the Free University, being appointed Kustos (Curator) in 1970, and Oberkustos (Senior Curator) in 1972. During this period Theo Eckardt was director of the Botanic Garden and Botanical Museum Berlin-Dahlem who made it perfectly clear to Hildemar that in case he wished to concentrate exclusively on research he should better return to the university, a position completely in line with the self-image of the institution at that time. It was therefore only under the directorship of Werner Greuter who had different views on the desirability of research at the Botanic Garden and Botanical Museum that Hildemar ascended in 1983 to the position of director at this institution, effectively becoming thereby one of its five, later four vice-directors. He was in charge of editing the journal *Willdenowia* from vol. 9 (1979) to vol. 15/1 (1985), and served in various other functions. However, in these distant and happier times it was possible for Hildemar to largely avoid the administrative aspects of the job and the management of the respective teams, but rather concentrate on the research near to his heart, in particular grasses, the adventive flora of Europe, and rusts. In 1972 Hildemar received the *venia legendi* and joined the teaching staff of the Institute for Systematic Botany and Plant Geography of the Free University as

Privatdozent, four years later he was awarded with the title of professor extraordinary. Until retirement in 1993 he regularly gave lectures, practical courses and seminars.

An uninterrupted stream of scientific papers came from Hildemar's pen starting in 1954 with a short note on the fungus *Tolyposporium leptideum*, new for Bavaria, which is characteristic for his oeuvre – brief, concise and backed with facts. Fifty-eight years later this stream ended, very much in the same style, with a posthumously printed note on *Urochloa panicoides* and *Eragrostis ciliaris* subsp. *starosselskyi*, two grasses new to the flora of Iran. His was not the broad approach of the traditional monograph nor did he produce monumental books, but rather enriched science by very numerous contributions to a wide variety of topics, mostly related to his specialities, but also including papers on, among others, red algae, crucifers, cucurbits, weeds, archaebotany and history of botany. Hildemar was not the man to follow the concept of the small number of high-impact papers necessary for a career now so fashionable in academia, but had his publications very widely scattered geographically choosing the journal, often floristic, with care, thereby willingly serving as occasional co-author (see list of publications on the flora of the Mediterranean countries; complete list in Lack & Raus 2012). In the late sixties he contributed to the twelfth edition of 'Engler's Syllabus der Pflanzenfamilien' and later to several flora projects, among them Flora of Turkey, Flore analytique du Togo, Mountain Flora of Greece, and checklists, notably the Med-Checklist plus the pertinent Notulae. Hildemar was editor of several volumes of the series Englera, i. e. vol. 1, 3 (3), 5 – 8, 10 – 13 and of volume 4 (2 A) of the second edition of 'Gustav Hegi, Illustrierte Flora von Mitteleuropa'. Well-read in a variety of fields and always interested in the progress in plant taxonomy, Hildemar also wrote many valuable reviews, as a rule published in *Willdenowia*.

It would be totally inappropriate to reduce Hildemar to the author of his publications. He was at the same time a born plant-collector, who never ever - even while on holiday - could resist collecting plant material and bringing back home nicely prepared specimens of vascular plants and parasitic fungi. They came from all over Europe, West Africa and the circum-mediterranean area, i. e. from Spain (1967), Italy (1971), Greece (1982, 1984, 1988, 1990, 1991, 1996), Algeria (1983) and from Cyprus (2000). All these collections were fully labelled by him, identified and integrated into the herbarium of the Botanical Museum. His deep knowledge of the flora of central Europe in general, and temperate old world grasses in particular, made Hildemar one of the first specialists in this field, which led to a great number of requests for the identification of material with many duplicate specimens ending up in the herbarium of the Botanical Museum. For the floristic community in Central Europe and the Mediterranean, including many amateurs, the Botanical Museum was for good reason almost synonymous with Hildemar Scholz, who was always prepared to advise and help with determinations.

As a colleague he could be quite impatient, often brusque, was always ready for an argument, e. g. on the rank of his new taxa, admittedly sometimes rather narrowly circumscribed, or on nomenclatorial subtleties. He had very clear views on the curatorial care of the grass herbarium, which he regarded his exclusive responsibility, not to be shared by anyone, not even a technical assistant. More importantly, he was not always in line with the politics of his superiors. When molecular biology started to become a new tool in taxonomy he was an open-minded and vigilant observer of this development in science, thinking of getting ideas for the disentanglement of large grass genera such as *Bromus*, *Festuca*, and *Poa* (e. g. Valdés & Scholz 2006, 2009).

Although suffering for decades from Bekhterev's disease and a mild form of polyneuropathy Hildemar, a born optimist as a well as a man with an iron will, was able to remain active until old age, coming almost daily to the Botanical Museum for work, publishing papers, identifying specimens and caring for the grass herbarium. Hildemar found a gracious end: even the day before his bad fall he had been in his beloved Botanical Museum, crystal clear in mind as always, though somewhat weak and slightly bent because of his spine problem, identifying and naming grass specimens. When family, friends and former colleagues gathered a few weeks later for his funeral at Parkfriedhof Licherfelde in Berlin, where the botanists and florists Paul Ascherson and Paul Graebner had been buried many decades earlier, some had nosegays consisting of ornamental grasses which they placed on Hildemar's coffin.

## Note

This text is a modified version of the obituary published in Willdenowia (Lack & Raus 2012) which also contains a biofile of Hildemar Scholz and his complete bibliography.

## Reference

Lack, H. W. & Raus, T. 2012: Hildemar Scholz (1928 – 2012). – Willdenowia **41** (2) : 315-330.

### **Publications by Hildemar Scholz on the flora of the Mediterranean countries, chronologically sorted, and with Med-Checklist areas addressed in brackets [ ]:**

- Reimers, H. & Scholz, H. 1959: Brand- und Rostpilze aus dem Gardasee-Gebiet. – Willdenowia **2**: 151-162. [**It**]
- Scholz, H. 1968: Die Artengruppe *Stipa pennata* L. in Frankreich, in der Schweiz und angrenzenden Gebieten. – Willdenowia **4**: 299-315. [**Ga, It**]
- Scholz, H. 1968: Eine neue *Aristida*-Art aus der Sahara. – Willdenowia **5**: 121-122. [**Li**]
- Scholz, H. 1968: Systematik und Verbreitung einiger Taxa der Gattung *Poa*, Sektion *Ochlopoa*, im Mittelmeergebiet. – Ber. Deutsch. Bot. Ges. **81**: 17-21. [**Ag, Gr, Hs, It, Ma**]
- Scholz, H. 1968: *Vulpia gracilis* spec. nov. – Willdenowia **5**: 109-111. [**Tn**]
- Scholz, H. 1969: Bemerkungen zu einigen *Stipagrostis*-Arten (*Gramineae*) aus Afrika und Arabien. – Österr. Bot. Z. **117**: 284-292. [**Ag, Eg, Li, Tn**]
- Scholz, H. 1969: Nachricht von *Callitriches lusitanica* Schotsm. aus Spanien. – Willdenowia **5**: 239-240. [**Hs**]
- Jany, E. with contributions from Scholz, H., Staudt, G. & Wagenitz, G. 1969: Pflanzen aus der libyschen Sahara. – Willdenowia **5**: 295-341. [**Li**]
- Scholz, H. 1970: *Stipagrostis scoparia* (Trin. et Rupr.) de Winter auch in Libyen gefunden. – Willdenowia **6**: 161-166. [**Li**]
- Scholz, H. 1971: Eine neue Unterart der *Stipagrostis pungens* aus Algerien. – Willdenowia **6**: 297-299. [**Ag**]
- Scholz, H. 1971: Einige botanische Ergebnisse einer Forschungsreise in die libysche Sahara (April 1970). – Willdenowia **6**: 341-369. [**Li**]
- Scholz, H. 1971: Zwei neue Gramineen-Arten aus Libyen und einige nomenklatorische Änderungen. – Willdenowia **6**: 291-296. [**Li**]

- Scholz, H. 1972: Der *Stipagrostis plumosa*-Komplex (Gramineae) in Nord-Afrika. – Willdenowia **6**: 519-552. [Ag, Eg, Li, Ma, Tn]
- Scholz, H. & Gabriel, B. 1973: Neue Florenliste aus der libyschen Sahara. – Willdenowia **7**: 169-181. [Li]
- Scholz, H. 1974: *Bromus chrysopogon* Viviani - eine wieder als Art bewertete Graminee aus dem Mittelmeergebiet. – Willdenowia **7**: 409-413. [Ag, An, Gr, IJ, Li, LS, Tn]
- Scholz, H. 1974: Liste der Gräser Libyens. – Willdenowia **7**: 419-458. [Li]
- Scholz, H. 1974: Über die Umgrenzung der Gattung *Desmazeria* (Gramineae). – Bot. Jahrb. Syst. **94**: 556-561. [Ag, Eg, Hs, It, Li, Si, Tn]
- Scholz, H. 1975: The genus *Stipa* L. – A contribution for the Flora of Turkey. – OPTIMA Newsletter **2**: 25-26. [An]
- Scholz, H. 1979: Verbreitungskarte von *Stipagrostis scoparia* (Gramineae). – Willdenowia **8**: 507-509. [Ag, Eg, IJ, Li, Sn]
- Scholz, H. 1980: Eine neue *Eremopoa*-Art (Gramineae) aus der Türkei. – Willdenowia **10**: 33-36. [An]
- Greuter, W. & Scholz, H. 1980: *Agrostis merxmulleri* (Gramineae), eine neue Art aus dem griechisch-albanischen Grenzgebiet. – Mitt. Bot. Staatssamml. München **16**, Beih.: 23-27. [Gr]
- Scholz, H. 1981: Bemerkungen zu *Bromus madritensis* und *B. rubens* (Gramineae). – Willdenowia **11**: 249-258. [Eg]
- Scholz, H. 1981: Der *Bromus-pectinatus*-Komplex (Gramineae) im Nahen und Mittleren Osten. – Bot. Jahrb. Syst. **102**: 471-495. [Ag, Eg, Sn]
- Scholz, H. 1981: Drei neue Gramineen aus Iran und Libyen. – Willdenowia **11**: 95-100. [Li]
- Scholz, H. 1982: Eine neue *Danthoniastrum*-Art (Gramineae) aus Albanien. – Willdenowia **12**: 47-49. [Al]
- Scholz, H. & Raus, Th. 1982: *Pilgerochloa eigiana* sp. nova (Gramineae) aus der Türkei. – Willdenowia **12**: 55-56. [An]
- Scholz, H. 1983: Eine neue *Gaudiniopsis*-Art (Gramineae) aus der Türkei. – Willdenowia **13**: 111-113. [An]
- Scholz, H. 1984 [“1983”]: *Poa*-Studien 1. – Neue Taxa des *Poa bulbosa*-Komplexes aus dem Mittelmeergebiet. – Bot. Chron. (Patras) **3**: 15-21. [Cy, Gr, It, Hs, Tn]
- Scholz, H. 1984: *Stipa thessala* Hausskn. emend. (Gramineae). – Willdenowia **14**: 131-134. [Gr, Ju]
- Scholz, H. 1985 [“1984”]: *Poa*-Studien 2. – Systematische Stellung und Synonymie der *P. dolosa* Boiss. & Heldr. – Willdenowia **14**: 327-330. [Gr]
- Scholz, H. 1985 [“1984”]: *Poa*-Studien 3. – *Poa sterilis* in Griechenland. – Bot. Chron. (Patras) **4**: 7-11. [Gr]
- Scholz, H. 1985 [“1984”]: *Poa*-Studien 4. – Über *Poa hackelii* Post und *P. pelasgis* sp. nova (Gramineae). – Willdenowia **15**: 91-97. [AE, An, Cr, Gr, IJ]
- Scholz, H. 1986: Bemerkungen zur Flora Griechenlands: *Gastridium phleoides* und *G. ventricosum* (Poaceae). – Willdenowia **16**: 65-68. [AE, Cr, Gr]
- Scholz, H. 1986: Die Entstehung der Unkraut-Gerste *Hordeum vulgare* subsp. *agriocrithon* emend. – Bot. Jahrb. Syst. **106**: 419-426. [Ga, IJ, Li]
- Scholz, H. 1986: *Poa* studies 5. – The genus *Poa* (Gramineae) in Greece: Annotated check-list and key to the species. – Willdenowia **15**: 393-400. [AE, Cr, Gr]
- Scholz, H. 1986: *Stipa* L., Tribus Paniceae. – Pp. 541-553, 588-601 in: Davis P. H. (ed.): Flora of Turkey and the East Aegean Islands **9**. – Edinburgh: Edinburgh University. [AE, An, Tu]
- Scholz, H. 1987: Delimitation and classification of *Bromus fasciculatus* (Poaceae). – Pl. Syst. Evol. **155**: 277-282. [AE, Ag, Bl, Cr, Eg, Gr, Hs, IJ, It, LS]
- Scholz, H. 1987: *Poa*-Studien 6. – Die ökologische und taxonomische Wertigkeit der Zwiebelform bei den altweltlichen *Poa*-Taxa der subsect. *Bulbosae* (Gramineae). – Willdenowia **16**: 403-407. [Ag, Cr, Gr, Hs, It]

- Scholz, H. 1989: *Bromus sericeus* subsp. *fallax* (Gramineae), eine neue Unterart aus dem Vorderen Orient (Sinai). – *Wilddenowia* **19**: 133-136. [IJ, Sn]
- Scholz, H. 1989: Floristisches und Taxonomisches über einige Gramineae von Rhodos und Symi (Ost-Ägäis, Griechenland). – *Wilddenowia* **19**: 105-110. [AE]
- Scholz, H. 1989: Neue Taxa der Gattung *Stipa* sect. *Stipa* (Gramineae) aus dem Mittelmeergebiet. – *Wilddenowia* **19**: 127-132. [Ag, Gr, Hs]
- Scholz, H. 1990: Neue und wenig bekannte mediterrane Gramineen-Taxa. – *Wilddenowia* **19**: 405-412. [AE, Ag, Cr, Eg, Ga, Gr, Hs, IJ, It, Li]
- Damanakis, M. & Scholz, H. 1990: Phytogeographical notes on the Poaceae of Greece. – *Wilddenowia* **19**: 413-423. [AE, Cr, Gr]
- Scholz, H. 1991: Die Systematik der *Avena sterilis* und *A. fatua* (Gramineae). Eine kritische Studie. – *Wilddenowia* **20**: 103-112. [AE, An, Cr, Eg, Ga, Gr, Hs, IJ, It, Ju, Li, LS, Tn]
- Scholz, H. 1991: Notizen zur Gramineenflora von Kos und Nisyros (Ost-Ägäis, Griechenland). – *Wilddenowia* **21**: 131-141. [AE]
- Scholz, H. 1991: *Poa* L., *Bromus* L. – Pp. 762-774, 786-791 in: Strid A. & Tan, K. (ed.), Mountain Flora of Greece **2**. – Edinburgh: Edinburgh University. [AE, Cr, Gr]
- Scholz, H. 1991: *Stipa tunetana*, eine neue Art aus Tunesien und das *Stipa lagascae*-Aggregat. – *Wilddenowia* **20**: 77-80. [Li, Tn]
- Scholz, H. & Strid, A. 1991: *Bellardiochloa* Chiov. – Pp. 774-775 in: Strid A. & Tan K.(ed.), Mountain Flora of Greece **2**. – Edinburgh: Edinburgh University. [Gr]
- Scholz, H. & Strid, A. 1992: *Festuca stygia* (Poaceae), a new species from Peloponnisos, Greece. – *Wilddenowia* **22**: 85-88. [Gr]
- Scholz, H. 1993: *Festuca rivularis*, *Poa maroccana* und *Stipa monticola* (Gramineae) in Griechenland. – *Wilddenowia* **23**: 113-119. [Gr]
- Scholz, H. & van Slageren, M. W. 1994: Proposal to conserve *Aegilops caudata* (Gramineae) with a conserved type. – *Taxon* **43**: 293-296. [An, Cr]
- Danin, A. & Scholz, H. 1994: Contributions to the flora of Israel. VII. *Bromus commutatus* Schrader, *Aegilops cylindrica* Host and *Vulpia persica* (Boiss. & Buhse) V. Krecz. & Bobrov, new grasses in Israel. – *Israel J. Plant. Sci.* **42**: 257-259. [IJ]
- Scholz, H. 1995: *Bromus regnii* (Gramineae), a new endemic serpentine annual Brome-grass from Cyprus. – *Wilddenowia* **25**: 235-238. [Cy]
- Scholz, H. 1995: *Monerma* P. Beauv. (Gramineae) - not an illegitimate name. – *Feddes Repertorium* **106**: 169-171. [all areas except Eg, IJ, Sn]
- Scholz, H. 1996: Die Taxonomie der *Stipa fontanesii* Parl., und *S. maroccana*, eine neue Art aus Marokko (Gramineae). – *Wilddenowia* **26**: 225-228. [Ag, Ma]
- Scholz, H. 1996: Nachricht über einen hybriden Unkraut-Hafer aus den Südalpen Ober-Italiens. – *Ber. Bayer. Bot. Ges.* **66-67**: 229-231. [It]
- Scholz, H. 1996: On annual *Poa* weeds, especially *P. maroccana* (Gramineae). – *Bot. Chron. (Patras)* **12**: 15-19. [Cr, Gr, Li, LS, Tn]
- Greuter, W. & Scholz, H. 1996: *Phragmites* in Crete, *Cenchrus frutescens*, and the nomenclature of the common reed (Gramineae). – *Taxon* **45**: 521-523. [Cr, Gr]
- Scholz, H. 1997: A new annual brome-grass (*Bromus*) from Greece. – *Feddes Repert.* **108**: 97-100. [Gr]
- Scholz, H. 1997: No 8196 [16] & no 16669 [25] - *Bromus hordeaceus* subsp. *ferronii*; no 8923 [17] - *Cutandia dichotoma*; no 9922 [18] - *Bromus commutatus*; no 12785 [21] - *Bromus hordeaceus* subsp. *lepidus*; no 12803 [21] - *Eragrostis pilosa*; no 15839 [24] - *Stipa celakovskii*. – *Bull. Soc. Échange Pl. Vasc. Eur. Occid. Bassin Médit.* **26**: 24, 25, 27, 38. [Ga, Hs]
- Scholz, H. & Raus, Th. 1997: Zwei neue Unterarten des *Hordeum murinum* (Gramineae) aus Griechenland und Spanien. – *Feddes Repert.* **108**: 527-531. [Gr, Hs]

- Danin, A. & Scholz, H. 1997: On the occurrence of two taxa of the *Setaria verticillata* complex in Israel and the Sinai. – Willdenowia **27**: 177–179. [IJ, Sn]
- Soreng, R. J., Hein, P. & Scholz, H. 1997: *Poa akmanii* (*Poaceae*), a new species from Turkey. – Willdenowia **27**: 195–198. [An]
- Scholz, H. 1998: *Ehrharta calycina* Sm.; *Elytrigia obtusiflora* subsp. *graeca* (Melderis) H. Scholz, comb. nova; *Eragrostis cilianensis* subsp. *starosselkyi* (Grossh.) Tzvelev; *Gastridium phleoides* (Nees & Meyen) C. E. Hubb.; *Pennisetum clandestinum* Chiov.; *Poa maroccana* Nannf.; *Poa x perinconspicua* H. Scholz, nom. nov.; *Polypogon fugax* Steud.; *Rostraria salzmannii* subsp. *maroccana* (Domin) H. Scholz, comb. & stat. nov.; *Stipa letourneuxii* subsp. *pellita* (Trin. & Rupr.) H. Scholz, comb. nov.; *Stipa zuvanticola* Tzvelev; *Trachynia platystachya* (Balansa ex Coss.) H. Scholz, comb. & stat. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 17]. – Willdenowia **28**: 171, 172, 173. [Ag, An, Cy, Eg, Gr, Hs, IJ, Ju, Ma, Sa, Tn, Tu]
- Scholz, H. 1998: No 8913 [17] *Bromus molliformis*; no 18715 *Bromus hordeaceus* L. subsp. *molliformis* (Lloyd ex Godr.) Maire & Weiller. – Bull. Soc. Échange Pl. Vasc. Eur. Occid. Bassin Médit. **27**: 24, 89. [Cr, Ga]
- Scholz, H. 1998: Notes on *Bromus danthoniae* and relatives (*Gramineae*). – Willdenowia **28**: 143–150. [An, IJ, LS]
- Scholz, H. & Lambinon, J. 1998: *Avena sterilis* L. subsp. *trichophylla* (C. Koch) Malzev. – [In: Jeanmonod, D. & Burdet, H. M. (ed.), Notes et contributions à la flore de Corse, XIV]. – Candollea **53**: 178. [Co]
- Scholz, H., Oberprieler, C. & Vogt, R. 1998: Chromosome numbers of North African Phanerogams. VII. Some notes on North African *Gramineae*. – Lagascalia **20**: 265–275. [Ma]
- Cafferty, S. & Scholz, H. 1998: (1342) Proposal to reject the name *Secale creticum* (*Gramineae*), a threat to *Hordeum bulbosum*. – Taxon **47**: 457–458. [Cr]
- Danin, A. & Scholz, H. 1998: *Leptochloa filiformis* (Lam.) P. Beauv.; *Panicum coloratum* L. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 17]. – Willdenowia **28**: 171, 172. [IJ]
- Martini, F. & Scholz, H. 1998: *Eragrostis virescens* J. Presl (*Poaceae*), a new alien species for the Italian flora. – Willdenowia **28**: 59–63. [It]
- Scholz, H. 1999: *Bromus optimae*, a new annual brome-grass (*Gramineae*) from Cyprus. – Bocconeia **11**: 85–87. [Cy]
- Scholz, H. 1999: NCU: *Monerma* reappraised. – Published on the internet: <http://arnica.custam.edu/aspt/article.idc> [all areas except Eg, IJ, Sn]
- Scholz, H. 1999: Short notes on *Phleum* sect. *Achnodon* (*Gramineae*). – Willdenowia **29**: 45–49. [AE, Cr, Gr]
- Scholz, H. 1999: *Stipagrostis libyca* (H. Scholz) H. Scholz; *Vulpia unilateralis* (L.) Stace. – [In: Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 18]. – Willdenowia **29**: 66. [Eg, Gr]
- Danin, A. & Scholz, H. 1999: *Ehrharta erecta* Lam. var. *erecta*; *Leptochloa uninervia* (J. Presl) Hitchc. & Chase. – [In: Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 18]. – Willdenowia **29**: 65, 66. [IJ]
- Raus, Th. & Scholz, H. 1999: *Ventenata eigiana* (H. Scholz & Raus) Doğan. – [In: Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 18]. – Willdenowia **29**: 66. [LS]
- Vázquez F. M., Scholz, H. & Sonnentag M. 1999: Dos nuevas especies y una combinación en el género *Stipa* L., sección *Leiostipa* Dumort. (*Poaceae*) para el SE de España. – Acta Bot. Malac. **24**: 27–32. [Hs]
- Scholz, H. 2000: *Aegilops x insulae-cypri* H. Scholz, nothosp. nova, *Hordeum murinum* L. – [In: Hand, R. (ed.): Contributions to the flora of Cyprus, I]. – Willdenowia **30**: 62–63. [Cy]
- Scholz, H. 2000: Alte und neue Taxa der Gattung *Catapodium* (*Gramineae*). – Bot. Chron. (Patras) **13**: 95–104. [Bl, Cr, Gr, Hs, It, Li, Si, Tn]

- Scholz, H. 2000: *Eragrostis leptocarpa* Benth.; *Panicum hillmanii* CHASE. – [In: Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 19]. – Willdenowia **30**: 242. [Gr]
- Scholz, H. 2000: New *Aristida* and *Stipagrostis* taxa (Gramineae). – Willdenowia **30**: 273–277. [Eg]
- Scholz, H. 2000: No 11969 [20] *Phleum arenarium*. – Bull. Soc. Échange Pl. Vasc. Eur. Occid. Bassin Médit. **28**: 30. [Gr]
- Scholz, H. & Böhling N. 2000: *Phragmites frutescens* (Gramineae) revisited. The discovery of an overlooked grass in Greece, especially Crete. – Willdenowia **30**: 251–261. [AE, Cr, Gr]
- Scholz, H. & Byfield A. J. 2000: Three grasses new to Turkey. – Turk. J. Bot. **24**: 263–267. [An]
- Danin, A. & Scholz, H. 2000: *Eragrostis virescens* J. Presl, *Parapholis marginata* Runemark. – [In: Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 19]. – Willdenowia **30**: 242–243. [IJ]
- Hand, R. & Scholz, H. 2000: *Catapodium marinum* L.; *Sclerochloa dura* (L.) P. Beauv. – [In: Hand, R. (ed.): Contributions to the flora of Cyprus, I]. – Willdenowia **30**: 63–64. [Cy]
- Wilhalm Th. & Scholz, H. 2000: Ein bemerkenswertes Vorkommen von *Psathyrostachys juncea* und *Agropyron desertorum* (Poaceae) in der inneralpinen Trockenvegetation. – Ber. Bayer. Bot. Ges. **69/70**: 7–17. [It]
- Scholz, H. 2001: *Catapodium rigidum* (L.) C. E. Hubb., *Micropyrum tenellum* (L.) Link, *Cutandia dichotoma* (Forssk.) Trab., *Vulpia brevis* Boiss. & Kotschy, *Vulpia myuros* (L.) C. C. Gmel., *Sphenopus divaricatus* subsp. *permicranthus* (Hausskn.) H. Scholz, *Poa pelasgis* H. Scholz, *Poa infirma* Kunth, *Trisetaria linearis* Forssk., *Gaudiniopsis macra* (M. Bieb.) Eig, *Avena eriantha* Durieu, *Avellinia michelii* (Savi) Parl., *Triplachne nitens* (Guss.) Link, *Bromus rigidus* Roth, *Bromus caroli-henrici* Greuter, *Bromus tectorum* L., *Hordeum glaucum* Steud., *Hordeum murinum* L., *Setaria adhaerens* (Forssk.) Chiov. var. *adhaerens*, *Pennisetum clandestinum* Chiov., *Saccharum strictum* (Host) Spreng. – [In: Hand, R. (ed.): Supplementary notes to the flora of Cyprus, II]. – Willdenowia **31**: 403–408. [Cy]
- Scholz, H. 2001: *Oryza* L., *Triticum* L., *Psathyrostachys* Nevski, *Avena* L., *Lolium* L., *Stipa* L. – Pp. 309–312, 314, 316 in: Güner A., Özhatay N., Ekim T. & Baser K. H. C. (ed.), Flora of Turkey and the East Aegean Islands (Supplement 2) **11**. – Edinburgh: Edinburgh University. [An]
- Scholz, H. & Raus, Th. 2001: New distribution and morphological data of *Vulpia membranacea*. – Willdenowia **31**: 309–313. [Bl, Gr, IJ, Ju]
- Scholz, H. & Schwöbel W. 2001: *Monerma cylindrica* (Willd.) Coss. & Durieu, *Setaria adhaerens* var. *fontqueri* Caldich. – [In: Hand, R. (ed.): Supplementary notes to the flora of Cyprus, II]. – Willdenowia **31**: 404, 407. [Cy]
- Danin, A. & Scholz, H. 2001: *Stipa papposa* Nees. – [In: Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 20]. – Willdenowia **31**: 327. [IJ]
- Danin A., Scholz H., Koren M. & Fragman O. 2001: *Phragmites frutescens* H. Scholz. – [In: Greuter, W. & Raus, Th. (ed.): Med-Checklist Notulae, 20]. – Willdenowia **31**: 326–327. [IJ]
- Kalheber H. & Scholz, H. 2001: *Bromus chrysopogon* Viv. – [In: Hand, R. (ed.): Supplementary notes to the flora of Cyprus, II]. – Willdenowia **31**: 406. [Cy]
- Scholz, H. 2002: *Bromus optimae* H. Scholz, *Paspalum notatum* Flüggé. – [In: Greuter, W. & Raus Th. (ed.): Med-Checklist Notulae, 21]. – Willdenowia **32**: 205, 206. [AE, Gr]
- Scholz, H. 2002: Le genre *Eragrostis* en Europe, un défi pour le taxonomiste. – Pp. 41–43 in: Portal R. (ed.), *Eragrostis* de France et de l'Europe occidentale. – Vals près Le Puy: R. Portal. [Ga]
- Danin A., Raus, Th. & Scholz, H. 2002: Contribution to the flora of Greece: a new species of *Arundo* (Poaceae). – Willdenowia **32**: 191–194. [Cr, Gr]
- Parolly, G., Eren, O. & Scholz, H. 2002: *Poa densa* Troitsky. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 21]. – Willdenowia **32**: 206–207. [An]
- Portal, R. & Scholz, H. 2002: *Eragrostis tef* (Zucc.) Trotter subsp. *spiciformis* (Serpukova) Portal & H. Scholz (2002) comb. & stat. nov. – Pp. 308–309 in: Portal R. (ed.), *Eragrostis* de France et de l'Europe occidentale. – Vals près Le Puy: R. Portal. [Ga]

- Raus, Th. & Scholz, H. 2002: *Diplachne fusca* (L.) P. Beauv.; *Echinochloa crus-galli* subsp. *hispidula* (Retz.) Honda; *Secale segetale* (Zhuk.) Roshev. subsp. *segetale*. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 21]. – Willdenowia 32: 205–206, 207. [An, Gr]
- Scholz, H. & Seitz, B. 2003: *Aira elegantissima* subsp. *ambigua* (Arcang.) Doğan. [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, III]. – Willdenowia 33: 321. [Cy]
- Böhling, N. & Scholz, H. 2003: The *Gramineae (Poaceae)* flora of the Southern Aegean islands (Greece). Checklist, new records, internal distribution. – Ber. Inst. Landschafts-Pflanzenökol. Univ. Hohenheim, Beih. 16: 1–88. [AE, Cr, Gr]
- Buttler, K. P. & Scholz, H. 2003: *Piptatherum miliaceum* subsp. *thomasii* (Duby) Freitag. [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, III]. – Willdenowia 33: 322. [Cy]
- Buttler, K. P., Hand, R. & Scholz, H. 2003: *Digitaria sanguinalis* (L.) Scop. subsp. *sanguinalis*; *Setaria adhaerens* (Forssk.) Chiov. [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, III]. – Willdenowia 33: 322. [Cy]
- Scholz, H. 2004: *Eragrostis pectinacea* (Michx.) Nees; *Vulpia unilateralis* (L.) Stace. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 22]. – Willdenowia 34: 78, 79–80. [Gr]
- Scholz, H. & Bazos, I. 2004: *Bromus regnii* H. Scholz. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 22]. – Willdenowia 34: 78. [AE]
- Scholz, H. & Jung, K.-D. 2004: *Oplismenus undulatifolius* (Ard.) Roem. & Schult. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 22]. – Willdenowia 34: 79. [Si]
- Scholz, H. & Krigas, N. 2004: *Nasella neesiana* (Trin. & Rupr.) Barkworth. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 22]. – Willdenowia 34: 78–79. [Gr]
- Böhling, N. & Scholz, H. 2004: *Paspalum notatum* Flüggé. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 22]. – Willdenowia 34: 79. [Hs]
- Hadjikyriakou, G., Hand, R. & Scholz, H. 2004: *Paspalum distichum* L. – [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, IV]. – Willdenowia 34: 453. [Cy]
- Parolly, G. & Scholz, H. 2004: *Oreopoa* gen. novum, two other new grasses and further remarkable records from Turkey. – Willdenowia 34: 145–158. [An]
- Phereos, C., Yannitsaros, A. & Scholz, H. 2004 [“2003”]: *Cenchrus ciliaris* L. (*Gramineae*) in Greece. – Bot. Chron. (Patras) 16: 53–60. [Gr]
- Raus, Th. & Scholz, H. 2004: Contribution to the flora of Cyprus: a new species of *Crypsis* (*Poaceae*). – Willdenowia 34: 457–462. [Cy]
- Scholz, H. 2005: *Bromus japonicus* subsp. *anatolicus* (Boiss. & Heldr.) Pénzes; *Catapodium hemipoa* subsp. *occidentale* (Paunero) H. Scholz & S. Scholz; *Eragrostis barrelieri* subsp. *pygmaea* (Daveau) Portal & H. Scholz, comb. & stat. nov.; *Poa ligulata* Boiss. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 23]. – Willdenowia 35: 61–62, 62, 63, 64. [AE, Bl, Cr, Gr, Sa]
- Böhling, N. & Scholz, H. 2005: *Pennisetum clandestinum* Chiov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 23]. – Willdenowia 35: 63–64. [AE, Cr]
- Foggi, B., Scholz, H. & Valdés, B. 2005: The Euro+Med treatment of *Festuca* (*Gramineae*) – new names and new combinations in *Festuca* and allied genera. – Willdenowia 35: 241–244. [Al, Ag, An, Bl, Bu, Co, Cr, Ga, Gr, Hs, It, Ju, Li, Lu, Ma, Si, Tn, Tu]
- Verlooove, F. & Scholz, H. 2005: *Megathyrsus bivonianus* (Brullo & al.) Verlooove, comb. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 23]. – Willdenowia 35: 63. [Si]
- Scholz, H. 2006: *Kikuyuochloa*, genus novum (*Poaceae: Paniceae*). – Feddes Repert. 117: 512–518. [AE, Cy]
- Scholz, H. 2006: *Tripsacum floridanum* Vasey. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist notulae, 24]. – Willdenowia 36: 730. [Hs]
- Scholz, H. & Jogan, N. 2006: *Bromus hordeaceus* subsp. *thominei* (Hardouin) Braun-Blanq. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist notulae, 24]. – Willdenowia 36: 728. [Gr]

- Scholz, H. & Raus, Th. 2006: Contribution to the flora of Greece: a new species of *Achnatherum* (*Poaceae*). – Willdenowia **36**: 373-378. [AE, Cr, Gr]
- Scholz, H. & Raus, Th. 2006: *Eragrostis minor* subsp. *angusta* H. Scholz & Raus, subsp. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 24]. – Willdenowia **36**: 728-729. [Gr]
- Biel, B. & Scholz, H. 2006: *Avena barbata* subsp. *lusitanica* (Tab. Morais) Romero Zarco. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist notulae, 24]. – Willdenowia **36**: 728. [Gr]
- Christodoulou, C., Hadjikyriakou, G., Hand, R. & Scholz, H. 2006: *Cynosurus effusus* Link; *Aegilops triuncialis* var. *persica* (Boiss.) Eig. – [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, V]. – Willdenowia **36**: 802, 804. [Cy]
- Christodoulou, C., Hadjikyriakou, G., Hand, R., Lambinon, J. & Scholz, H. 2006: *Maillea cyprioides* (d'Urv.) Boiss. – [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, V]. – Willdenowia **36**: 803. [Cy]
- Constantinidis, Th. & Scholz, H. 2006: *Anisantha rubens* subsp. *kunkelii* (H. Scholz) H. Scholz. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist notulae, 24]. – Willdenowia **36**: 727. [Gr]
- Danin, A. & Scholz, H. 2006: *Eragrostis tef* (Zuccagni) Trotter. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist notulae, 24]. – Willdenowia **36**: 728-729. [IJ]
- Di Pietro, R. & Scholz, H. 2006: *Sesleria autumnalis* F. Schultz. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist notulae, 24]. – Willdenowia **36**: 729-730. [Gr]
- Eren, Ö., Parolly, G. & Scholz, H. 2006: *Alopecurus aucheri* Boiss.; *Alopecurus davisii* Bor.; *Alopecurus gerardii* var. *caesioides* (Boiss.) M. Doğan; *Elytrigia erosiglumis* (Melderis) Valdés & H. Scholz; *Poa pseudobulbosa* Bor; *Secale leptorhachis* H. Scholz & Parolly; *Zingeria trichopoda* (Boiss.) P. Smirn. – [In: Parolly G. & Eren Ö. (ed.), Contribution to the flora of Turkey, 1]. – Willdenowia **36**: 841, 842. [An]
- Hadjikyriakou, G. & Scholz, H. 2006: *Festuca rubra* L. – [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, V]. – Willdenowia **36**: 801. [Cy]
- Hadjikyriakou, G., Hadjikyriakou, T., Hand, R. & Scholz, H. 2006: *Triplachne nitens* (Guss.) Link. – [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, V]. – Willdenowia **36**: 804. [Cy]
- Hadjikyriakou, G., Hand, R. & Scholz, H. 2006: *Sphenopus divaricatus* (Gouan) Rchb. subsp. *divaricatus*; *Corynephorus articulatus* (Desf.) P. Beauv.; *Trisetaria linearis* Forssk.; *Gaudiniopsis macro* (M. Bieb.) Eig; *Stipa holosericea* Trin.; *Crypsis aculeata* (L.) Ait. – [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, V]. – Willdenowia **36**: 802, 803, 804, 805. [Cy]
- Hand, R. & Scholz, H. 2006: *Narduroides salzmannii* Rouy; *Lolium rigidum* subsp. *lepturoides* (Boiss.) Sennen & Mauricio; *Sclerochloa dura* (L.) P. Beauv.; *Sphenopus divaricatus* subsp. *permicranthus* (Hausskn.) H. Scholz; *Poa sylvicola* Guss.; *Rostraria obtusiflora* subsp. *amblyantha* (Boiss.) M. Doğan; *Bromus regnii* H. Scholz; *Bromus lanceolatus* Roth; *Anisantha madritensis* subsp. *haussknechtii* (Boiss.) H. Scholz; *Elytrigia elongata* subsp. *haifensis* (Rech. f.) Valdés & H. Scholz. – [In: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, V]. – Willdenowia **36**: 801, 802, 803, 804. [Cy]
- Valdés, B. & Scholz, H. 2006: The Euro+Med treatment of *Gramineae* – a generic synopsis and some new names. – Willdenowia **36**: 657-669. [all areas]
- Scholz, H. 2007: *Aegilops contracta* (Eig) H. Scholz, comb. & stat. nov.; *Arrhenatherum album* subsp. *cypricola* H. Scholz, subsp. nov.; *Arrhenatherum palaestinum* subsp. *macedonicum* H. Scholz, subsp. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 25]. – Willdenowia **37**: 211, 211-212, 213. [Cy, Gr, Ju, Li]
- Scholz, H. 2007: Notes on *Aegilops* (*Poaceae*). – Willdenowia **37**: 431-434. [AE]
- Scholz, H. 2007: On the identity of *Brachypodium firmifolium* (*Poaceae*) from Cyprus. – Willdenowia **37**: 215-220. [An, Cr, Cy, Gr, Ju]

- Scholz, H. & Valdés, B. 2007: *Schedonorus arundinaceus* subsp. *uechtritzianus* (Wiesb.) H. Scholz & Valdés, comb. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 26]. – Willdenowia 37: 442. [Ga]
- Danin A., Scholz, H. & Kerret, L. 2007: *Pennisetum purpureum* Schumach. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 26]. – Willdenowia 37: 441. [IJ]
- Zeddam, A. & Scholz, H. 2007: *Digitaria ciliaris* (Retz.) Koel. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 26]. – Willdenowia 37: 441. [Ag]
- Scholz, H. 2008: *Bromus alopecuros* subsp. *biaristulatus* (Maire) Acedo & Llamas (*B. caroli-henrici* subsp. *biaristulatus* (Maire) H. Scholz); *Bromus regnii* H. Scholz; *Eragrostis pectinacea* subsp. *fleazinei* (Portal) H. Scholz comb. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 27]. – Willdenowia 38: 469, 470, 471. [An, Ga, Gr, LS, Tu]
- Scholz, H. 2008: Some comments on the genus *Bromus* (Poaceae) and three new species – Willdenowia 38: 411-422. [Al, Cr, Gr]
- Scholz, H. & Zeddam, A. 2008: *Eleusine indica* (L.) Gaertn. subsp. *indica*. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 27]. – Willdenowia 38: 470. [Ag]
- Biel B. & Scholz, H. 2008: *Agrostis lachnantha* Nees – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 27]. – Willdenowia 38: 469. [AE]
- Böcker, R. & Scholz, H. 2008: *Festuca rubra* L. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 27]. – Willdenowia 38: 471. [LS]
- Kerret, L. & Scholz, H. 2008: *Zingeria biebersteiniana* (Claus) P. Smirn. subsp. *biebersteiniana*. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 27]. – Willdenowia 38: 471. [IJ]
- Raus, Th., Ristow, M. & Scholz, H. 2008: *Catapodium balearicum* (Willk.) H. Scholz – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 27]. – Willdenowia 38: 470. [AE, Tu]
- Vázquez, F. M. & Scholz, H. 2008: Anotaciones al género *Bromus* L. subgen. *Bromus* (Poaceae) en Extremadura (España). – Folia Bot. Extremadurensis 2: 11-30. [Hs]
- Danin, A. & Scholz, H. 2009: *Echinochloa crus-galli* subsp. *spiralis* (Vasing.) Tzvelev. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 28]. – Willdenowia 39: 341. [IJ]
- Hadjikyriakou, G., Hand, R. & Scholz, H. 2009: *Aeluropus littoralis* (Gouan) Parl. – [in: Hand, R. (ed.), Supplementary notes to the flora of Cyprus, VI]. – Willdenowia 39: 322. [Cyl]
- Jehlík, V. & Scholz, H. 2009: *Cenchrus incertus* M. A. Curtis. – [In: Greuter, W. & Raab-Straube E. von (ed.), Euro+Med Notulae, 4]. – Willdenowia 39: 332. [Bu]
- Karl, R. & Scholz, H. 2009: *Bromus parvispiculatus* H. Scholz. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 28]. – Willdenowia 39: 340. [It]
- Valdés, B. & Scholz, H. with contributions from Raab-Straube E. von & Parolly G. 2009: *Poaceae* Barnhart (pro parte majore). – [In: Euro+Med 2006-, Euro+Med Plantbase - the information resource for Euro-Mediterranean plant diversity]. – Published on the internet: <http://ww2.bgbm.org/EuroPlusMed/PTaxonDetail.asp?NameCache=Poaceae&PTRefFk=710000> [accessed 24. October 2012] [all areas]
- Wilhalm, T. & Scholz, H. 2009: *Desmazeria philistaea* (Boiss.) H. Scholz. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 28]. – Willdenowia 39: 341. [It]
- Scholz, H. 2010: *Bromus parvispiculatus* H. Scholz; *Bromus squarrosum* subsp. *consimilis* H. Scholz, subsp. nov.; *Elytrigia hoffmannii* (K. B. Jensen & Asay) H. Scholz, comb. nov.; *Patzkea coerulescens* (Desf.) H. Scholz, comb. nov.; *Patzkea durandoi* subsp. *capillifolia* (Willk.) H. Scholz, comb. nov.; *Patzkea durandoi* subsp. *fontqueri* (Rivas-Ponce & Cebolla) H. Scholz, comb. nov.; *Patzkea durandoi* subsp. *livida* (Hack.) H. Scholz, comb. nov.; *Patzkea paniculata* subsp. *baetica* (Hack.) H. Scholz, comb. nov.; *Patzkea paniculata* subsp. *longiglumis* (Litard.) H. Scholz, comb. nov.; *Patzkea paniculata* subsp. *macrostachys* (Llamas & al.) H. Scholz, comb. nov.; *Patzkea paniculata* subsp. *multispiculata* (Rivas-Ponce & Cebolla) H. Scholz, comb. nov.; *Patzkea patula* (Desf.) H. Scholz, comb. nov.; *Poa bussmannii* H. Scholz,

- sp. nov.; *Triticum turgidum* subsp. *asiaticum* (Vavilov) H. Scholz, comb. nov.; *Triticum turgidum* subsp. *maroccanum* (Flaksb.) H. Scholz, comb. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 29]. – Willdenowia **40**: 199, 200, 201, 202. [**AE, An, Bu, Ga, Gr, Hs, Ma**]
- Behçet, L., Rüstemoglu, M. & Scholz, H. 2010: *Bromus danthoniae* subsp. *pseudodanthoniae* (Dobrov) H. Scholz. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 29]. – Willdenowia **40**: 199. [**An**]
- Brofas („Profas“) G., Trigas P. & Scholz, H. 2010: *Puccinellia bilykiana* Klok. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 29]. – Willdenowia **40**: 201. [**Gr**]
- Vered, S. & Scholz, H. 2010: *Crypsis vaginiflora* (Forssk.) Opiz [= *C. niliaca* Fig. & De Not.]; *Setaria parviflora* (Poir.) Kerguélen. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 29]. – Willdenowia **40**: 200, 201-202. [**IJ**]
- Zeddam, A. & Scholz, H. 2010: *Paspalum dilatatum* Poir. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 29]. – Willdenowia **40**: 200. [**Ag**]
- Scholz, H. 2011: *Ventenata subnervis* subsp. *major* H. Scholz, T. Gregor & Meierott, subsp. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 30]. – Willdenowia **41**: 325. [**An**]
- Scholz, H. & Biel B. 2011: *Eragrostis multiglandulosa* H. Scholz, sp. nov. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 30]. – Willdenowia **41**: 324. [**Gr**]
- Scholz, H. & Soreng, R. J. 2011: *Poa caucasica* Trin. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 30]. – Willdenowia **41**: 325. [**An**]
- Scholz, H. & Willing, E. 2011: *Vulpia ligustica* (All.) Link. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 30]. – Willdenowia **41**: 325. [**Gr**]
- Bergmeier, E. & Scholz, H. 2011: *Schedonorus pluriflorus* (Schult.) Bergmeier & H. Scholz comb. nov. – [In: Bergmeier, E., New floristic records, confirmations and other phytogeographical notes from Crete]. – Willdenowia **41**: 174. [**Cr**]
- Cakan, H. & Scholz, H. 2011: A new variety of *Bromus* (*Poaceae*) from Turkey: *Bromus psammophilus* var. *robustus* var. nov. – Turk. J. Bot. **35**: 713-716. [**An**]
- Ristow, M. & Scholz, H. 2011: *Pholiurus pannonicus* (Host) Trin. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 30]. – Willdenowia **41**: 325. [**An**]
- Scholz, H. 2012: *Poa portalii* H. Scholz, sp. nova. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 31]. – Willdenowia **42**: 293. [**Ga**]
- Böhling, N. & Scholz, H. 2012: *Eragrostis minor* subsp. *roborovskii* (Tzvelev) H. Scholz. – [In: Greuter, W. & Raus, Th. (ed.), Med-Checklist Notulae, 31]. – Willdenowia **42**: 293. [**Ga, Gr**]

### Eponomy:

- Lolium scholzii* Greuter – P. 111 in: Greuter, W. 2012: Results of the Seventh “Iter Mediterraneum” in the Peloponnese, Greece, May to June 1995. – Bocconeia **25**: 5-127. – Published online on 9 July 2012: [http://www.herbmedit.org/bocconeia/25\\_005.pdf](http://www.herbmedit.org/bocconeia/25_005.pdf)
- Stipa scholzii* Valdés – P. 663 in: Valdés, B. & Scholz, H. 2006, The Euro+Med treatment of Gramineae – a generic synopsis and some new names. – Willdenowia **36**: 657-669.

### Address of the authors:

Hans Walter Lack & Thomas Raus,  
Botanischer Garten und Botanisches Museum Berlin-Dahlem, Freie Universität  
Berlin, Königin – Luise – Str. 6 – 8, 14195 Berlin, Germany. Email:  
h.w.lack@bgzm.org ; t.raus@bgzm.org



Stampato nel mese di dicembre 2012  
presso la Tipolitografia Luxograph s.r.l.  
Piazza Bartolomeo da Messina, 2/e  
Palermo



